
STATE OF UTAH DIVISION OF OIL, GAS AND MINING

	E 6	E		E	<u></u>	7
lli) APF		1995			
	APT	(- 0	i icha	Lua	اولايه	enation and Serial No.
				ΜI	-38	666

					MI - 38 6 66		
APPLICATION	FOR PERMIT	O DRILL, DEEPE	N, CBIVEFOI	BASAS A	6. Il Indian, Allottee of	ir Tribe Name	-
la. Type of Work			***************************************	-	7. Unit Agreement Nam	···	_
DRILL	X	DEEPEN [PLUG BA	ACK		ie	
b. Type of Well Oil Gas		44 4 4 4	Single Mu	itiple	N/A 3. Farm or Lease Nam		-
Well Wei	Other Co	albed Methane	Zone Zor	ne L		.e	
-				}-	Utah 9. Well No.		-
River Gas	Corporation						
G. Address of Operator				1	17-103		_
511 Energy 4. Location of Well (Report	Center Boulev	ard Northport,	A1. 35476		10. Field and Pool, or V	Vildeat	
 Location of Well (Report At surface 	location clearly and in	accordance with any State	requirements.")		Wildcat		_
1120'	FWL, 1520' FSL	Sec. 17, T15S,	R10E	ŀ	11. QQ, Sec., T., R., H., and Survey or Area	or Blk.	
At proposed prod, zone	•		•	1	NW/SW Sec.	17, T15S,	R1
	ame						
14. Distance in miles and d	irection from neurest tow	n or post office*			12. County or Parrish	13. State	•
5 mil	es south-south	west of Price,	Ut.		Carbon	Ut.	
15. Distance from proposed location to nearest		16. No	o. of acres in lease	17. No. of	acres assigned	· · · · · · · · · · · · · · · · · · ·	
property or lease line, if (Also to nearest drig. line)	t. 1120 *		921.98	to this	well 160		
 Distance from proposed to nearest well, drilling. 	location*	19. Pr	oposed depth	20. Rotary	or cable tools		
or applied for, on this le		2	600 '	Ro	tary	•	
21. Elevations (Show whether	r DF, RT, GR, etc.)				22. Approx. date work	will start*	
5627'	GR surveyed				July 1,	1995	
23.		PROPOSED CASING AND	CEMENTING PROGRA	М			
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		Quantity of Cement	:	•
11"	<u>8-5/8"</u>	24#	300 '		110 sx		
<u>7-7/8"</u>	5-1/2"	17 <u>#</u>	2570 '		265 sx		
					·		
					,		
			•				
			·				
					÷		
	*						
	•						
N ABOVE SPACE DESCR	IBE PROPOSED PROGR	AM: If proposal is to dee	pen or plug back, give d	ata on presen	t productive zone and n	roposed new nm-	
luctive zone. If proposal is reventer program, if any.	to drill or deepen direct	ionally, give pertinent data	on subsurface locations	and measured	and true vertical dept	hs. Give blowout	
4. I hereby certify that	this renort is touch and	complete to the best of	au bandada		· · · · · · · · · · · · · · · · · · ·		
		_					
Signed Terry D.	Burns kery U.	Duly Title Geo	logist		Data Mar	ch 30, 19	95
(This area for little							






RIVER GAS CORPORATION

511 Energy Center Blvd. Northport, Alabama 35476 Phone (205) 759-3282 Fax (205) 759-3188

March 31, 1995

Mr. Michael Hebertson Utah Board of Oil, Gas, and Mining Suite 350, 3 Triad Center 355 West North Temple Salt Lake City, Utah 84180-1203



RE: Application for Permit to Drill -

Utah 17-103, NW 1/4 of SW 1/4 of Sec. 17, T15S, R10E

S.L.B. & M., Carbon County, Utah

Dear Mr. Hebertson:

Enclosed is an original and one copy of an "Application for Permit to Drill" the well described above. Attached to the APD is the following information:

Attachment #1 - Copy of survey plat of proposed well site

Attachment #2 - Information regarding use of water at the

site

Attachment #3 - Schematic of B.O.P.

Attachment #4 - Portion of topographic map indicating

proposed well site

Attachment #5 - Additional drilling information furnished

according to State regulations

Attachment #6 - Typical road cross-section

Attachment #7 - Well location map

Attachment #8 - Evidence of bond sent to State Lands and

Forestry Division

Page Two

Also, please accept this letter as our request that all information regarding this permit be kept confidential, if said information is eligible for such consideration. This request is made in accordance with State of Utah Oil and Gas rule # R649-2-11.

Thank you for your assistance. Please feel free to contact me if you have questions.

Sincerely,

Terry D. Burns

Geologist

cc: Mr. Edward W. Bonner, Utah Department of Natural Resources

Mr. Eric Jones, BLM in Moab, Utah

Mr. Dean Nyffler, BLM in Price, Utah

Mr. Robert A. Hendricks, BLM in Salt Lake City, Utah

Mr. J.R. French, Texaco

Mr. R.A. Lamarre, Texaco

Mr. Gee Lake, Jr., Dominion Reserves



RIVER GAS CORPORATION

511 Energy Center Blvd. Northport, Alabama 35476 Phone (205) 759-3282 Fax (205) 759-3188

May 9, 1995

MAY 15 1995

Mr. Michael Hebertson Utah Board of Oil, Gas, and Mining Suite 350, 3 Triad Center Salt Lake City, Utah 84180-1203

Dear Mr. Hebertson:

The archaeological and "paleo" studies covering our area of 1995 development are complete. Please find enclosed the additions to the 10 permits that were filed around the 1st of April. If you have any questions, please give me a call.

Sincerely,

Terry D. Burns


c: Mr. Edward W. Bonner, S.I.T.L.A., Salt Lake City

Mr. Robert A. Hendricks, BLM in Salt Lake City


RIVER GAS CORPORATION ATTACHMENT #2

RE: Use of Water During Drilling Operations

As stated, water which we will be using is to be purchased from the Price River Water Improvement District (Tel. 801-637-6350). This has been arranged by Mr. Michael J. Farrens, Drilling Supervisor for River Gas of Utah, Inc. He has been in contact with Mr. Phillip Palmer. Mr. Farrens has discussed this arrangement with Mark Page of the Division of Water Rights (Tel. 801-637-1303) over the telephone. The Division of Water Rights is to furnish the Oil & Gas Division with a letter of approval concerning this matter.



RIVER GAS CORPORATION
ATTACEMENT 43



RIVER GAS CORPORATION

Additional Drilling Information

Utah 17-103

1120' FWL & 1520' FSL Section 17, Township 15 South, Range 10 East

R649-3-4 Permitting of Wells to be Drilled, Deepened or Plugged Back

2.1 Telephone numbers for additional information:

		Steven L. Prince	(801)637-8876 Office
		Operations Manager	(801)650-1211 Mobile
		T 15 11	(001) (07 007 (007
		Fred Passarella	(801)637-8876 Office
		Pumper	(801)650-1296 Mobile
		Randy Nairemore	(801)637-8876 Office
		Randy Namemore	` ,
			(801)650-1210 Mobile
		Michael J. Farrens	(205)759-3282 Office
			` ,
		Vice President	(205)758-8535 Home
			(801)650-1162 Mobile
2.2	Taran State	-fileh MI 20666	
2.2	Lease: State	of Utah ML-38666	
2.3		will be drilled approximated the Drunkards Wash Unit (
2.4	Survey Plat:	See Attachment #1	
2.5	Water will be	e purchased from Price River	Water Improvement District:

2.6 Drilling program.

See Attachment #2.

2.6.1 The following geologic units are expected to be penetrated in the well.

Formation/Unit	Depth (ft)
Upper Mancos Shale	Surface
Blue Gate/Ferron Sandstone	1440
Ferron/Tununk Shale	1690
TD	2600

- 2.6.2 The Ferron coals within the Ferron Sandstone will be the target gas and water bearing formations at approx. 1460-1580'. 5-1/2" 17# WC75 casing will be run and cemented with approximately 200 sacks 50/50 Pozmix cement and tail-in with 65 sacks "RFC".
- 2.6.3 A double gate 3000 psi BOPE will be used with a rotating head. This equipment will be tested to 2100 psi or 70% of the minimum internal yield pressure. All tests will be recorded in a Driller's Report Book. Physical operation of BOP's will be checked on each trip. See Attachment #3 for Schematic.
- 2.6.4 None.
- 2.6.5 Mud Program:

<u>Depth</u>

0-300

11" hole

Drill with air, will mud-up if

necessary.

300-2600

7-7/8" hole

Drill with air.

400 psi @ 1500-1800 Scf.

2.6.6 Logging Program:

<u>Depth</u>

0-300

Gamma Ray

300-2600


Gamma Ray, Density, Neutron porosity, Induction,

Caliper

2.6.7 We expect 1100 psi for bottom hole pressure.

No hazards are expected.

RIVER GAS CORPORATION



TYPICAL ROAD CROSS-SECTION

NOT TO SCALE

International Department

TELEX: 6827189 Cable: AMSOUBKBHM S.W.I.F.T.AMSB US 44

AMENDMENT NUMBER: 003 TO LETTER OF CREDIT NUMBER: 5304606 DATE: DECEMBER 29, 1993

BENEFICIARY:
STATE OF UTAH, DEPARTMENT OF
NATURAL RESOURCES, DIVISION OF
STATE LANDS AND FORESTRY
#3 TRIAD CENTER SUITE 400
355 WEST TEMPLE
SALT LAKE CITY, UTAH 84180-1204

AT THE REQUEST OF RIVER GAS OF UTAH, INC.
AND FOR THE ACCOUNT OF SAME
WE HEREBY AMEND OUR LETTER OF CREDIT NUMBER 9304606
DATED DECEMBER 14, 1990
OPENED IN YOUR FAVOR AS FOLLOWS:

ACCOUNT PARTY'S ADDRESS IS NOW TO READ: 3600 WATERMELON ROAD, SUITE 204, NORTHPORT, ALABAMA 35176.

-LATEST NEGOTIATION DATE IS EXTENDED TO DECEMBER 13, 1934.

-ADD: THIS LETTER OF CREDIT WILL BE AUTOMATICALLY RENEWED WITHOUT AMENDMENT FOR SUCCESSIVE PERIODS OF DNE (1) YEAR EACH, UNLESS AT LEAST 60 DAYS PRIOR TO THE INITIAL EXPIRATION DATE DR ANY SUCCESSIVE EXPIRATION DATE THE ISSUING BANK SIVES THE BENEFICIARY NOTICE BY REGISTERED LETTER TO THE ADDRESS ABOVE THAT THE ISSUING BANK ELECTS NOT TO HAVE THIS LETTER OF CREDIT RENEWED FOR SUCH ADDITIONAL ONE YEAR PERIOD.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.
THIS AMENDMENT BECOMES AN INTEGRAL PART OF THE ORIGINAL LETTER OF
CREDIT AND IS TO BE ATTACHED THERETO.

AUTHORIZED SIGNATURE

ANTHORIZED SIGNATURE

RIVER GAS OF UTAH, INC. ATTACHMENT #8

AmSouth Bank N.A. 1900 5th Avenue North Birmingham, Alabama 35203-2610 USA

International Department

TELEX: 6827189 Cable: AMSOUBKBHM S.W.I.F.T. AMSB US 44

AMENDMENT NUMBER: 004
TO LETTER OF CREDIT NUMBER: 5304606
DATE: JANUARY 24, 1995

BENEFICIARY:
STATE OF UTAH, DEPARTMENT OF
NATURAL RESOURCES, DIVISION OF
STATE LANDS AND FORESTRY
#3 TRIAD CENTER SUITE 400
355 WEST TEMPLE
SALT LAKE CITY, UTAH 84180-1204

AT THE REQUEST OF RIVER GAS OF UTAH, INC. 3600 WATERMELON ROAD SUITE 204 NORTHPORT, ALABAMA 35476 AND FOR THE ACCOUNT OF SAME WE HEREBY AMEND OUR LETTER OF CREDIT NUMBER S304606 DATED DECEMBER 14, 1990 OPENED IN YOUR FAVOR AS FOLLOWS:


A-ACCOUNT PARTY'S NAME IS NOW CHANGED TO:

-THE NAME OF THE ISSUING BANK IS CHANGED FROM AMSOUTH BANK N.A. TO AMSOUTH BANK OF ALABAMA.

**REFERENCES HEREIN TO AMSOUTH BANK N.A. SHALL BE DEEMED TO REFER TO AMSOUTH BANK OF ALABAMA.

ALL OTHER TERMS AND CONDITIONS REMAIN UNCHANGED.
THIS AMENDMENT BECOMES AN INTEGRAL PART OF THE ORIGINAL LETTER OF
CREDIT AND IS TO BE ATTACHED THERETO.

SUTHORIZED SIGNATURE



ADDENDUM TO APPLICATION FOR PERMIT TO DRILL:

UTAH 17-103 1120' FWL, 1520' FSL SEC. 17, T15S, R10E

MAY 15 199

Selected Points to be Addressed in On-site Predrill Evaluation

Drilling Program

- Point #2. Expected Depths of Water and Gas Zones The only water and gas bearing zones expected in the well will be from the sandstones and coals within the Ferron Sandstone member of the Mancos Shale. Expected interval: 1440-1580'. No near surface water is expected to be encountered.
- Point #4. Cement used for surface casing will be Class "G" with 2% Calcium Chloride.

 Density: 15.80 lbs/gal


Surface Use Plan


Current Surface Use - Grazing permit # GP 21308 Leased to Boyd Marsing


- Point #2 Planned Access Roads A new road will be constructed, approx. 1.5 miles in length, southward from proposed well # 8-98 (see Attachment #1).
- Point #3 Wells within 1-mile radius of proposed location Two producing gas wells operated by River Gas Corporation are located < 1 mile west-northwest of proposed location (See Attachment #1)
- Point #4 Location of Production Facilities and Pipelines see Attachment #1
- Point #6 Source of Construction Material Other than native Mancos Shale, sand and gravel will be purchased from a local construction company
- Point #7 Waste Management Plan All drill cuttings will be diverted to pit, as well as fluids encountered. Afterwards, the fluids will be allowed to evaporate and cuttings will be buried. Also, a portable bathroom facility will be provided during drilling operations
- Point #9 Well Site Layout The separator will be located on the "cut" side of the location (see Attachment #2)

Other Observations

Archaelogical/Paleontological report - see Attachment #3







INTRODUCTION

Baseline Data, Inc., has completed a cultural and paleontological resource inventory of 32 new well locations and associated access corridors in Cabron County, for River Gas Company of Utah, Inc. The inventory was requested by Mr. Steve Prince of River Gas.

Field conditions for the inventory were excellent. Ground visibility was near 100%, hampered only by sparse native vegetation. The inventory was carried out under Utah State Project Authorization No. U95-BS-118bsp, and Federal Antiquities Permit No. 93UT576532.

The preliminary report provides information on the surveyed well locations and associated Utility Corridors. All location information has been summarized in Tables 1 and 2. The Utility Corridors may serve as access roads, water, or gas pipelines. The well locations and access corridors are found on the attached U.S.G.S. maps.

Inventory Methods

Two different methods were employed to accomplish the inventory. Access roads were flagged down the center line by River Gas prior to the inventory or followed existing roads marked on U.S.G.S. maps. A corridor approximately 20 m wide (10+ meters on each side of the center line) was examined by walking zigzag transects, along the center of each line. Each well location is about 75 x 75 m and were examined by completing several transects over the location, spaced about 15 m apart.

Sites and isolated artifacts were plotted on a U.S.G.S. map and were noted on field recording forms. No artifacts from any of the sites were collected. Photographs were taken of the sites and field maps were drawn. None of the isolated artifacts were unique enough to be collected or photographed. Notes on the general flora, fauna and geology were completed as the survey progressed.


OFFICE MAX

Table 2 Utility Corridor Location

05/08/1995 15:55

Utility Corridor	Beginning		Distant
UC-1	SE1/4 NE1/4 SE1/4 NE1/4 Sec. 36 T.15 8 R.9E	NW1/4 NW1/4 NE1/4 NE1/4 Sec. 1 T. 168 R. 9E	2.6 km
UC-2	NE1/4 SE1/4 SE1/4 NW1/4 Sec. 36 T. 15S R. 9E	SE1/4 SE1/4 SE1/4 NW1/4 Sec. 36 T. 158 R. 9E	.15 km
UC-3	SE1/4 SE1/4 SW1/4 SE1/4 Sec. 17 T. 158 R. 10E	SE1/4 SE 1/4 NW 1/4 SE1/4 Sec. 17 T. 155 R. 10E	.42 km
UC-4	SW1/4 SW1/4 SW1/4 SE1/4 Sec. 17 T. 158 R. 10E	SE1/4 SW1/4 NW1/4 SW1/4 Sec. 17 T. 155 R. 10E	.8 km
UC-5	SW1/4 NW1/4 SW1/4 NW1/4 Sec. 21 T. 158 R. 10E	SE1/4 SW1/4 NW1/4 SW1/4 Sec. 17 T. 155 R. 10E	1.5 km
UC-6	8E1/4 SW1/4 NW1/4 SW1/4 Scc. 17 T. 15S R. 10E	SW1/4 SW1/4 NE1/4 NW1/4 Sec. 8 T. 158 R. 10E	3.9 km
UC-7	NW1/4 SE1/4 NW1/4 NW1/4 Sec. 17 T. 158 R. 10E	NE1/4 SW1/4 SW1/4 NE1/4 Sec. 17 T. 158 R. 10E	.75 km
UC-8	SE1/4 SE1/4 NW1/4 SW1/4 Sec. 8 T. 158 R. 10E	SE1/4 SE1/4 NW1/4 SE1/4 Sec. 8 T. 158 R. 10E	.77 km
UC-9	NW1/4 NW1/4 SE1/4 NE1/4 Sec. 8 T. 158 R. 10E	BE1/4 SE1/4 NW1/4 NW1/4 Sec. 7 T. 158 R. 10E	2.5 km
UC-10	SE1/4 SE1/4 NW1/4 NW1/4 Sec. 7 T. 158 R. 10E	8W1/4 NW1/4 NE1/4 NW1/4 Sec. 1 T. 158 R. 10E	2.4 km
UC-11	NW1/4 NE1/4 NW1/4 SE1/4 Sec. 6 T. 158 R. 10E	NE1/4 SW1/4 NW1/4 SE1/4 Sec. 5 T. 158 R. 10E	1.6 km
UC-12	8W1/4 8W1/4 SW1/4 SE1/4 Sec. 19 T. 148 R. 10E	NW1/4 NE1/4 NE1/4 NE1/4 Sec. 30 T. 148 R. 10E	.7 km
UC-13	SW1/4 SE1/4 SW1/4 SW1/4 Sec. 18 T. 148 R. 10E	8W1/4 NEI/4 NW1/4 SE1/4 Sec. 13 T. 148 R. 9E	1.2 km
UC-14	NW1/4 NE1/4 SW1/4 SW1/4 Sec. 13 T. 148 R. 9E	SW1/4 NE1/4 SW1/4 SW1/4 Sec. 13 T. 14S R. 9E	.05 km
UC-15	NE1/4 SE1/4 SW1/4 NW1/4 Soc. 13 T. 148 R. 9E	SE1/4 NE1/4 SW1/4 NW1/4 Sec. 13 T. 148 R. 9E	.09 km
UC-16	NE1/4 NE1/4 SW1/4 SW1/4 Box 19 T. 15S R. 10E	NW1/4 8W1/4 8E1/4 SW1/4 Sec. 18 T. 158 R. 10E	1.5 km
UC-17	SEL/4 SEL/4 NW1/4 NW1/4 Sec. 19 T. 158 R. 10E	SW1/4 SW1/4 NE1/4 NE1/4 Sec. 24 T. 158 R. 9E	.85 km
UC-18	8W1/4 8W1/4 NE1/4 NE1/4 Sec. 24 T. 158 R. 9E	NE1/4 NE1/4 NW1/4 SE1/4 Sec. 24 T. 158 R. 9E	.54 km
UC-19	NW1/4 8E1/4 SW1/4 SW1/4 Sec. 18 T. 158 R. 10E	NWI/4 SE1/4 SWI/4 SWI/4 Sec. 18 T. 158 R. 10E	.03 km
UC-20	NE1/4 8W1/4 NE1/4 NE1/4 Sec. 24 T. 158 R. 9E	NW1/4 8E1/4 NE1/4 NW1/4 Sec. 24 T. 156 R. 9E	.7 km
UC-21	NW1/4 SE1/4 NE1/4 NW1/4 Sec. 23 T. 158 R. 9E	NW1/4 SE1/4 SE1/4 SW1/4 Sec. 14 T. 158 R. 9E	.36 km
UC-22	NWI/4 NWI/4 SE1/4 SWI/4 Sec. 14 T. 155 R. 9E	NW1/4 SW1/4 NE3/4 SE1/4 Sec 14 T. 158 R. 9E	1.3 km
UC-23	NW1/4 NE1/4 NW1/4 SE1/4 8cc. 19 T. 148 R 9E	NEI/4 NEI/4 SW1/4 NEI/4 Sec. 19 T. 145 R. 9E	.45 km
UC-24	BWI/4 SE1/4 SW1/4 BW1/4 Sec. 18 T. 148 R. 9E	SW1/4 NE1/4 BW1/4 SW1/4 Sec. 18 T. 143 R. 9E	3 km
JC-25	8W1/4 NW1/4 SW1/4 BW1/4 Sec. 14 T. 148 R. 9E	NE1/4 NE1/4 8W1/4 8W1/4 Sec. 14 T. 148 R. 9E	.3 km
)C-26	SW1/4 NW1/4 SW1/4 SE1/4 Sec. 14 T. 148 R. 9E	NE1/4 NW1/4 SW1/4 SE1/4 Sec. 14 T. 145 R. 9E	.12 km
JC-27	NW1/4 SE1/4 NE1/4 NW1/4 Sec. 22 T. 14S R 9E	NW1/4 8E1/4 NE1/4 NW1/4 Sec. 22 T. 148 R. 9E	.03 km
7C-28	SE1/4 NE1/4 NE1/4 NE1/4 Sec 6 T. 158 R. 10E	SE1/4 NW1/4 NW1/4 NW1/4 Sec. 5 T. 158 R. 108	.21 km
IC-29	SEL/4 NWI/4 SWI/4 SWI/4 Boc. 14 T. 145 R. 9E	8E1/4 NW1/4 \$W1/4 \$W1/4 Sec. 14 T. 148 R. 9E	.02 km
OTAL DIS	TANCE THE SAME AND		26.14

Inventory Results



Baseline recorded a total of seven new cultural resource sites and four new paleontology localities. Each is briefly summarized below.

Site 42Cb 1009 is a light scatter of historic trash found near Well No. 17-103. It is on private land in the NW1/4 NE1/4 SW1/4 SW1/4 of Section 17, T.15S R.10E. The site consists of a scatter of crushed cans, a galvanized wash tub, several fragments of porcelain dinnerware, Mason jar glass fragments, and a 1935 auto licence plate. There are no features or depth at the site. The site is not eligible for the National Register and no mitigation is recommended.

Site 42Cb 1010 is an abandoned collector ditch or irrigation system. It is found about 50 m west of Well No. 17-103 on private land. The feature is about 1.5 m wide and averages about .70 m deep. It has been breached in several locations and alluvial fill has covered the ditch in others. Greasewood growing in the ditch is more than 1 m high. It appears to be a collector system that drained water north into Miller Creek. The site is no eligible for the National Register and no mitigation is recommended.

Site 42Cb 1011 is a large scatter of trash found near Well No. 8-99 on private land. The site is on the slope of a ridge and scatters over an area of nearly 150 x 150 M in the SE1/4 SE1/4 NWI/4 SWI/4 and the NEI/4 NEI/4 SWI/4 SWI/4 of Section 8, T. 15S R. 10E... It consists of crushed cans, fragments from a wood burning stove, porcelain dinnerware, earthenware crockery, and amethyst glass fragments. There are no features or depth at the site. The site is no eligible for the National Register and no mitigation is recommended.

Site 42Cb 1012 is a light scatter of historic trash found on the east side of Well No. 5-94. It is in the NE1/4 SW1/4 NW1/4 SE1/4 of Section 5, T.15S R.10E, and is on private land. The trash consists of crushed cans, a fragment of milled wood and a single Dr. Nunn's Black Oil Healing Baslam bottle. The bottle is made from a light amethyst glass and was blown into a wood mold. The neck and cork stop were hand finished. There are no features or depth at the site. The material is in a high erosion environment and the wash the site is on is scattering artifacts south toward the Carbon Canal. The site is not eligible for the National Register and no mitigation is recommended.

Site 42Cb 1013 is a possible prehistoric camp site or storage site. It is found near Core Well No. 18-7. It is found in the SE1/4 NE1/4 SW1/4 SW1/4 of Section 18, T.14S R 9E, and is on land administered by the Bureau of land Management. The site consists of several interior secondary chert flakes, three fragments of basin metates, a possible one-handed mano and the remains of what may be a slab-lined cist. The cist area has several fragment of thin limestone slabs and discolored soil. The entire surface of the site has been impacted by chaining. The artifacts were noted in the bottom of small erosions channels. The impact from chaining has made the site difficult to evaluated for the National Register. It is suggested that the site be avoided until the site can be properly evaluated. River Gas has dropped plans for drilling this core well and the site will not be impacted by River Gas.

Site 42Cb 1014 is along Utility Corridor No. 12 in SE1/4 SW1/4 SW1/4 SE1/4 Section 19, T.14S R. 10E. The site is a non-significant historic trash scatter consisting mostly of tins cans, and a few fragments of milled lumber. The site covers an area of about 30 X 30 m on private land. There are no significant features or artifacts associated with this site and it is not eligible for the National Register.

05/08/1995 15:55

Site 42Cb 1015 is stated within Well Location No. 13-92 in SW1/4 NE1/4 NW1/4 SE1/4 of Section 13, T.14S R.9E. This site is a historic trash scatter covering an area of 40 x 20 m and is located on private land. The site consists of 100+ solder sealed tin cans, most of which have been knife cut. There are 80+ fragments of clear glass, two pieces of white china, 40 fragments of green glass and 40+ fragments of brown beverage bottle glass. Most of the glass is modern with some being of an undetermined age. None of the artifacts are significant and there are no features or structure associated with this site. It is not eligible for the National Register. No mitigation is recommended at the site.

OFFICE MAX

Paleontological Sites- A total of four paleontological sites were noted during the inventory, tow of which are sensitive, one may be and the other is not sensitive.

Site 95RG-1 is located along the east edge of the proposed Well No. 30-78 in the SW1/4 NEI/4 NEI/4 NEI/4 Section 30 T. 14S R. 10E. The site is found on a small rise and covers an area of about 40 X 40 on privately owned land. The site consists of invertebrate marine fossils that are sensitive enough to be avoided. The well location only needs to be moved 125 feet to the west to avoid any paleontological disturbance.

Site 95RG-2 is along Utility Corridor No. 8 just west of the proposed Well No. 8-100. The site covers an area of about 50 x 50 and is in the NE1/4 SE1/4 NW1/4 SE1/4. Section 8 T. 15S R. 10E. The site is located on State owned land. This site consists of invertebrate marine fossils that are sensitive enough to avoid. To avoid the site it is recommend that the utility corridor be bent about 70 feet north around a small ravine. This should avoid any disturbance of the paleontological site.

Site 95RG-3 was noted near a proposed Utility Corridor No. 11 just west of Well No. 5-95. The site is found on the side of a ridge in the NE1/4 SW1/4 NW1/4 SE1/4 of Section 5. T.15S R. 10E. It is on private land. The site consists of invertebrate marine fossils that may be sensitive. The existing access road will be used for the utility corridor and will not disturb any of the observed fossils. No mitigation is recommended.

Site 95RG-4 is a deposit of non-sensitive marine fossils found near Well Location 36-109 Alt. The site is found along the top of a ridge in the C, N1/2 NE1/4 SW1/4 of Section 36, T. 16S R.9E. It is on land administered by the State of Utah. The site will not be impacted by the well location or access road. No mitigation is recommended for this site.

RECOMMENDATIONS

Prehistoric site 42Cb 1013 has not been evaluated for the national Register. The site surface is too disturbed to adequately assess the site. The proposed will not be drilled and the site will not be impacted. None of the other cultural resource sites are eligible for the National Register and no mitigation is recommended for those sites. Paleontological site 95RG-1 is sensitive. It can be avoided by moving Well No. 30-78 about 125 feet to the west. Site 95RG-2 is a sensitive locality found on Utility corridor No. 8 just west of Well No. 8-100. The site can be easily avoided by moving the utility corridor about 70 m north around the edge of a small wash.

05/08/1995 15:55

OFFICE MAX

STATE OF ALABAMA) :ss.
COUNTY OF TUSCALOOSA)

AFFIDAVIT CONCERNING NOTIFICATION TO GRAZING PERMITTEE

JOSEPH L. STEPHENSON, being first duly sworn upon his oath, deposes and states:

- 1. I am Vice President Land of River Gas Corporation ("RGC"), an Alabama corporation duly authorized to transact business in the State of Utah, and am authorized to execute this Affidavit on behalf of said corporation.
- 2. As Vice President Land, I am responsible for supervision of lease records and reviewing title records and legal opinions affecting lands where RGC proposes to conduct operations.
- 3. RGC owns an interest in Oil, Gas and Hydrocarbon Lease <u>ML-38666</u> on which RGC proposes to drill a coalbed methane gas well named the <u>Utah 17-103</u>, the surface of said lands being owned by the <u>School and Institutional Trust Lands Administration</u>.
- 4. While reviewing title records associated with the above described Oil, Gas and Hydrocarbon Lease, it was noted that RGC's proposed well and its access road and associated production facilities would affect lands which were subject to Grazing Permit GP-22930 held by Boyd Marsing.
- 5. As evidenced by copy of letter dated <u>February 21, 1995</u> attached hereto as Exhibit "A", and by this reference incorporated herein, RGC notified the above described grazing permittee of RGC's proposed activities and requested the grazing permittee to contact RGC if the proposed activity would conflict with his present use of the surface.
- 6. To the best of my knowledge, the grazing permittee has not contacted RGC regarding any conflict that the proposed activity has with his use of the surface.
- 7. The matters stated herein are true of my own knowledge, except to any matters stated herein upon information and belief, and, as to those matters, I believe them to be true.

DATED this 16th day of May, 1995.

SEPH L. STEPHENSON

Subscribed, sworn and acknowledged to and by Joseph L. Stephenson before me this 16th day of May, 1995.

(SEAL)

My Commission Expires: 3/8/98

NOTARY PUBLIC Residing at:

1429 20th Avenue East Tuscaloosa, AL 35404 RGC

RIVER GAS CORPORATION

511 Energy Center Blvd. Northport, Alabama 35476 Phone (205) 759-3282 Fax (205) 759-3188

February 21, 1995

EXHIBIT "A"
Page 1 of 3

Mr. Boyd Marsing P. O. Box 806 Price, UT 84501

RE: Grazing Permit-21308

Dear Mr. Marsing:

Attached is a map which shows a couple of well locations we propose to drill this year where you have a grazing permit with the State. I don't know if the proposed sites have been staked in the field yet.

We are in the process of having the wells we propose to drill surveyed now. We would then submit APDs to the Division of Oil, Gas and Mining ("DOGM"). When DOGM conducts their field inspection of the proposed sites, we may have to make changes in the locations due to topography, etc. in the process of obtaining approval for the drilling permits.

This year, we hope to begin site construction work around April 1 with drilling activity starting around June 1.

If this 1995 plan conflicts with your present use of the surface under your grazing permit, please contact Mr. Michael J. Farrens or Mr. Steven Prince at our office in Price. That telephone number is 637-4455. They could meet you on the property for a more detailed explanation of the proposed development.


Sincerely yours,


Doseph L. Stephenson, RLP ice President - Land

Enc.

cc: Mr. Edward W. Bonner, SITLA

Mr. Michael J. Farrens, RGC





STATE OF UTAH DIVISION OF OIL, GAS & MINING (OGM)

ON-SITE PREDRILL EVALUATION AND REVIEW

OPERATOR: River Gas Corporation	
WELL NO: <u>Utah 17 - 103</u>	LEASE NO: ML - 38666
API NUMBER: 43 - 007 - 30278	LEASE TYPE: STATE Y FEE
PROPOSED LOCATION:C	ONFIDENTIAL
SURFACE: 1520 FSL	1120 FWL
SURFACE: QTR/QTR: NW/SW S	EC: 17 TWP: 15 S RNG: 10 E
BOTTOM HOLE: Same as Ab	ove
BOTTOM HOLE:QTR/QTR:	SEC: TWP: RNG:
COUNTY: CARBON FIELD:	CODE/NAME: 002 Undesignated
GPS COORDINATES: 437390	N 514590 E
SURFACE OWNER: State of Utah	SURFACE AGREEMENT(Y/N): Y
LOCATION AND SITING:	
Y Plat	R649-2-3. Unit:
Y Bond Sta Y Fee	R649-3-2. General
Number: <u>Letter of credit</u>	R649-3-3. Exception
N Potash (Y/N)	X UCA 40-6-6. Drilling Unit
N Oil Shale (Y/N)	Cause No: <u>137-2B</u>
Y Water Permit <u>City of Price</u>	Date: 25-Feb-1982
N RDCC Review	· •
ARCHEOLOGICAL AND PALEONTOLOGY S	SURVEY RECEIVED: (Y/N) Y
SITE PROBLEMS:	

Onsite Par	ticipants: Larr	y Jensen-Dirt	Contractor	, Michael
Hebertson-	-DOGM, Jimmie Th	ompson-DOGM		
Regional S	Setting/Topograp	hv: Northwest	flank of th	ne San Rafael
Swell and	east of the cen	tral Utah thru	st belt. Ma	ancos badlands
with over	Lying sandstone	cliffs of Mesa	Verde form	mation. The
area is do	ominated by roll	ing hill lowla	inds, steep	sided
moderately	incised gullie	s, and well de	fined sands	stone cliffs.
	-			
DRILLING 1	PROGRAM:			
			.	
1.	Surface Formati	on and Estimat	ed Tops/Geo	ologic Markers
	<u>Mancos Shale</u>			
	Blue Gate/Fer			<u> 1690′</u>
	Ferron/Tununk	<u>Snale</u>		- 2600 ′
	T.D.		2600'	
				<u> </u>
2.	Estimated Depth	s of Anticinat	ed Water (oil Gas or
2.	other Mineral B	earing Zones	ed water,	oii, das oi
	Other Mineral B	earing zones		
	Substance	Formation	1	<u>Depth</u>
		Blue Gate/Fer		1460 - 1580 <u>'</u>
	Oil	Dide Gace/ici		100 100
	Water	Blue Gate/Fer	ron	1460 - 1580'
	Other			
	All fresh water	sands encount	ered during	g drilling shall
	be recorded and	reported to t	he Division	n on Form 7.
3.	Well Control Eq	uipment & Test	ing Procedu	ıres
	Double Gate 30		ested to 210	00 PSI.
	See Attached D	<u>iagram. </u>	·	
	Description (and Comontino	Dwagnam	
4.	Proposed Casing	/FT 300' 110	, ev cives (፤ እነቸአጥ ኃይ CaCl
	8 5/8 24# 5 1/2 17#		SX 50/50 I	
	5 1/2 1/#		SX RFC	TAIL
	ALT. CEM	ENT WILL HAVE		
	ALL CEM	THE MEDI INVI	11 13.0 <u>DD</u>	
5.	Mud Program and	Circulating M	Medium - ind	clude mud
J.	components and	weights, when	drilling w	ith air also
	include length			
	0 - 300'	Air or air m	nist, natura	al mud_if
		necessary.		
	300 - 2600'	Air of air m	nist @ 400 I	PSI 1500 - 1800
		CFM.		

6.	No cores will be taken from this well.
	0 - 300' Gamma Ray 300 - 2600' Gamma Ray, Density, Porosity, Induction
7.	Abnormal Conditions, Bottom Hole Pressures and Potential Hazards, also list anticipated lost circulation zones, abnormal temperature zones and possible hydrogen sulfide bearing zones Bottom hole pressure will be about 1100 PSI.
	No other hazards are expected.
	USE PLAN: Surface Use: Cattle grazing under permit NO 21308 .
	normally not in use.
	Surface Disturbance: The location pad will be 200' X cluding the pit.
1.	Existing Roads Main surface roads to the location are state road 10 and several maintained field roads south of the city of Price.
2.	Planned Access Roads - include length of new road, length of existing road to be upgraded, maximum disturbed and travel surface widths, maximum grades, turnouts, surface materials, drainage, cattleguards A new road will be constructed about 300 feet from the field road to the location. Operator will install at least 7 culverts along existing road. Access road will be re-routed from the southwest to the northwest

Location of Production Facilities and Pipelines This well will be a field production well that will be used to delineate the field extent. the pipeline will follow the existing and proposed roads and fie production facilities already exist. Location and Type of Water Supply (include Division Water Rights approval or identifying number) Water will be purchased from an existing agreement with the City of Price Source of Construction Material Natural soils and spoil from the construction of th pad will be used, extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout See the attachment in the APD.	proposed drilling	location, include water, injection, produci with present status of each well attached map included with the APD.
This well will be a field production well that will be used to delineate the field extent. the pipeline will follow the existing and proposed roads and fie production facilities already exist. Location and Type of Water Supply (include Division Water Rights approval or identifying number) Water will be purchased from an existing agreement with the City of Price Source of Construction Material Natural soils and spoil from the construction of the pad will be used. extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the pis dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None.		
be used to delineate the field extent, the pipeline will follow the existing and proposed roads and fie production facilities already exist. Location and Type of Water Supply (include Division Water Rights approval or identifying number) Water will be purchased from an existing agreement with the City of Price Source of Construction Material Natural soils and spoil from the construction of the pad will be used, extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout		
Location and Type of Water Supply (include Division Water Rights approval or identifying number) Water will be purchased from an existing agreement with the City of Price Source of Construction Material Natural soils and spoil from the construction of th pad will be used. extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout	be used will for	to delineate the field extent. the pipeline
Water Rights approval or identifying number) Water will be purchased from an existing agreement with the City of Price Source of Construction Material Natural soils and spoil from the construction of th pad will be used. extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout		ton racificies affeaty exist.
Source of Construction Material Natural soils and spoil from the construction of the pad will be used. extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout	Water Ric	ghts approval or identifying number) ill be purchased from an existing agreement
Natural soils and spoil from the construction of the pad will be used. extra material and top soil will stock piled on the (N S E W) edge of the location Waste Management Plan All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the pis dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout	with the	e City of Price
All of the drill cuttings will be diverted to the along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout	pad wil:	l be used. extra material and top soil will
along with all the drilling fluids generated while drilling. The cuttings will be buried after the p is dry. A Porta-Potty and trash basket will be us for human and other solid wastes. Ancillary Facilities None. Well Site Layout		
for human and other solid wastes. Ancillary Facilities None. Well Site Layout	along v	with all the drilling fluids generated while ng. The cuttings will be buried after the p
Well Site Layout		

10. Surface Restoration Plans Unless otherwise agreed to the surface will be restored to the condition as found and all cuts slopes and drainages will be re-established. The vegetation seed mixtures and methods of planting will follow the standards that are current at the time of abandonment

ENVIRONMENTAL PARAMETERS:
Affected Floodplain and/or Wetlands: Is a 404 dredge and fill permit required? (Any activity which will change the bottom elevation of the "waters of the United States" including wetlands, natural and artificially created waters, and even some drainages may require a permit from the Army Corps of Engineers) Operator will need to check with the
Corp. of Engineers to run pipeline across Miller Creek.
Flora/Fauna: Briefly describe the flora found on the proposed site and the fauna evidenced or sighted on or near the proposed location. This area serves as a minor deer and elk winter range. Some raptor
species, coyote, rabbits, lizards, cattle, snakes. The
vegetation is Upper Sonoran Transitional Flora and Fauna with a
dominance of sagebrush and various types of grasses.
SURFACE GEOLOGY Soil Type and Characteristics: The soils are made up of decomposed clays and sands of the Mancos Shale and the overlying Mesa Verde sandstone cliffs. The whole weathers to a light tan with gypsum flakes and small pebbles of
chert.
Surface Formation & Characteristics: Light tan clay and
sand about 75% clay and 25% other. Very low porosity due
to the clay content but medium permeability due to the
fractures and surface jointing.
Erosion/Sedimentation/Stability: This area is not highly
active with water or erosion from runoff. There are many
<pre>small drainages that exist and runoff is of a sheeting nature that is active during thunder storms or high water</pre>
cycles.
CACTED.
Paleontological Potential Observed: None

RESERVE PIT	l	1
-------------	---	---

Characteristics: The reserve pi	t will be 50' x 50' x 10'
and will be included as part o	of the pad.
Lining (Site ranking form attach	ed). No liner will be
necessary. See the site ranking	og form attached.
neochbary. bos one brow ramer.	
OTHER OBSERVATIONS	
Cultural Resources/Archaeology (if pr land, has an archaeology clearance be	oposed location is on State en obtained?): Clearance has
been completed, but not submitted to	DOGM.
Comments:	
J. Thompson/M. Hebertson	5/10/95 3:15 pm
OGM Representative	Date and Time

STATEMENTS OF BASIS

OGM Review of Application for Permit to Drill (APD)

ENGINEERING/LOCATION and SITING:

The proposed location meets the location and siting requirements of UCA 40-6-6. The application and proposed casing and drilling plan appear to be consistent with accepted industry standards of practice and sound engineering design. A casing design safety check is attached. Blow out prevention contingency plans are adequate. No H2S has been found in this area.

Signature	F. R. Matthe	ews	Date	5/18/95	
GEOLOGY/GROUND WAT	ER:				
There are no USDW's in the area. The proposed casing and cement program will adequately protect ground water.					
Signature <u>D</u>). Jarvis		Date	5/15/95	
SURFACE:					
The onsite investi	gation was co	onducted on 5/1	10/95. Th	e Division	
met with a represe					
construction was d					
surveyed the propo					
location plat were	provided. Th	nere are no ma-	or drain	<u>lages around</u>	
or through the loc	ation. A pit	liner evaluati	on was c	onducted,	
and it was determi	<u>ned a pit lir</u>	ner was not ned	cessary.	Construction	
of the location sh	ould cause no	o adverse envir	conmental	issues.	
		dadverse envir Hebertson	<u>conmental</u>	issues.	
	Thompson/M.	o adverse envir	<u>conmental</u>	issues.	
Signature <u>J.</u>	Thompson/M.	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature <u>J.</u> STIPULATIONS for A	Thompson/M. PD Approval: may be requir	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature <u>J.</u> STIPULATIONS for A 1. A Right-of-Way	Thompson/M. PD Approval: may be requir	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature <u>J.</u> STIPULATIONS for A 1. A Right-of-Way	Thompson/M. PD Approval: may be requir	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature <u>J.</u> STIPULATIONS for A 1. A Right-of-Way	Thompson/M. PD Approval: may be requir	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature <u>J.</u> STIPULATIONS for A 1. A Right-of-Way	Thompson/M. PD Approval: may be requir	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature J. STIPULATIONS for A 1. A Right-of-Way Contact State 1	Thompson/M. PD Approval: may be requir	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	
Signature <u>J.</u> STIPULATIONS for A 1. A Right-of-Way	Thompson/M. PD Approval: may be requirands	adverse envir Hebertson	<u>ronmental</u> Dat	issues.	

Evaluation Ranking Criteria and Ranking Score For Reserve and Onsite Pit Liner Requirements

For Reserve and Onsite Pit Liner Requirements				
Site-Specific Factors	Ranking Score	Final Ranking Score		
Distance to Groundwater (feet) >200 100 to 200 75 to 100 25 to 75 <25 or recharge area	0 5 10 15 20	0		
Distance to Surf. Water (feet) >1000 300 to 1000 200 to 300 100 to 200 < 100	0 2 10 15 20	0		
Distance to Nearest Municipal Well (feet) >5280 1320 to 5280 500 to 1320 <500	0 5 10 20	0		
Distance to Other Wells (feet) >1320 300 to 1320 <300	0 10 20	0		
Native Soil Type Low permeability Mod. permeability High permeability	0 10 20	10		

Fluid Type Air/mist Fresh Water TDS >5000 and <10000 TDS >10000 or Oil Base Mud Fluid containing significant levels of hazardous constituents	0 5 10 15	0
Drill Cuttings Normal Rock Salt or detrimental	0 10	0
Annual Precipitation (inches) <10 10 to 20 >20	0 5 10	2
Affected Populations <10 10 to 30 30 to 50 >50	0 6 8 10	0
Presence of Nearby Utility Conduits Not Present Unknown Present	0 10 15	0

Final Score		12
1		

The summation of all of the above ranking scores will yield one value which shall be used to determine the appropriate type of containment, on a case-by-case basis. The sensitivity levels are as follows:

Level I Sensitivity: For scores totaling ≥20 Level II Sensitivity: For scores totaling 15 to 19 Level III Sensitivity: For scores totaling <15

Containment Requirements According to Sensitivity Level

Level I: Requires total containment by synthetic liner, concrete structure or other type of total containment structure or

material.

Level II: Bentonite or other compatible lining is discretionary depending on the fluid to be contained and environmental sensitivity.

Level III: No specific lining requirements.

OTHER GUIDELINES FOR PITS

- 1. Unlined pits shall not be constructed on areas of fill materials.
- 2. A pit shall not be constructed in a drainages or floodplain of flowing or intermittent streams.
- 3. Synthetic liners used for lining reserve pits, shall be of 12 mil thickness or greater and shall be compatible with the fluid to be contained. Synthetic liners used for lining onsite pits with a longer expected life shall be a minimum of 30 mil thickness or as approved by the Division.
- 4. Synthetic liners shall be installed over smooth fill material which is free of pockets, loose rocks or other materials which could damage the liner.
- Monitoring systems for pits or closed mud systems may be required for drilling in sensitive areas.

STATE OF UTAH

Operator: RIVER GAS CORPORATION Well Name: UTAH 17-103 Location: SEC. 17 - T158 -R10E Project ID: 43-007-30278

Design Parameters: Design Factors: : 1.125 Mud weight (8.14 ppg) : 0.423 psi/ft Collapse Shut in surface pressure : 1033 : 1.00 psi Burst : 1.80 Internal gradient (burst): 0.025 psi/ft 8 Round (J) Buttress : 1.60 (1) Annular gradient (burst) : 0.000 psi/ft : 1.50 Tensile load is determined using buoyed weight Other **(J)** Service rating is "Sweet" Body Yield : 1.50 (B)

	Length (feet)	Size (in.)	Weight (lb/ft)	Grad	e Joii		Depth (feet)	Drift (in.)	Cost
1	2,600	5.500	17.00	WC-	75 LT&0	C	2,600	4.767	
	Load (psi)	Collapse Strgth (psi)	S.F.	Burst Load (psi)	Min Int Strgth (psi)	Yield S.F.	Load	Tension Strgth (kips)	S.F.
1	1099	6040	5.497	1099	7300	6.64	38.70	327	8.45 J

FRM, Salt Lake City, UT Prepared by:

Date

05-18-1995

Remarks

Minimum segment length for the 2,600 foot well is 1,000 feet.

SICP is based on the ideal gas law, a gas gravity of 0.69, and a mean gas


temperature of 87°F (Surface 74°F, BHT 100°F & temp. gradient 1.000°/100 ft.)

The mud gradient and bottom hole pressures (for burst) are 0.423 psi/ft and

1,099 psi, respectively.

The design factors used in this casing string design are as shown above. As a general guide-NOTE: line, Lone Star Steel recommends using minimum design factors of 1.125 - Collapse (with evacuated casing), 1.0 - Burst, 1.8 - 8 Round Tension, 1.6 - Buttress Tension, and 1.5 - Body Yield. Collapse strength under axial tension was calculated based on the Westcott, Dunlop and Kemler curve. Engineering responsibility for use of this design will be that of the purchaser. Costs for this design are based on a 1987 pricing model. (Version 1.06)

RIVER GAS CORP COAL GAS DEVELOPMENT SEC. 5, 8, 17, T 15 S, R 9 E





STATE OF UTAH DIVISION OF OIL, GAS & MINING

DATE: 04/04/95



State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter 355 West North Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

May 19, 1995

River Gas Corporation 511 Energy Center Boulevard Northport, Alabama 35476

Re: <u>Utah 17-103 Well, 1520' FSL, 1120' FWL, NW SW, Sec. 17, T. 15 S., R. 10 E., Carbon County, Utah</u>

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-015-30278.

Sincerely,

Associate Director

43-007-30778

ldc

Enclosures

cc: Carbon County Assessor

Bureau of Land Management, Salt Lake District Office

WAPD



Operator:	River Gas	Corpora	tion				
Well Name	e & Number:	Utah	17-103				
API Numb	er: <u>43-015</u>	-30278					<u></u>
Lease:	ML-38666						
Location:	NW SW	_ Sec	17	_ T	15 S.,	_ R	10 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Onsite Inspection

Compliance with the requirements and stipulations of the On-site Predrill Evaluation and Review.

B.002, 30278



DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Co	ompany: <u>RIVER GAS</u>	CORP.		
Well Name:	UTAH 17-103			
Api No	13-007-30278			-
Section	17 Township 15S	Range <u>10</u>	E County	CARBON
Drilling (Contractor PENSE	BROS.		· · · · · · · · · · · · · · · · · · ·
Rig #	11			
SPUDDED:	Date 7/25/95	_		
	Time_12:30 AM			
	How_ROTARY	_		
Drilling v	vill commence			
Reported l	oy GREG MUELLER	· · · · · · · · · · · · · · · · · · ·		
Telephone	#			
Date:	7/25/95	Signed:	JLT	

STATE OF UTAH
DIVISION OF OIL, GAS AND MINING




Leave Designation and Serial No.

·			DIV. OF OIL	_, GAS & M	NING-18666	210.	
APPLICATION	FOR PERMIT T	O DRILL, DEER			9. Il Indian, Allottee	or Tribe Name	
. Type of Work DRILL	K)	DEEPEN [21110		7. Unit Agreement Na	me	_
Type of Well	_	Desired [PLUC	BACK [N/A		
Oil Gas Well Weil	Other Coa	albed Methane	Single Zone	Multiple	3. Farm or Lease Nar	ne	_
Name of Operator					Utah		
River Gas (Corporation	 			9. Well No.		
·	Compan Paulana		1 25/76		17-103 10. Field and Pool, or	Wilder	
ocation of Weil (Report	Center Bouleva	ecornance with any Sta	Le requirements.*)			n ndcas	
re antiuce	FWL, 1520' FSL				Wildcat 11. 90, Sec., f., R., M.	, or fix.	-
At proposed prod. zone	•	000. 17, 1150	, KIOL		NW/SW Sec.	17, T15S,	R
	ame rection from nearest town			•			
•	es south-south		II+		12. County or Parrish	13. State	_
Distance from proposed			No. of acres in lease	1- 70-0	Carbon	l Ut.	
location to nearest property or lease line, ft (Also to nearest drig, line	e, if any)		921.98	to this	weil 160		
Distance from proposed to nearest well, drilling,	completed	19. 1	Proposed depth	20. Rotary	or cable tools		-
or applied for, on this let	ase, ft. 3000		2600'	Ro	otary		
Elevations (Show whether					22. Approx. date wor		-
5627	GR surveyed				July 1,	1995	_
		ROPOSED CASING AN	D CEMENTING PRO	GRAM			
Size of Hole	Size of Casing	Weight per Foot	Setting Depth		Quantity of Cemen	t	-
11"	8-5/8"	<u>24#</u>	300'		110 sx		-
7=7/8"	5-1/2"	17#	2570 '		265 sx		-
					•		-
							-
					(
						•	
	•			- •			
BOVE SPACE DESCRI	BE PROPOSED PROGRA	M: If proposal is to de	tenen or nium hack m	ive slute on news			
ve sone. If proposal is noter program, if any,	to drill or deepen direction	naily, give pertinent da	ta on subsurface locat	ions and measure	nd and true vertical dep	that Give plowant	t
	this report is true and	complete to the best of	f my knowledge.				
igned Terry D. I		1	ologist				
This space for reversi or					Date Ma	rch 30. 19	95
		- A	· 				•
11 to. 4.5 - C	207-302'	7.8	Annroval Date		·····		
	ver'eu		Branch of Flu	id Minerals	MAY	22 199 5	
Approved by			- Moab District				

*See Instructions On Reverse Side

(3/89)





State of Utah DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt Governor Ted Stewart Executive Director James W. Carter Division Director 355 West . 4th Temple 3 Triad Center, Suite 350 Salt Lake City, Utah 84180-1203 801-538-5340 801-359-3940 (Fax) 801-538-5319 (TDD)

May 19, 1995

River Gas Corporation 511 Energy Center Boulevard Northport, Alabama 35476

Re: Amended Approval

Utah 17-103 Well, 1520' FSL, 1120' FWL, NW SW, Sec. 17, T. 15 S., R. 10 E.,

Carbon County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-007-30278.

Sincerely,

Associate Director

ldc

Enclosures

cc: Carbon County Assessor

Bureau of Land Management, Salt Lake District Office

WAPD



Operator: _	River Gas	Corpora	tion				
Well Name &	Number: _	Utah	17-103				
API Number:	43-007-	30278					
Lease: N	IL-38666						
Location:	NW SW	_ Sec	17	_ T	15 S.,	_ R	10 E.

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 et seq., the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for Permit to Drill.

2. Notification Requirements

Notify the Division within 24 hours following spudding the well or commencing drilling operations. Contact Jimmie Thompson at (801)538-5340.

Notify the Division prior to commencing operations to plug and abandon the well. Contact Frank Matthews or Mike Hebertson at (801)538-5340.

3. Reporting Requirements

All required reports, forms and submittals shall be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. Onsite Inspection

Compliance with the requirements and stipulations of the On-site Predrill Evaluation and Review.

35476

DIV. OF OIL, GAS & MINING

NORTHPORT, AL

OPERATOR ACCT. NO. N.

Phone No. (205) 759-3282

ACTION	CURRENT	NEW	APT NUMBER	HELL NAME					LOCATIO	1	SPUD	EFFECTIVE
CODE	ENTITY NO.	ENTITY NO.				QQ	sc	TP	RG	COUNTY	DATE	DATE
A	99999	1/800	43-007-30278 Lify added	UTAH 17-103	N	W/SW	17	15S	10E	CARBON	7/25/95	
WELL 1 C	OMMENTS:	Fox	1: Ly odded	8-3-95. I								
		<i>L</i> 117	-17	fac								
					···		, 	,		·	·	
										1		
UELL 2 C	OMMENTS:	<u> </u>	<u> </u>					<u> </u>	<u> </u>	<u></u>		1
WELL Z	OFFICITION											
	T	T						1	T			
	<u> </u>		<u> </u>					<u> </u>			<u> </u>	<u> </u>
WELL 3 C	COMMENTS:											
		1		ı			·	1	T	T		1
											,	
WELL 4 (OMMENTS:	<u> </u>		<u> </u>	·		!	· / ·	- 	, <u>*</u> , , , , , , , , , , , , , , , , , , ,	· · · · · · · · · · · · · · · · · · ·	
Ì				N. Committee of the com	•	•						
	<u> </u>		<u> </u>				<u> </u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>
WELL 5	COMMENTS:											
											. ,	
			to all u.S. Sound		-> 00	200	ו דין כאי	187 TPO	(A)	$\overline{}$	01	
•	Cakablic	h nau natiti	s on back of form) y for new well (si	nnle well nnlv)	111) [VE		Nennis	1 Louine	in
B C	Add newRe-assig	well to exis n well from	sting entity (grou one existing enti	p or unit well) ty to another existing entity							DENNIS PLOW R TECHNICIA	
n	- Romassin	n well trom	one existing enti onunents section)	ty to a new entity	100	AUG	021	995		Title	TECHNICIE	Date

(3/89)

NOTE: Use COMMENT section to explain why each Action Code was selected.

Form 9 STATE OF UTAH	E E Seignation and Social Number
DEPARTMENT OF NATURAL RESOURCE DIVISION OF CO. GAS AND MI	6 Lease Designation and Serial Number
7 DIVISION OF , GAS AND MI	AUG 0 2 1995 7. Indian Allottee or Tribe Name
	AIII V. 1995
SUNDRY NOTICES, AND REPORTS	ON WELLO
Do not use this form for proposals to drill new wells, deepen existing wells, or t	DIVI DECINGGAS SEAHNING. Unit or Communitization Agreement
Use ARRIDA ATION ROTH PERMIT - for such pro	
1. Type of Well	N/A 9. Well Name and Number
C Oil : The Con C Other (annult)	BED METHANE UTAH 17-103
2. Name of Operator	10. API Well Number
RIVER GAS CORPORATION	43-007-30278
3. Address of Operator	4. Telephone Number 11. Field and Pool, or Wildcat
511 ENERGY CENTER BLVD. NORTHPORT, AL 35	6476 (205)759-3282 WILDCAT
5. Location of Well	- GADRON
Footage : 1520' FSL & 1120' FWL QQ, Sec. T., R., M. : NW/SW, SEC 17, T15S, R10E	County: CARBON
	State : UTAH NATURE OF NOTICE REPORT, OR OTHER DATA
NOTICE OF INTENT	SUBSEQUENT REPORT
(Submit in Duplicate)	(Submit Original Form Only)
Abandonment New Construction	Abandonment * New Construction
Casing Repair Pull or Alter Casing	Casing Repair Pull or Alter Casing
☐ Change of Plans ☐ Recompletion ☐ Conversion to Injection ☐ Shoot or Acidize	Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare
Fracture Treat Vent or Flare	Fracture Treat Water Shut-Off
Multiple Completion Water Shut-Off	XX Other WEEKLY PROGRESS REPORT
Other	
	Date of Work Completion
Approximate Date Work Will Start	Report results of Multiple Completions and Recompletions to different reservoirs
	on Well COMPLETION OR RECOMPLETION AND LOG form.
	Must be accompanied by a rement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all per locations and measured and true vertical depths for all markers and zones per	inent details, and give pertinent dates. If well is directionally drilled, give subsurface
to the state of th	and to this forkly.
	· · · · · · · · · · · · · · · · · · ·
SEE ATTACHED	
•	
14. I hereby certify that the foregoing is true and correct	
Name 1 Singapore	DECEMBER TRANSPORT TO The State of the State
Name & Signature DENNIS PLOWMAN Wennes Ploum (State Use Only)	Title RESERVOIR TECHNICIAN Date 7/28/95

DAILY WELL REPORT

RIVER GAS CORPORATION
UTAH 17-103
1520' FSL & 1120' FWL
NW/4 OF SW/4, SEC 17, T15S, R10E
CARBON COUNTY, UTAH
SURVEYED ELEVATION: 5627'

API #: 43-007-30278

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 1

07/25/95

Day 1. Present Operation: Running surface csg. Current Depth: 343'. Depth drilled in 24 hrs: 343'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 30' w/#1 14-3/4" Tricone bit in 1 hr. drilled 30' to 343' w/#2 11" Hammer bit in 4 hrs. Total rotating hrs: 5. Spud Well 12:30am, 7/25/95. Set 1 jnt 12-3/4" P.E. conductor csg @ 30' in 14-3/4" conductor borehole. Set 10 jnts 8-5/8" surface csg @ 317.50' in 11" surface borehole using 135 sks Class G + 2% S-1 + 1/4#/sk D-29.

07/26/95

Day 2. Present Operation: Drilling. Current Depth: 1570'. Depth drilled in 24 hrs: 1227'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 343' w/#37-7/8" Hammer bit in 11 hrs. Total rotating hrs: 16. Plug DN 8:00am, 7/25/95.

07/27/95

Day 3. Present Operation: Done-Rig Released. Current Depth: 1817'. Depth drilled in 24 hrs: 247'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 343' to 1817' w/#3 7-7/8" Hammer bit in 2 hrs. Total rotating hrs: 17. 1 deg-500', 1 deg-1000', & 2 deg-1500'. TD 9:15am, 7/26/95, 1817'. Set 39 jnts 5-1/2" production csg @ 1745.57' in 7-7/8" production borehole.

DIVISION OF OIL, GAS AND MINI	NG AUG 2 2 1995 ML-38666 7. Indian Allottee or Tribe Name
SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill new walfs; deepen existing wells; or to re Use APPLICATION FOR PERMIT—for such prop	enter plugged and abandoned wells: 8. Unit or Communitization Agreement
1. Type of Well Oil Sas Other (specify) COALBE	9. Well Name and Number UTAH 17-103
2. Name of Operator RIVER GAS CORPORATION	10. API Well Number 43-007-30278
3. Address of Operator 511 ENERGY CENTER BLVD. NORTHPORT, AL 354	4. Telephone Number 11. Field and Pool, or Wildcat WILDCAT
Footage : 1520' FSL & 1120' FWL QQ. Sec. T., R., M. : NW/SW, SEC 17, T15S, R10E	County: CARBON State: UTAH ATUREOFNOTICE: REPORT, OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other Approximate Date Work Will Start	Abandonment * New Construction Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare Fracture Treat Water Shut-Off Other WEEKLY PROGRESS REPORT Date of Work Completion Report results of Multiple Completions and Recompletions to different reservoirs
	on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a rement verification report.
3. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertir locations and measured and true vertical depths for all markers and zones pertir	nent details, and give pertinent dates. If well is directionally drilled, give subsurface nent to this work.)

SEE ATTACHED

CONFIDENTIAL

14. I hereby certify t	hat the foregoing	is true and co	fec	0.			
Name & Signature	DENNIS P	LOWMAN	Dennis	Plocuman	Title RESERVOIR	TECHNICIAN Date	8/17/95
(Chicalles Cala)							

DAILY WELL REPORT

RIVER GAS CORPORATION
UTAH 17-103
1520' FSL & 1120' FWL
NW/4 OF SW/4, SEC 17, T15S, R10E
CARBON COUNTY, UTAH

SURVEYED ELEVATION: 5627'

API #: 43-007-30278

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 1

07/25/95

Day 1. Present Operation: Running surface csg. Current Depth: 343'. Depth drilled in 24 hrs: 343'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 30' w/#1 14-3/4" Tricone bit in 1 hr. drilled 30' to 343' w/#2 11" Hammer bit in 4 hrs. Total rotating hrs: 5. Spud Well 12:30am, 7/25/95. Set 1 jnt 12-3/4" P.E. conductor csg @ 30' in 14-3/4" conductor borehole. Set 10 jnts 8-5/8" surface csg @ 317.50' in 11" surface borehole using 135 sks Class G + 2% S-1 + 1/4#/sk D-29.

07/26/95

Day 2. Present Operation: Drilling. Current Depth: 1570'. Depth drilled in 24 hrs: 1227'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 343' w/#37-7/8" Hammer bit in 11 hrs. Total rotating hrs: 16. Plug DN 8:00am, 7/25/95.

07/27/95

Day 3. Present Operation: Done-Rig Released. Current Depth: 1817'. Depth drilled in 24 hrs: 247'. Drilling fluid: Air, 350PSI, & 1700 cfm. drilled 343' to 1817' w/#3 7-7/8" Hammer bit in 2 hrs. Total rotating hrs: 17. 1 deg-500', 1 deg-1000', & 2 deg-1500'. TD 9:15am, 7/26/95, 1817'. Set 39 jnts 5-1/2" production csg @ 1745.57' in 7-7/8" production borehole using 155 sks 50/50 POZ G+8% D-20 + 10% D-44 + 2% S-1 & 75 sks 10-1 RFC.

08/09/95

Ran Cement bond log w/gamma ray/ccl 7/29/95.

08/17/95

8/1/95-RU Ross's, MU tbg head, & RU floor. PU & RIH w/4-3/4" bit 5-1/2" csg scraper x.o. 55 jnts tbg to 1724'. POOH w/55 jnts tbg x.o. csg scraper 4-3/4" bit RD floor, NU wellhead, & RD Service unit.

.CONFIDENTAL

DELAH (WEN) OL	AN LOUVE UE	200110#4
DIVISION OF OIL	L, GAS AND	MINING

938 e#	Designation	and	Serial	Numbe
мт _3	8666			

DIVISION OF OIL, GAS AND MINIT	ML-38666 7. Indian Allottee or Tribe Name	
SUNDRY NOTICES AND REPORTS C Do not use this form, for proposals to drill new wells, deepen extening wells, or to see Use Application For PERMIT— for even prope	N/A 8. Unit or Communitization Agreement N/A	
1. Type of Well Oil VR Gas [Other (specify) Coallbed	l Methane	9. Well Name and Number Utah 17-103
Well AA Well	i Helitane	10. AFI Well Number
z. Name of Operator River Gas Corporation		43-007-30278
3. Address of Operator	4, Telephone Number	11. Field and Peol, or Wildes:
	76 (205) 759-3282	Wildcat
5. Location of Well Footage : 1120' FWL & 1520; FSL		: Carbon
CO. Sec. T., H., M. : NW/SW Sec 17, T15S, R10E		: UTAH
12. CHECK APPROPRIATE BOXES TO INDICATE NA	ATURE OF MOTICE, REPO	ST. OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEC Submit C	DUENT REPORT Diginal Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other	Abandonment Casing Repair Change of Plans Conversion to Injection Fracture Treat Other Date of Work Completion	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off
Approximate Date Work Will Start		ons and Recompletions to different reservoirs MPLETION AND LOG form. ent verification report.

13. DESCRISE PROPOSED OR COMPLETED OPERATIONS (Clearly state all peninent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers end zones pertinent to this work.)

River Gas requests permission to pump water from the well into the reserve pit on location for approximately 2 weeks.

This will allow River Gas to collect water samples so that the resistivity can be determined.

APPROVED BY THE STATE OF UTAH DIVISION OF

Dennis Plowman

e i Signature

.a ...,

Tare Reservoir Technicianome 8/24/95

Utah Division of Oil, Gas and Mining

Attachment to Sundry Notice and Report on Wells dated August 24, 1995.

Subject: Request of River Gas Corp. for permission to discharge water to on-site pit, and test for 14 days.

17-103 well, sec. 17, T15S, R10E, Carbon, County.

API = 43-007-30278

This is a temporary approval to discharge water to the onsite unlined reserve pit. Pit shall not be allowed to overflow.

Evaluation Ranking Criteria and Ranking Score For Reserve and Onsite Pit Liner Requirements

FOR Reserve and Onsi	te Pit Liner Requi	.r cmenes
Site-Specific Factors	Ranking Score	Final Ranking Score
Distance to Groundwater (feet) >200 100 to 200 75 to 100 25 to 75 <25 or recharge area	0 5 10 15 20	O
Distance to Surf. Water (feet) >1000 300 to 1000 200 to 300 100 to 200 < 100	0 2 10 15 20	0
Distance to Nearest Municipal Well (feet) >5280 1320 to 5280 500 to 1320 <500	0 5 10 20	Ο
Distance to Other Wells (feet) >1320 300 to 1320 <300	0 10 20	0
Native Soil Type Low permeability Mod. permeability High permeability	0 10 20	10

Fluid Type Air/mist Fresh Water TDS >5000 and <10000 TDS >10000 or Oil Base Mud Fluid containing significant levels of hazardous	0 5 10 15	O
Drill Cuttings Normal Rock Salt or detrimental	0 10	0
Annual Precipitation (inches) <10 10 to 20 >20	0 5 10	2
Affected Populations <10 10 to 30 30 to 50 >50	0 6 8 10	0
Presence of Nearby Utility Conduits Not Present Unknown Present	0 10 15	0

	i i
minal Grana	12
Final Score	12
	1

The summation of all of the above ranking scores will yield one value which shall be used to determine the appropriate type of containment, on a case-by-case basis. The sensitivity levels are as follows:

Level I Sensitivity: For scores totaling ≥20 Level II Sensitivity: For scores totaling 15 to 19 Level III Sensitivity: For scores totaling <15

Containment Requirements According to Sensitivity Level

Level I: Requires total containment by synthetic liner, concrete structure or other type of total containment structure or

DIVISION OF OIL, GAS AND MANING

WELL CO				· · · · · · · · · · · · · · · · · · ·	0-10	_ '	14 15		N Terr	3866	56
		N OR REC	OMPLE	TION	REPORT	-41	4D LC)G			PROTEER OF LEISE NA
LAL TYPE OF WE	LL: 0	MELL GAS	X	PET [MY COE	16d	d Meil	ane"	7. UNIT	AGNEEN	ENT MAME
L TYPE OF COR	APLETION:	•			- mary married particular particu	Color Sales in Street			- 1		THE PLAN
ACLT X	OVER D	EN PLUG			013.61		7 7 4		S. FARM		SE NIME
Z. HIME OF OPERA			UU	44	LLI		14 KA			AH	
River Gas	-	Lon		F 3F2 F 67					9. WELL		
		31vd. North	nort.	AT.	35476				17	-103	
LOCATION OF WE						15050	-(-)		⊣		OOL, OR WILDCAT
At surface 1	120' FWL &	1520 FSL					~ • • • •		Wi	<u>ldcat</u>	OR BLOCK AND SULT
At top prod. in	terval reported l	below SAME							OR	AREA	ox 100CX 246 30E4
At total damah	a.13.55								NIL	/SW 5	SEC 17,T15S,
At total depth	SAME										
			11. A				ISSUED		12. cou:		13. STATE
. DATE EPUDDED	16. DATE T.D.	REACHED 17. D.	43-0	007-3			/19/95		AT. GR. ETC	RBON	UT . ELLY. CARINGHEAD
07/25/95	07/26/	1	27~95		E AMA)	, -	5627GR) }	AI, GE, ETC.	''	
TOTAL DEPTE, MD	A TVD 21. PL	UG BACK T.D., MB	▲ TYO 25	L IF HU	LTIPLE COMPL			ERVALS	ROTARY	TOOLS	CIBLE TOOLS
1817 '								> ITTED #4	TO T	'D	
PRODUCING INTER	TAL(3), OF THE	S COMPLETION—I	IP, BOTTOM.	NTME (MD AND TYD)						25. WAS DIRECTIONAL SURVEY MADE
1251_6/-13	373_80 1/0	9-17,1461-	63 1/17	283						İ	NO
TIPE ELECTRIC A	ND OTHER LOCE		14.55	2-05							110
CEMENT BOY	ND, INDÚCT	ION, GAMMA,	DENSITY	Y NEU	77	AS VEL	L CORED Y	rES ((Schwie auch (Ser rourse :	sie)	
					ort all strings	set i	n well)		Mises weeks	1140)	
CASING SIZE	WEIGHT, LR.	/FT. DEPTH 3	ET (MP)	HO	LE SIZZ			HENTING	RECORD		AMOUNT POLLED
12-3/4" 8-5/8"	 		<u>o'</u>	14-	-3/4"	CC	ONDUCT	OR.		•	
5-1/2"	+		7.50'	<u> 11'</u>							PER SK D-29
<u> </u>		1/4	5.50'	/-	-7/8"					D ₇ 20	10% D-44,2%
		LINER RECORD		1	······································	- /;	XS19-		C TUBING RI		<u> </u>
									TOBILIO R	COKD	
SIZE	TOP (UM)	BOTTOM (MD)	SICKS CE	MENT	SCREEN (MI))	SIZZ	- 1	DEPTH SET	(Mn)	1 216522 200 (40)
SIZE	TOP (MB)	BOTTOM (MD)	27CX3 CX	HENT	SCREEN (ME))		 8''	15/8		PACEER SET (MD)
			21CX3 CX	HENT	IM) HEDROE	2)	2-7/	8"	1548		PACKER SET (MD)
			31CK3 CE	HENT	32.	ACI	2-7/		1548		PACKER SET (MD)
PERFORATION RECO	DAD (Interval, su				32.	ACI	2-7/ D. SHOT.	FRACT	1548'	ENT SQU	
PERFORATION RECO	DAD (Interval, su	see and number)			32.	ACI	2-7/	FRACT	1548'	ENT SQU	JEEZE ETC.
PERFORATION RECO	DAD (Interval, su	see and number)			32.	ACI	2-7/ D. SHOT.	FRACT	1548'	ENT SQU	JEEZE ETC.
PERFORATION RECO	DAD (Interval, su	see and number)			32.	ACI	2-7/ D. SHOT.	FRACT	1548'	ENT SQU	JEEZE ETC.
1351-64,13	373-80,140	19-17,1461-	63,1472	2-83 PROD	32 DEPTH INT 1) 2500	ACI gal	2-7/ D. SHOT. (MD) 15%	ACID	1548! URE CEMI	ENT SQU	JEEZE ETC. MATERIAL CSED
1351-64,13	373-80,140	see and number)	63,1472	2-83 PROD	32 DEPTH INT 1) 2500	ACI gal	2-7/ D. SHOT. (MD) 15%	ACID	1548! URE CEMP	ENT SQUEIND OF	JEEZE ETC. MATERIAL CSED
1351-64,13	373-80,140	19-17,1461-	63,1472	2-83 PROD is is/t, yu	32 DEPTH INT 1) 2500	ACI gal	2-7/ D. SHOT. (MD) L 15%	ACID	1548' URE CEMP	ENT SQUEIND OF	JEEZE ETC. MATERIAL CSED B (Producing or TING
71247 PRODUCTION 08/28/95 08/28/95	373-80,140	9-17,1461-	63,1472	2-83 PROD is is/t, yu	DEPTE INT 1) 2500 UCTION	ACI gal	2-7/ D. SHOT. (MD) L 15%	ACID	URE CEME OUNT AND I	ENT SQUEIND OF	JEEZE ETC. MATERIAL CSED
71351-64,13 71351-64,13 71357 PRODUCTIO 08/28/95 07 7237 08/28/95	PRODU	DCTION METROD (A	Flowing, gas	PROD	DEPTE INT 1) 2500 UCTION	ACI ERVAL gal	2-7/ D. SHOT. (MD) 15% 15% pe of pum	ACID	URE CEMY	ENT SQUEIND OF	JEEZE ETG. MATERIAL CSED B (Producing or TING
71351-64,13 71351-64,13 71351-64,13 71351 PRODUCTIO 08/28/95 07 7131 08/28/95 . Italian Press. 50	PRODU ROURS TESTED 24 CASING PRESSUR	CROKE SIEK CALCULATED 24-BOUR BAT	Flowing, gas	PROD	DEPTH INT 1) 2500 UCTION Pring—Life &	ACI ERVAL gal	2-7/ D. SHOT. (MD) 15% 15% pe of pum	ACID P)	URE CEMY	ENT SQUEIND OF	EEEEE ETC. MATERIAL CSED E (Producing or TING GAS-OIL EATIO
71351-64, 13 71351-64, 13 71351-64, 13 71351 PRODUCTIO 08/28/95 08/28/95 103170 PRESS. 50	PRODU ROURS TESTED 24 CASING PRESSUR	CROKE SIEK CALCULATED 24-BOUR BAT	Flowing, gas	PROD	DEPTH INT 1) 2500 UCTION Pring—Life &	ACT gal	2-7/ D. SHOT. (MD) 15% 15% pe of pum	ACID P)	URE CEMY OUNT AND S WATER 50	L STATUM ANT-IN) RODUC	ECTE ETC. MATERIAL CSED E (Producing or TING GAS-GIL RATIO RAVITY-API (CORR.)
71351-64,13 71351-64,13 71351-64,13 71351-7100000000 08/28/95 07 7131 08/28/95 . TURING PRESS. 50	PRODUCE STATES TESTED TO STATE STATES TO STATES TO STATES TO STATES TO STATES TO STATE STATES TO STATE STATES TO STATE STATES TO STATES	CROKE SIEK CALCULATED 24-BOUR BAT	Flowing, gas	PROD	DEPTH INT 1) 2500 UCTION Pring—Life &	ACT gal	2-7/ D. SHOT. (MD) 15% 15% pe of pum	ACID P)	URE CEME OUNT AND I	ENT SQUEIND OF	### (Producing or TING GAS-GIL BATIO BAVITY-AFI (CORE.)
PERFORATION RECC 1351-64, 13 PIRET PRODUCTION 08/28/95 OF TEST 08/28/95 FUSING PRESS. 50 VENTED	PRODUCE STATES TESTED TO STATE STATES TO STATES TO STATES TO STATES TO STATES TO STATE STATES TO STATE STATES TO STATE STATES TO STATES	CROKE SIEK CALCULATED 24-BOUR BAT	Flowing, gas	PROD	DEPTH INT 1) 2500 UCTION Pring—Life &	ACT gal	2-7/ D. SHOT. (MD) 15% 15% pe of pum	ACID P)	URE CEMPOUNT AND IN PROPERTY OF THE PROPERTY O	ENT SQUEIND OF	### (Producing or TING GAS-GIL BATIO BAVITY-AFI (CORE.)
PERFORATION RECO 1351-64, 13 PIRET PRODUCTIO 08/28/95 08/28/95 TURNO PRESA. 50 VENTED IST OF ATTACENE	PRODU BOURS TESTED 24 CASING PRESSUR 50 (Sold, used for	CROKE SIEK CALCULATED 24-BOUR BAT	Flowing, gas	PROD First, pu	DEPTH INT 1) 2500 UCTION Pring—ALC C	ACCERTAL gal	2-7/ D. SHOT. (MD) 15% Pe of pum 645—HC	ACID P)	URE CEMPOUNT AND PROPERTY OF THE PROPERTY OF T	L STATU AMELIA OIL C	### (Producing or TING GAS-GIL BATIO BAVITY-AFI (CORE.)

INSTRUCTIONS

This form should be completed in compliance with the Utah Oil and Gas Conservation General Rules. If not filed prior to this time, all logs, tests, and directional surveys as required by Utah Rules should be attached and submitted with this report.

Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data ITEMS 22 and 24: If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producinginterval, or intervals, top(s), bottom(s) and name(s) for only the interval reported in item 33. ITEM 18: Indicate which elevation is used as reference for depth measurements given in other spaces on this form and on any attachments. pertinent to such interval.

ITEM 29: "Sacks Cement": Attached supplemental records for this well show the details of any multiple stage cementing and the location of the cementing tool.

ITEM 33: Submit a separate completion report on this form for each interval to be separately produced (see instruction for items 22 and 24 above).

GEOLOGIC MARKERS BLUE GATE BENTONITE LOWER BLUE GATE BENTONITE	40]	Heas. Depth True Yert.Depth_ 1200 E 1260	
38. BLUE GA' LOWER BI	Name	BLUE GATE LOWER BLUE GATE	
Unimaky or POROUS ZONES: Show all important zones of porosity and contents thereof; cored intervals; and all drill—stem tests, including depth interval tested, cushion used, time tool open, flowing and shut—in pressures, and recoveries,	Description, contents, etc.	SANDSTONES & COAL	· · · · · · · · · · · · · · · · · · ·
of porosity including d ind_shut_in_p	Bottom	7404	
Unitaky of POROUS ZONES: Show all important zones of porosity and conten and all drill-stem tests, including depth inter- time tool open, flowing and shut-in pressures.	Top	1340	
s. Surnaky or Pokous Zones: Show all important zone and all drill-stem test. time tool open, flowing	Formation	FERRON	

Form 9 STAT OF UTAH DEPARTMENT OF ATURAL RESOURCE DIVISION OF OIL, GAS AND MINIS	
SUNDRY NOTICES AND REPORTS (Do not use this form for proposals to drill new wells, deepen existing wells, or to be	DNWELLS 14 1995 N/A
Use APPLICATION FOR PERMIT— for such propo	peals V OFC 1
	D METHANE UTAH 17-103
RIVER GAS CORPORATION 3. Address of Operator 511 ENERGY CENTER BLVD. NORTHPORT, AL 354	43-007-30278 4. Telephone Number
5. Location of Well Footage : 1520' FSL & 1120' FWL QQ. Sec. T., R., M. : NW/SW, SEC 17, T15S, R10E	County: CARBON State: UTAH
12. CHECK APPROPRIATE BOXES TO INDICATE NA NOTICE OF INTENT (Submit in Duplicate)	
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other	Abandonment • New Construction Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare Fracture Treat Water Shut-Off Other WEEKLY PROGRESS REPORT
Appròximate Date Work Will Start	Date of Work Completion Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. Must be accompanied by a rement verification report.
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertin locations and measured and true vertical depths for all markers and zones pertin	ent details, and give pertinent dates. If well is directionally drilled, give subsurface ent to this work.)
SEE ATTACHED	IDENTIAL
14. I hereby certify that the foregoing is true and cerrect Name & Signature <u>DENNIS PLOWMAN Wennis Ploums</u>	Title RESERVOIR TECHNICIAN Date 9/8/9

Name & Signature (State Use Only)

RIVER GAS CORPORATION
UTAH 17-103
1520' FSL & 1120' FWL
NW/4 OF SW/4, SEC 17, T15S, R10E
CARBON COUNTY, UTAH

SURVEYED ELEVATION: 5627'

API #: 43-007-30278

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 2

08/24/95

8/2/95-RU Ross's & RU floor. RIH w/taped bull plug 1 jnt tbg 4' perf sub. S.N. 50 jnts tbg. MU hanger & land tbg w/s.N. @ 1548'. RD floor, NU wellhead, & MU valves on wellhead. RU swab lubricator & swab tbg. Made 8 runs, swabbed fluid level DN from surface to 800' SDFN. Leave well open out of csg to pit. EOT @ 1584.96'.

08/18/95

Acid Job completed by Mitch Mitchell & Dowell 8/15/95. SEE ATTACHED.

08/24/95

8/22/95-Price Pump Company, Inc. repaired 2-1/2"x2"x14' pump pulled out of the 6-40 well.

8/22/95-Swab tbg, made 8 runs, swabbed fluid level DN from surface to 1500'. make 4 more runs waiting 1 hr inbetween runs. fluid level was coming up 400' in 1 hr. RD lubricator. change over to rod equipment. RIH & test 2-1/2"x2"x14' 3 cup top rod pump repaired from 6-40. 35-3/4" rods, 25-7/8" rods, 1-8', 1-4', & 1-2' 7/8" pony rods, 1-1/4x22' polish rod. Spave out & clamp rods off. RD Service unit.

DEPARTMENT OF TURN LESOUPS DIVISION OF OIL, GAS AND MINNE LL-38666 SUNDRY NOTIGES AND REPORTS ON LABOR SUNDRY NOTICE SUND	Form 9 STATE OF UTAH	land) land
SUNDRY NOTICES AND REPORTS OF WIRDS 1995 On this sent if this proposals to unit serverally depend on the position of control and proposals to unit serverally depend on the position of the control and the control and the position of the control and the c	3	13 E C E I V E MIL-38666
Denic case his form to proposals (a did rays while colored and state of the control of the contr		
Control Cont		IVA
1. Type of Well		
2. Name of Operator 10. APT Well Number	1. Type of Well	9. Well Name and Number
A J. Address of Operator S. Address of Operator S. Address of Operator S. Location of Well Footage : 15.20' FSL & 11.20' FWL OQ. Sep. T. R. M. : NW/SW, SEC 17, T15S, RIDE TOTAGE OF INTENT (Submit in Operator) A Dandonment New Construction Subsciulture of Pull or Alter Casing Ontaringe of Plans Pull or Alter Casing Conversion to Injection Pull or Alter Casing Conversion to Injection Vent or Flare Pull or Alter Operator Vent or Flare Practure Treat Vent or Flare	Well Well COADD	01111 1, 100
5. Location of Well Footage : 15.20' FSL & 1120' FWL GO. Sen, T. R. M. : NW/SW, SEC 17, T15S, RIDE STATE OF THE PARTY SUBSEQUENT REPORT (Submit in Duplicate) Abandonment New Construction New Construction New Construction Casing Repair Pull or Alter Casing Change of Plans Pactor Flare	<u>'</u>	
S. Location of Well Footage 1520 FSL & 1120 FWIL County : CARBON State : UTAH		
Footage 1520 FSL & 1120 FWL County: CARBON State: UTAH TAIL CHECK APPROPRIATE EDOXES TO INDICATE NATURE CENOLICE, REPORT, OR COTHER DATA NOTICE OF INTENT (Submit in Duplicate) Abandonment	511 ENERGY CENTER BLVD. NORTHPORT, AL 354	76 (205)759-3282 WILDCAT
Abandonment	Footage : 1520' FSL & 1120' FWL	
NOTICE OF INTENT (Submit in Duplicate) Abandonment		
Casing Repair	NOTICE OF INTENT	SUBSEQUENT REPORT
Approximate Date Work Will Start Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a rement verification report. 13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) SEE ATTACHED 14.1 hereby certify that the foregoing is true and cover.	Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off	Casing Repair Pull or Alter Casing Change of Plans Shoot or Acidize Conversion to Injection Vent or Flare Fracture Treat Water Shut-Off
Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form. * Must be accompanied by a trement verification report. 13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) SEE ATTACHED 14. I hereby certify that the foregoing is true and correct.		Date of Work Completion
13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.) SEE ATTACHED 14. I hereby certify that the foregoing is true and cores.	Approximate Date Work Will Start	on WELL COMPLETION OR RECOMPLETION AND LOG form.
SEE ATTACHED 14. I hereby certify that the foregoing is true and correct.		
SEE ATTACHED 14. I hereby certify that the foregoing is true and correct.		processing play the second
14. I hereby certify that the foregoing is true and corpect	لا أسلا في المال الم	i ii iL
9.28-91	SEE ATTACHED	
9.28-91		
9.28-91		
9.28-91		
9.28-91		
9.28-91		
9.28-91		
9.28-91		
9.28-91		
9.28-91		
		Title RESERVOIR TECHNICIAN Date 9-28-95

(8/90)

Name & Signature (State Use Only)

RIVER GAS CORPORATION
UTAH 17-103
1520' FSL & 1120' FWL
NW/4 OF SW/4, SEC 17, T15S, R10E
CARBON COUNTY, UTAH

SURVEYED ELEVATION: 5627'

API #: 43-007-30278

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 2

08/24/95

8/2/95-RU Ross's & RU floor. RIH w/taped bull plug 1 jnt tbg 4' perf sub. S.N. 50 jnts tbg. MU hanger & land tbg w/s.N. @ 1548'. RD floor, NU wellhead, & MU valves on wellhead. RU swab lubricator & swab tbg. Made 8 runs, swabbed fluid level DN from surface to 800' SDFN. Leave well open out of csg to pit. EOT @ 1584.96'.

08/18/95

Acid Job completed by Mitch Mitchell & Dowell 8/15/95. SEE ATTACHED.

08/24/95

8/22/95-Price Pump Company, Inc. repaired 2-1/2"x2"x14' pump pulled out of the 6-40 well.

8/22/95-Swab tbg, made 8 runs, swabbed fluid level DN from surface to 1500'. make 4 more runs waiting 1 hr inbetween runs. fluid level was coming up 400' in 1 hr. RD lubricator. change over to rod equipment. RIH & test 2-1/2"x2"x14' 3 cup top rod pump repaired from 6-40. 35-3/4" rods, 25-7/8" rods, 1-8', 1-4', & 1-2' 7/8" pony rods, 1-1/4x22' polish rod. Spave out & clamp rods off. RD Service unit.

09/28/95

9/17/95-RU Ross's & change over to Rod equip.
unseat pump & POOH w/rods & pump. change over to
TBG equip. RU floor. POOH w/50 knts TBG S.N. 4'
Perf sub 1 jnts TBG & taped Bull plug. RIH w/PPI
Tools & 48 jnts TBG, 8', 6', & 4' subs. set PKR's.
RU swab lubricator. make 1 run fluid level @
surface, pulled from PKR. 2nd run fluid level 100'
above. PKR no returns. wait 1 hr. make run fluid
level 300' above. PKR recovered 200' fluid. POOH
w/subs & set PKR over 2nd Zone swab TBG. 1st run
fluid level @ 500', 2nd run no fluid. wait 1 hr.
make 3rd run. 50' @ fluid entry-no returns. SDFN.

RIVER GAS CORPORATION

UTAH 17-103

1520' FSL & 1120' FWL

NW/4 OF SW/4, SEC 17, T15S, R10E

CARBON COUNTY, UTAH

SURVEYED ELEVATION: 5627'

API #: 43-007-30278

DRILLING CONTRACTOR: PENSE BROS. DRILLING COMPANY

PAGE 3

9/28/95

9/18/95-Make swab runson 2nd zone-no fluid entry. Move tools to 3rd zone. Swab TBG. made 1 run fluid level 400' above tools. 2nd run no fluid entry. wait 1 hr. still no entry. Move tools to 4th zone. made 1 run fluid level 400' above tools. 2nd run 350'. made 6 more runs, swabbed fluid level DN to tools. wait 1 hr. 150' fluid entry. Move tools to 5th zone & Swab. 1st run 250' above tools, 2nd run 25' above tools. wait 1 hr fluid level 300' above tools. Move tools back to 1st zone. fluid level 400' above tools, 2nd run 50' above tools. wait 1 hr. fluid level 250' above. LD lubricator. POOH w/47 jnts TBG & PPI tools. RIH w/taped bull plug, 1 jnt TBG 4' perf sub SN. 50 jnts TBG. MU hanger & land TBG w/SN @ 1548'. RD floor, NU Wellhead, & change over to Rod Equip. RIH w/2-1/2" x2" x 14' 3 cup top rod pump, 35-3/4" rods, 25-7/8" rods, 1-8', 1-4', 1-2' 7/8" pony rods, & 1-1/4" x 22' polish rod. Space out clamp rods off. RD Service unit.

Form 9	STATE OF UTAH DEPARTMENT NATURAL RESOU DIVISION OF OIL, GAS AND MI	ACES	6. Lease Designation and Serial Number
v. /	DIVISION OF JIL, GAS AND MI	UNG I I	ML-38666
•	CON		7. Indian Allottee or Tribe Name
F-7000000000000000000000000000000000000	INDRY NOTICES AND REPORTS proposals to drill new wells; deepen existing wells; or to	reenter plugged and abandoned v	N/A velts: 8. Unit or Communitization Agreement
	See At a Barriot, Str. 2 seri — Reading	D) Court	N/A
1. Type of Well	T Other (see its)	: •	9. Well Name and Number
☐ Qil Well	Gas Other (specify) COAL	BED METHANE	UTAH 17-103
2. Name of Operator			10. API Well Number
RIVER GA	S CORPORATION		43-007-30278
3. Address of Operator		4. Telephone Number	11. Field and Pool, or Wildcat
511 ENER	GY CENTER BLVD. NORTHPORT, AL 3	5476 (205)759-3282	WILDCAT
5. Location of Well			
Footage	: 1520' FSL & 1120' FWL	Co	ounty: CARBON
QQ, Sec, T., R., M.	: NW/SW, SEC 17, T15S, R10E	Sta	ate : UTAH
12. CHECK	APPROPRIATE BOXES TO INDICATE	NATURE OF NOTICE, R	EPORT, OR OTHER DATA
	NOTICE OF INTENT (Submit in Duplicate)		BSEQUENT REPORT pbmit Original Form Only)
☐ Abandonment		☐ Abandonment *	☐ New Construction

	OF INTENT n Duplicate)		QUENT REPORT Original Form Only)
Abandonment Casing Repair Change of Plans Conversion to Injection Fracture Treat Multiple Completion Other Approximate Date Work Will Sta	New Construction Pull or Alter Casing Recompletion Shoot or Acidize Vent or Flare Water Shut-Off	Abandonment * Casing Repair Change of Plans Conversion to Injection Fracture Treat Other WEEKLY PROG	New Construction Pull or Alter Casing Shoot or Acidize Vent or Flare Water Shut-Off RESS REPORT

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

on WELL COMPLETION OR RECOMPLETION AND LOG form. Must be accompanied by a cement verification report.

SEE ATTACHED

14. I hereby certify that the foregoing is true and corfed

Name & Signature

DIV. OF OIL, GAS & MINING

(State Use Only)

WELL NAME & #: Utah 17-103

ZONE: 3-Upper

DATE: 11/11/95

PLUG SET:

PERFS 0: 1351'-64',1373'-80' FLUSH: 1300 Gal.

BREAKDOWN:

PIPE WT. & SIZE: 17# 5 1/2

JOB TYPE: 30#/Mgal Borate XL CONTRACTOR: DOWELL

	FLUID	N2						
	RATE	RATE	FOAM		SAND	SAND	FLUI	[D
STAGE	BPM	CfPM	BPM	PSI	#/GAL.	SIZE	PER/ST	'AGE
Pad	10.1			916			500	Gal
Frac	10.1			1016	10	20/40	1500	Gal
Flush	10.1			1318			1300	Gal
					:			
								,,,,,,,,,

PRE PRE

TOTAL SAND: 15,000 20/40

ISIP: 1220 FG:

N2 VOL.: 5 MIN ISIP: 723

FLUID VOLUME: 99 Bbls.

10 MIN ISIP: 591

15 MIN ISIP: 494

FOAM VOLUME:

AVG RATE: 10 BPM AVG PSI: 1050 PSI


COMMENTS: GOOD JOB !!

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCE DIVISION OF THE GAS AND MININ	ML-38666
SUNDRY NOTICES AND REPORTS O	
Do not use this form, for proposals to drill new wells, deepen existing wells, or to ree Use APPLICATION FOR PERMI TE ARC SUCK (MADE)	Drunkards Wash UTU67921X
I. Type of Well Oil Well Other (specify)	9. Well Name and Number Utah 17-103
2. Name of Operator	10. API Well Number 43-007-30278
R. Adiment Cparator River Gas Corporation	4. Telephone Number 11. Field and Pool, or Wildcat (205) 759–3282
Footage 1520' FSL & 1120' FWL QQ. Sec. T., R., M.: NW/SW, Sec 17, T15S, R10E	County: Carbon State : UTAH
CHECK APPROPRIATE BOXES TO INDICATE NA NOTICE OF INTENT (Submit in Duplicate)	ATURE OF NOTICE, REPORT, OR OTHER DATA SUBSEQUENT REPORT (Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare Multiple Completion Water Shut-Off Other Approximate Date Work Will Start May 14, 1996	Abandonment

13. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Proposed plans are to pull the pump and tubulars from the Utah 17-103 to prep to frac. Frac job will be conducted down the 5-1/2" casing to stimulate the perforated intervals 1351-64', 1373-80', 1409-17', 1461-63', and 1472-83' with approximately 235,000pounds of sand and 100,000 gallons of fluid. Fluid will be a 30 #/M gal borate crosslinked gel system. River Gas plans to construct on location a reserve pit to handle flow-back fluids. Follow-up reports will be submitted upon completion to give job details.



Must be accompanied by a cement verification report.

14. I hereby certify t	hat the foregoing is true and	correct		
Name & Signature	Dennis Plowman	Wannol Louis	Title Reservoir Te	echnician _{oate} 5/13/96
(State Use Only)	Narthou	Peterleum En	gneer	5/20/96

SUNDA Do not use this form for proposal

1. Type of Well 2. Name of Operator

3. Attine exp! Cuerator

12 CHECK APPR

Approximate Date Work Will Start

Other

5. Location of Well

May 14, 1996

MAY-13-96 MON 13:10	
DEPARTMENT NATURAL RES	10 20000
,	7. Indian Allottee or Tribe Name
SUNDRY NOTICES AND REPORT	TS ON WELLS N/A
s not use this form, Or proposals to drill new well's, doepdra sylating wells. Use APPLICATION FOR PERMIT—Actsuch	
	Drunkards Wash UTU67921X
Type of Well Oil	9. Well Name and Number Utah 17-103
Name of Operator	10, AP) Well Number 43-007-30278
River Gas Corporation	4. Telephone Number 11. Field and Pool, or Wildcat (205) 759-3282
ocation of Well 1520' FSL & 1120' FWL	Carbon
QQ, Sec. T. R. M. : NW/SW, Sec 17, T15S, R10E	State : UTAH
CHECK APPROPRIATE BOXES TO INDICA	TENATUREOENOTICE REPORTS OR OTHER DATA
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)
Abandonment New Construction Casing Repair Pull or Alter Casing Change of Plans Recompletion Conversion to Injection Shoot or Acidize Fracture Treat Vent or Flare	Abandonment *
Multiple Completion Water Shut-Off	Other

Date of Work Completion

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION AND LOG form.

Must be accompanied by a rement verification report.

13. DESCRISE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Proposed plans are to pull the pump and tubulars from the Utah 17-103 to prep to frac. Frac job will be conducted down the 5-1/2" casing to stimulate the perforated intervals 1351-64', 1373-80', 1409-17', 1461-63', and 1472-83' with approximately 235,000pounds of sand and 100,000 gallons of fluid. Fluid will be a 30#/M gal borate crosslinked gel system. River Cas plans to construct on location a reserve pit to handle flow-back fluids. Follow-up reports will be submitted upon completion to give job details.

14. I hereby certily t	hat the foregoing is true and	correct		
Name & Signature	Dennis Plowman	Wannel Louis	Tule Reservoir Technician	bate 5/13/96
(State Use Only)	$\gamma = 0$	Petrheum &	a mai	Slick
M	Jatthews	TENIUM S		0/15/10

OPERAIOR River Gas Corporation

OPERATOR ACCT. NO. 11 1605

ENTITY ACTION FORM - FORM 6

ADDRESS 511 Energy Center Blvd. Northport, AL 35476

SPUD EFFECTIVE CURRETH API HUNBER WELL NAME HELL LOCATION HEW HOTTOA COUNTY DATE CODE LHITTY NO. ENTITY NO. RG DATE С 11790 11256 15S | 10E | Carbon 4300730272 Utah 8-97 SE/NE 8

WELL A COMMENTS:

Entitles added Ichanged 6-25-96. Lec

Ferron Coal Formation Participating Area "A", Drunkards Wash Unit UTU67921A, was expanded effective 10/01/95.

NW/SE 11801 11256 4300730275 | Utah 8-100

WELL 2 CONHENTS:

Ferron Coal Formation Participating Area "A", Drunkards Wash Unit UTU67921A, was expanded effective 10/01/95.

11800 11256 4300730278 Utah 17-103 Nw/sw

WELL 3 COMMENTS:

Ferron Coal Formation Participating Area "A", Drunkards Wash Unit UTU67921A, was expanded effective 10/01/95.

SE/SWI 19 Carbon 11820 11256 4300730283 Powell 19-105 WELL 4 COMMENTS:

Ferron Coal Formation Participating Area "A", Drunkards Wash Unit UTU67921A, was expanded effective 10/01/95.

11821 11256 SE/NW 19 158 4300730282 Powell 19-104 Carbon

WELL 5 COMMENTS:

Ferron Coal Formation Participating Area "A", Drunkards Wash Unit UTU 67921A, was expanded effective 10/01/95.

ACTION CODES (See instructions on back of form)

A - Establish new entity for new well (single well only)


B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (explain in comments section)

HOLE: Use COMMENT section to explain why each Action Code was selected. (3/89)




Dennis Plowman / Signature

Reservoir Technician Title Date

Phone No. (205) 750-3282







BUREAU OF LAND MANAGEMENT

Urah State Office 324 South State, Suite 301 Salt Lake City, Utah S4111-2303

RECEIVED MAY 2 8 1996

May 23, 1996

River Gas Corporation Attn: John Hollingshead 511 Energy Center Blvd. Northport, Alabama 35476

Re: 3rd Revision of Ferron Coal Formation PA "A"

Drunkards Wash Unit Carbon County, Utah

Gentlemen:

The 3rd Revision of the Ferron Coal Formation Participating Area "A", Drunkards Wash Unit, UTU67921A, is hereby approved effective as of October 1, 1995, pursuant to Section 11 of the Drunkards Wash Unit Agreement, Carbon County, Utah.

The 3rd Revision of the Ferron Coal Formation Participating Area "A" results in the addition of 2,401.41 acres to the participating area for a total of 14,044.07 acres and is based upon the completion of fifteen unit wells now producing within the participating area boundary as wells capable of producing unitized substances in paying quantities.

The fifteen wells are as follows:

Well Name	Location	Lease No.	Tract No.
WILLIAMS 30-78 UTAH 24-81 UTAH 5-94 UTAH 5-95 UTAH 5-96 UTAH 8-97 UTAH 8-98X UTAH 8-99	NE NE 30 14S 10E NW NE 24 15S 9E NW NW 5 15S 10E C SW 5 15S 10E NW SE 5 15S 10E SE NE 8 15S 10E SW NW 8 15S 10E NW SW 8 15S 10E	FEE ML-45691 ML-38668 ML-38668 ML-38669 ML-38669 ML-38669 ML-38669	51 169 23 23 23 182 24
UTAH 8-100 UTAH 17-102 UTAH 17-103 POWELL 19-104 POWELL 19-105 UTAH 23-106 UTAH 23-107	NW SE 8 15S 10E NW NW 17 15S 10E NW SW 17 15S 10E SE NW 19 15S 10E SE SW 19 15S 10E NW NE 23 15S 9E NW NW 23 15S 9E	ML-38669 ML-38666 ML-38666 FEE FEE ML-45691 ML-45691	182 21 181 192 191 185 185

Also, the 1st Supplemental to the 3rd Revision of the Ferron Coal Formation Participating Area "A" is hereby approved effective as of May 1, 1996.

Copies of the approved requests are being distributed to the appropriate Federal agencies and one copy is returned herewith. Please advise all interested parties of the 3rd Revision of the Ferron Coal Formation Participating Area "A" and the 1st Supplemental to the 3rd Revision of the Ferron Coal Formation Participating Area "A", Drunkards Wash Unit and their effective dates.

Pursuant to previous conversations, the Ferron Coal Formation Participating Area "B" is being held for additional production information.

As the subject wells are producing, this approval requires the submission of a Payor Information Form MMS-4025 to the Minerals Management Service (MMS) within 30 days (30 CFR 210.51). Please notify the designated payor or payors as soon as possible regarding this requirement. Any producing royalties that are due must be reported and paid within 90 days of he Bureau of Land Management's approval date or the payors will be assessed interest for late payment under the Federal Oil and Gas Royalty Management Act of 1982 (See 30 CFR 218.54). If you need assistance or clarification, please contact the Minerals Management Service at 1-800-525-9167 or 303-231-3504

Sincerely,

Robert A. Henricks

Chief, Branch of Fluid Minerals


Enclosure



DIVISION OF OIL, GAS AND MININ	5. Lease Designation and Serial Number: ML38666				
SUNDRY NOTICES AND REPORTS ON	WELLS 6. If Indian, Allottee or Tribe Name: N/A				
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugg Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such pro	7. Unit Agreement Name: UTU67921X Drunkards Wash				
1. Type of Well: OIL □ GAS ☑ OTHER:	8. Well Name and Number: Utah 17-103				
2. Name of Operator:	9. API Well Number:				
River Gas Corporation	43-007-30278				
3. Address and Telephone Number:	10. Field or Pool, or Wildcat:				
1305 South 100 East, Price, UT 84501 (801)637-8876 WILDCAT				
4. Location of Well Footages: 1120' FWL, 1520' FSL	county: CARBON				
QQ, Sec., T., R., M.: NW/SW, SEC. 17, T15S, R10E, SLB&M	State: UTAH				
11. CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, REPORT, OR OTHER DATA				
NOTICE OF INTENT (Submit in Duplicate)	SUBSEQUENT REPORT (Submit Original Form Only)				
☐ Abandon ☐ New Construction	☐ Abandon * ☐ New Construction				
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing				
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Reperforate				
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection ☐ Vent or Flare				
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off				
☐ Multiple Completion ☐ Water Shut-Off	Other Chemical Treatment				
□ Other	Date of walk consulation				
Approximate date work will start	Date of work completion				

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low pH fluid on 03/18/97.



· · · · · · · · · · · · · · · · · · ·		
13.		
Name & Signature: Jerry H. Dietz	Title: Production Engineer	Date: 04/02/97
/This enace for state use only)		

STATE OF UTAH

DIVIDION OF OUR CAS AND MINING					
DIVISION OF OIL, GAS AND MININ	5. Lease Designation and Serial Number:				
	ML38666				
SUNDRY NOTICES AND REPORTS ON	WELLS 6. If Indian, Allottee or Tribe Name:				
	_N/A				
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugg	ed and abandoned wells.				
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such pro	pposals. Drunkards Wash UTU-67921X				
1. Type of Well: OIL GAS S OTHER:	8. Well Name and Number:				
	Utah 17-103				
2. Name of Operator:	9. API Well Number:				
River Gas Corporation	43-007-30278 10. Field or Pool, or Wildcat:				
3. Address and Telephone Number:					
1305 South 100 East, Price, UT 84501 (801)637-8876 Drunkard's Wash				
4. Location of Well Footages: 1120' FWL & 1520' FSL	County: CARBON				
1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	·				
QQ, Sec., T., R., M.: NW/SW, SEC. 17, T15S, R10E, SLB&M	State: UTAH				
11. CHECK APPROPRIATE BOXES TO INDICATE NAT	TURE OF NOTICE, REPORT, OR OTHER DATA				
NOTICE OF INTENT	SUBSEQUENT REPORT				
(Submit in Duplicate)	(Submit Original Form Only)				
□ Abandon □ New Construction	☐ Abandon * ☐ New Construction				
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing				
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Reperforate				
☐ Convert to Injection ☐ Reperforate	☐ Convert to Injection ☐ Vent or Flare				
☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off				
☐ Multiple Completion ☐ Water Shut-Off	Other Chemical Treatment				
□ Other					
	Date of work completion				
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.				
	COMPLETION OF RECOMPLETION REPORT AND EGG TOTAL				

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low pH fluid on 5/12/97.



10.						
Name & Signature:	Jerry H. Dietz		50	Title:	Field Supervisor/Engineer	 7/16/97
(This enace for stat	e use only)	4				





DIVISION OF OIL, GAS AND MININ	NG 5. Lease Designation and Serial Number:			
	38666			
SUNDRY NOTICES AND REPORTS ON				
SONDK! NOTICES AND INEL CITIES ON	N/A			
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugg	ged and abandoned wells. 7. Unit Agreement Name:			
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such pro	oposais. <u>UTU-67921X - Drunkards Wash</u>			
1. Type of Well: OIL □ GAS Ø OTHER:	8. Well Name and Number:			
O Name of Oraceters	Utah 17-103 9. API Well Number:			
2. Name of Operator: River Gas Corporation	43-007-30278			
3. Address and Telephone	10. Field or Pool, or Wildcat:			
Number: 1305 South 100 East, Price, UT 84501 (435) 637-8876 <u>Drunkards Wash</u>			
4. Location of Well	Gounty: Carbon County			
Footages: 1120' FWL, 1520' FSL				
QQ, Sec., T., R., M.: NW/SW SEC. 17, T15S, R10E, SLB & M	State: Utah			
11. CHECK APPROPRIATE BOXES TO INDICATE NA	TURE OF NOTICE, REPORT, OR OTHER DATA			
NOTICE OF INTENT	SUBSEQUENT REPORT			
(Submit in Duplicate)	(Submit Original Form Only)			
□ Abandon □ New Construction	☐ Abandon * ☐ New Construction			
☐ Repair Casing ☐ Pull or Alter Casing	☐ Repair Casing ☐ Pull or Alter Casing ☑ Change of Plans ☐ Reperforate			
☐ Change of Plans ☐ Recomplete	1 — •			
☐ Convert to Injection ☐ Reperforate				
☐ Fracture Treat or Acidize ☐ Vent or Flare	Fracture Treat or Acidize			
☐ Multiple Completion ☐ Water Shut-Off	(-			
□ Other	Date of work completion Chemical Treatment			
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.			
	* Must be accompanied by a cement verification report.			
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and gi				
vertical depths for all markers and zones pertinent to this work.)	• • •			
Please be advised that the above referenced well was c	chemically treated with 4000 gallons of low Ph fluid and			
250 gallons of 7% HCL on 05/05/98				
	MECEIVEM			
	[\\			
	DIV. OF OIL, GAS & MINING			
	DIV. OF DIE, AND & WINNING			

(This space for state use only)

Name & Signature: <u>Jerry H. Dietz</u>

INTC 11-8-98 PHK

Date: 05/13/98

Title: Field Superintendent/Engineer

13.





TOTAL STATE OF THE	
DIVISION OF OIL, GAS AND MININ	· · · · · · · · · · · · · · · · · · ·
	ML - 38666 6. If Indian, Allottee or Tribe Name:
SUNDRY NOTICES AND REPORTS ON	WELLS
	7 Unit Agreement Name:
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter plugg	ed and abandoned wells.
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such pro	8. Well Name and Number:
1. Type of Well: OIL □ GAS ☑ OTHER:	Utah 17-103
	9. API Well Number:
2. Name of Operator: River Gas Corporation	43-007-30278
	10. Field or Pool, or Wildcat:
3. Address and Telephone Number: 1305 South 100 East, Price, UT 84501 (435)) 637-8876 <u>Drunkards Wash</u>
4. Location of Well	Coulon County
Footages: 1120' FWL, 1520' FSL	county: Carbon County
QQ, Sec., T., R., M.: NW/SW SEC. 17, T15S, R10E, SLB & M	State: Utah
11. CHECK APPROPRIATE BOXES TO INDICATE NAT	TURE OF NOTICE, REPORT, OR OTHER DATA
	SUBSEQUENT REPORT
NOTICE OF INTENT	(Submit Original Form Only)
(Submit in Duplicate) New Construction	☐ Abandon * ☐ New Construction
Li Abaridon	☐ Repair Casing ☐ Pull or Alter Casing
I Repair Casing	☐ Change of Plans ☐ Reperforate
☐ Change of Plans ☐ Recomplete	☐ Convert to Injection ☐ Vent or Flare
☐ Convert to Injection ☐ Reperforate ☐ Fracture Treat or Acidize ☐ Vent or Flare	☐ Fracture Treat or Acidize ☐ Water Shut-Off
El Tractale Trock of Actains	Other Chemical/Flush Treatment
□ Multiple Completion □ Water Shut-Off	Q Onor
□ Other	Date of work completion
Approximate date work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	* Must be accompanied by a cement verification report.
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and g	ve pertinent dates. If well is directionally drilled, give subsurface locations and measured and true
vertical depths for all markers and zones pertinent to this work.)	
C 1	the amically, treated with 4000 gallons of low Ph fluid and
Please be advised that the above referenced well was c	shemically treated with 4000 gallons of low Ph fluid and
250 gallons of 7 1/2% HCL on 01/28/99.	
	Control of the State of the Sta
	10EOETHER
	AND ADDRESS OF THE PROPERTY OF
	[]()\ FEB 1 2 1999 //
	DIV DE DIL CASA
	DIV. OF OIL, GAS & MINING
	The state of the s
13.	
	00/00/00
Name & Signature: Jerry H. Dietz	Title: Field Superintendent/Engineer Date: 02/03/99

W

(This space for state use only)

STATE OF UTAH

AS		RGC	CORP
ORI	CIT		
UNI	<u>U_\</u>	ועו	느 .
\boldsymbol{C}	70		<u> </u>
V		Lec	Deelgradiu

DIVISION OF OIL, GAS AND MININ	G C S. Lee Designation and Serial Number:
	MI - 38666
SUNDRY NOTICES AND REPORTS ON	WELLS N/A
Do not use this farm for proposals to drill new waits, deepen adding wells, or to reactor plugs	red and absentioned wells. 7. Unit Agreement Neuros. UTU67921X Drumicands Wash
APPLICATION FOR PERMET TO DIGITE ON SEED THE	8. Wed Name and Number:
1. Type of Welt: OIL GAS \$1 OTHER:	Utah 17-103
2. Name of Operator. River Gas Corporation	43-007-30278
	10. Field of Poel. or Wildest 10. Field of Poel. or Wildest Drumkards Wash
Marriage: 1305 South 100 East, Price, U1 64301 (433	
4. Location of Well Footsgea: 1120' FWL, 1520' FSL	course. Carbon County
00, Sec. T. R. M: NW/SW SEC. 17, T15S, R10E, SLB & M	State: Utah
11. CHECK APPROPRIATE BOXES TO INDICATE NAT	
NOTICE OF INTENT	SUBSEQUENT REPORT (Gubnet Original Form Orig)
(Subset in Duplicate) [] Abandon [] New Construction	Abandon * New Construction Reads Cooling Pull or After Casing
Repair Casing Pull or Alter Casing	☐ Repair Casing ☐ Pull of After Casing ☐ Change of Plans ☐ Reperforate
☐ Change of Plans ☐ Recomplete	☐ Convert to Injection ☐ Vent or Flare
☐ Convert to Injection ☐ Reperforate ☐ Fracture Treat or Acidize ☐ Vent or Flare	Water Shut-Off
☐ Fracture Treat of Active ☐ Multiple Completion ☐ Water Shut-Off	Other Chemical/Flush Treatment
Other	Date of work completion
Approximate data work will start	Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form.
	Must be accompanied by a coment varification report
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all personant details, and g	ive pertinent dates. If well is directionally drilled, give automations incafform and constanted and trus
Assigned opposite the sit whereas and brane has seen as you were the same that the sam	
Please be advised that the above referenced well was	chemically treated with 4000 gallons of low Ph fluid and
250 gallons of 7 1/2% HCL on 01/28/99.	
	i de la companya de l La companya de la co
	talian di kacamatan di Kabupatèn di Kabupatèn di Kabupatèn di Kabupatèn di Kabupatèn di Kabupatèn di Kabupatèn Kabupatèn di Kabupatèn di Kabupa
	to the second se
	L 99
	W 20 20 20 20 20 20 20 20 20 20 20 20 20
•	•
12	
Name & Signature: Jerry H. Dieta	Title: Field Superintendent/Engineer 02/03/99
Marie 6 Orlingia e April 11 Marie 1	






STATE OF UTAH

Clund						
DIVISION OF OIL, GAS AND MINING		IG	5. Lease Designation and Serial Number:			
			ML - 38666			
OUNDBY NOTICE	S AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:			
SUNDRY NOTICE	S AND REPORTS ON	41CCC	N/A			
Do not use this form for proposals to drill new w	wills, deepen existing wells, or to reenter plugg	ed and abandoned wells.	7. Unit Agreement Name:			
Do not use this form for proposals to drill new w	RMIT TO DRILL OR DEEPEN form for such pro	posals.	UTU67921X Drunkards Wash			
1. Type of Well: OIL 🗆 GAS 🕱 OTHE			8. Well Name and Number: Utah 17-103			
O. Newson of Organization			9. API Well Number:			
2. Name of Operator: River Gas Co	orporation		43-007-30278			
O. Address and Telephone			10. Field or Pool, or Wildcat:			
Number: 1305 South 10	00 East, Price, UT 84501 (435)) 637-8876	Drunkards Wash			
4. Location of Well Footages: 1120' FWL, 1520'			County: Carbon County			
AND TRUE NIW/CW CEC 17	T158 R10E SLB & M	State: Utah				
QQ, Sec., T., R., M.: NW/SW SEC. 17,	BOXES TO INDICATE NAT	TURE OF NOTICE, R	EPORT, OR OTHER DATA			
11. CHECK APPROPRIATE	BOXED TO INDICATE TO					
NOTICE OF IN		•	SUBSEQUENT REPORT (Submit Original Form Only)			
·	New Construction	□Abandon *	□New Construction			
— :	⊒Pull or Alter Casing	□Repair Casing	□Pull or Alter Casing			
Likehali Casing	⊒Recomplete	□Change of Plans	□Reperforate			
Licharge of Flanc	⊒Reperforate	☐Convert to Injection	□Vent or Flare			
Good to the man	JVent or Flare	□Fracture Treat or Acidi	ze			
	□Water Shut-Off	ĎOther Chemical/	Flush Treatment			
□Other		Date of work completion	9/14/99			
Approximate date work will start		Report results of Multiple COMPLETION OR RECOMPLET	Completions and Recompletions to different reservoirs on WELL			
			" Little I when the unforce locations and measured and true			

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of 7 1/2% HCL on 9/14/99.



_	_	
1	3.	

Name & Signature: Rochelle Crabtree per Jerry H. Den Dollo Colon Title: Field Supervisor/Engineer


Date: 10/07/99

(This space for state use only)

STATE OF UTAH

OR	IGI		L
		91	1

D	IVISION OF OIL, GAS AND I	MININ	5. Lease Designation and Serial Number:
		The same	ML - 38666
OUNDBY NO.	TICES AND REPORTS	ON WELLS	6. If Indian, Allottee or Tribe Name:
SUNDRY NO	IICES AND REPORTS	ON WELLO	N/A
	frill new wells, deepen existing wells, or to reen	ter nivered and shandoned wells.	7. Unit Agreement Name:
Do not use this form for proposals to Use APPLICATION	FOR PERMIT TO DRILL OR DEEPEN form for	such proposals.	UTU67921X Drunkards Wash
011 51 040 57			8. Well Name and Number:
1. Type of Well: OIL LI GAS KI	JITILIN.		Utah 17-103
2. Name of Operator:			9. API Well Number:
River	Gas Corporation		43-007-30278
3 Address and Telephone			10. Field or Pool, or Wildcat:
Number: 1305 Sc	outh 100 East, Price, UT 84501	(435) 637-8876	Drunkards Wash
4. Location of Well	1		county: Carbon County
Footages: 1120' FWL,	1520' FSL		
QQ, Sec., T., R., M.: NW/SW SEC	C. 17, T15S, R10E, SLB & M		State: Utah
11. CHECK APPROPE	RIATE BOXES TO INDICATE	NATURE OF NOTICE,	REPORT, OR OTHER DATA
NOTICE	OF INTENT		SUBSEQUENT REPORT (Submit Original Form Only)
(Submi	t in Duplicate)	1	□New Construction
□Abandon	□New Construction	□Abandon *	□Pull or Alter Casing
□Repair Casing	☐Pull or Alter Casing	□Repair Casing	
□Change of Plans	□Recomplete	□Change of Plans	☐Reperforate
□Convert to Injection	□Reperforate	□Convert to Injection	□Vent or Flare
☐Fracture Treat or Acidize	□Vent or Flare	□Fracture Treat or Aci	dize
☐Multiple Completion	□Water Shut-Off	Other Chemica	//Flush Treatment
□Other		Date of work completion	on 9/14/99
and the second of the second			le Completions and Recompletions to different reservoirs on WELL
Approximate date work will start		COMPLETION OR RECOMPL	ETION REPORT AND LOG form.
12 DESCRIBE PROPOSED OR COMPLETED	OPERATIONS (Clearly state all pertinent detail	s, and give pertinent dates. If well is dire	ctionally drilled, give subsurface locations and measured and true
vertical depths for all markers and zones pertine	ent to this work.)		
		was chemically treated with	a 4000 gallons of low Ph fluid and
	1/2% HCL on 9/14/99.		
-			



13.	
Name & Signature: Rochelle Crabtree per Jerry H. Deite Que Colon Title: Field Supervisor/Engineer	Date: 10/07/99
(This space for state use only)	TU, 91

(See Instructions on Reverse Side)




STATE OF UTAH

. Du	VISION OF OIL, GAS AND MIN	IING			
יוט	IIING	5. Lease Des	signation and Serial Number:		
			ML -	38666	
STINDBY NOT	ICES AND REPORTS ON	IWFILS	6. If Indian, A	Allottee or Tribe Name:	
30NDKT NOT	IOLO AND NEI ON IO OI	1111110	N/A		
De mat use this form for proposale to dr	ill new wells, deepen existing wells, or to reenter plu	unged and abandoned wells.	7. Unit Agree	ement Name:	
Use APPLICATION F	OR PERMIT TO DRILL OR DEEPEN form for such	proposals.	UTU	67921X Drunkards Wash	
1. Type of Well: OIL □ GAS ☑ C	THER:		8. Well Nam	ne and Number:	
1. Type of Well: OIL LI GAS MI C	THEIX.		Utah	17-103	
2. Name of Operator:			9. API Well	Number:	
River C	as Corporation		43-0	007-30278	
3. Address and Telephone			10. Field or I	Pool, or Wildcat:	
	uth 100 East, Price, UT 84501 (43	35) 637-8876	Drun	ıkards Wash	
4. Location of Well				Carls on Country	
Footages: 1120' FWL,	1520' FSL		County:	Carbon County	
QQ, Sec., T., R., M.: NW/SW SEC	C. 17, T15S, R10E, SLB & M		State:	Utah	
	IATE BOXES TO INDICATE N	ATURE OF NOTICE, R	REPORT,	OR OTHER DATA	
NOTICE	OF INTENT		SUBSEQUI	ENT REPORT	
(Submit	in Duplicate)	İ	(Submit Orig	ginal Form Only)	
□Abandon	□New Construction	□Abandon *		□New Construction	
□Repair Casing	□Pull or Alter Casing	□Repair Casing		□Pull or Alter Casing	
□Change of Plans	□Recomplete	☐Change of Plans		□Reperforate	
□Convert to Injection	□Reperforate	☐Convert to Injection		□Vent or Flare	
□Fracture Treat or Acidize	□Vent or Flare	☐Fracture Treat or Acid	□Fracture Treat or Acidize □Water Shut-Off		
☐Multiple Completion	□Water Shut-Off	HOther Chemical/Flush Treatment			
Other					
Bottlei		Date of work completion	03/0	01/2000	
Approximate date work will start	,	Report results of Multiple COMPLETION OR RECOMPLE		nd Recompletions to different reservoirs on WELL AND LOG form.	
40 PECCHIPE PROPOSED OF COMPLETED O	DEPATIONS (Clearly state all pertinent details, and	I give pertinent dates. If well is directi	onally drilled, gi	ive subsurface locations and measured and true	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of $7\,1/2\%$ HCL on 03/01/00.



13.

Field Supervisor/Engineer

Name & Signature: Rochelle Crabtree per Jerry H. Die Crabtree pe

(This space for state use only)





וח	ISION OF OIL, GAS AND MINI		U	
Div	VISION OF OIL, GAS AND WIN	NG	5. Lease Designation and Serial Number:	
			ML - 38666	
SUNDRY NOT	ICES AND REPORTS ON	WELLS	6. If Indian, Allottee or Tribe Name:	
			N/A	
Do not use this form for proposals to dri	Il new wells, deepen existing wells, or to reenter plug	ged and abandoned wells.	7. Unit Agreement Name:	
Use APPLICATION F	OR PERMIT TO DRILL OR DEEPEN form for such p	roposals.	UTU67921X Drunkards Wash	
1. Type of Well: OIL 🗆 GAS 🔯 O	THER:		8. Well Name and Number:	
		<u> </u>	Utah 17-103	
2. Name of Operator:			9. API Well Number:	
River G	as Corporation	····	43-007-30278	
3. Address and Telephone Number: 1205 Co.			10. Field or Pool, or Wildcat:	
1303 300	th 100 East, Price, UT 84501 (435	6) 637-8876	Drunkards Wash	
4. Location of Well Footages: 1120' FWL, 1	520' EQI		Carbon Country	
•			county: Carbon County	
	. 17, T15S, R10E, SLB & M		State: Utah	
11. CHECK APPROPRI	ATE BOXES TO INDICATE NA	TURE OF NOTICE, RE	PORT, OR OTHER DATA	
	OF INTENT	s	UBSEQUENT REPORT	
	Duplicate)	(Submit Original Form Only)		
□Abandon	□New Construction	□Abandon *	□New Construction	
□Repair Casing	□Pull or Alter Casing	□Repair Casing	□Pull or Alter Casing	
□Change of Plans	□Recomplete	☐Change of Plans	□Reperforate	
□Convert to Injection	□Reperforate	□Convert to Injection	□Vent or Flare	
□Fracture Treat or Acidize	□Vent or Flare	□Fracture Treat or Acidize	e □Water Shut-Off	
☐Multiple Completion	□Water Shut-Off	Other Chemical/F	lush Treatment	
□Other			00/04/0000	
		Date of work completion _	03/01/2000	
Approximate date work will start		Report results of Multiple Co COMPLETION OR RECOMPLETION	ompletions and Recompletions to different reservoirs on WELL	
	·	O O THE LET IN OUT IN LOOK LET IN	SITTLE ON TABLEOU WITH,	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)

Please be advised that the above referenced well was chemically treated with 4000 gallons of low Ph fluid and 250 gallons of $7\ 1/2\%$ HCL on 03/01/00.

RECEIVED

APR 24 2000

DIVISION OF OIL, GAS AND MINING

13.		
Field Supervisor/Engineer		
Name & Signature: Rochelle Crabtree per Jerry H. Die Rochelle Crabtree per Jerry H. Di	Date:	03/17/2000

(This space for state use only)

WKC -00

LAW OFFICES

PRUITT, GUSHEE & BACHTELL

SUITE 1850 BENEFICIAL LIFE TOWER
SALT LAKE CITY, UTAH 84111-1495
(801) 531-8446

TELECOPIER (801) 531-8468 E-MAIL: mail@pgblaw.com SENIOR COUNSEL:

ROBERT G PRUITT, JR OLIVER W GUSHEE, JR

OF COUNSEL:

ROBERT G PRUITT, III
BRENT A BOHMAN

January 29, 2001

HAND DELIVERED

Mr. Jim Thompson Utah Division of Oil, Gas & Mining 1594 W. North Temple Salt Lake City, UT 84116

Re: River Gas/Phillips Merger

Dear Mr. Thompson:

THOMAS W BACHTELL A JOHN DAVIS, III

JOHN W ANDERSON

ANGELA L FRANKLIN

MICHAEL S JOHNSON

JOHN S FLITTON

WILLIAM E WARD

FREDERICK M MACDONALD GEORGE S YOUNG

As you may know, River Gas Corporation ("RGC") merged into Phillips Petroleum Company ("Phillips") effective December 31, 2000 at 11:59 p.m. I have enclosed a Certificate of Articles of Merger issued by the Utah Department of Commerce and, although duplicative, a sundry notice formally evidencing the merger for your records, and a list of all wells, including injection wells, formerly operated by RGC.

Please change the Division's records to reflect the change in operator of these wells from RGC to Phillips. All operational questions should be directed to Phillips at the following address:

Phillips Petroleum Company Attn: Billy Stacy, Operations Manager P.O. Box 3368 Englewood, CO 80155-3368 Telephone No.: (720) 344-4984

Phillips currently has a bond on file with the Division (a copy of which is enclosed for your reference), but I understand an \$80,000 Letter of Credit is in the process of being substituted.

Mr. Jim Thompson January 29, 2001 Page 2

On behalf of Phillips, I thank you for your cooperation. Should you have any further questions or concerns, please do not hesitate to contact me.

Yours very truly,

Frederick M. MacDonald

FMM:cs 2078.16 Enclosures

cc: W. H. Rainbolt Billy Stacy



Itah Department of Commerce Division of Corporations & Commercial Code

160 East 300 South, 2nd Floor, Box 146705 Salt Lake City, UT 84114-6705

Phone: (801) 530-4849 Toll Free: (877) 526-3994 Utah Residents

Fax: (801) 530-6438

Web site: http://www.commerce.state.ut.us

Registration Number: 562960-0143

PHILLIPS PETROLEUM COMPANY

Business Name: Registered Date:


JUNE 14, 1946

01/12/01

CERTIFICATE OF ARTICLES OF MERGER

THE UTAH DIVISION OF CORPORATIONS AND COMMERCIAL CODE ("DIVISION") HEREBY CERTIFIES THAT

ARTICLES OF MERGER WERE FILED WITH THIS OFFICE ON DECEMBER 12, 2000 MERGING RIVER GAS CORPORATION, A CORPORATION OF THE STATE OF ALABAMA, INTO PHILLIPS PETROLEUM COMPANY, THE SURVIVING CORPORATION WHICH IS OF THE STATE OF DELAWARE, AS APPEARS OF RECORD IN THE OFFICE OF THE DIVISION.



Pi Campbell Ric Campbell

Acting Division Director of

Corporations and Commercial Code

State of Delaware

PAGE

Office of the Secretary of State



1 Number: 188532 1 Pard: \$145.00 Paid:

I, EDWARD J. FREEL, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF OWNERSHIP, WHICH MERGES:

"RIVER GAS CORPORATION", A ALABAMA CORPORATION,

WITH AND INTO "PHILLIPS PETROLEUM COMPANY" UNDER THE NAME OF "PHILLIPS PETROLEUM COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE SIXTH DAY OF DECEMBER, A.D. 2000, AT 10 O'CLOCK A.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF OWNERSHIP IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2000, AT 11:59 O'CLOCK A.M.

A FILED COPY OF THIS CERTIFICATE HAS BEEN FORWARDED TO THE NEW CASTLE COUNTY RECORDER OF DEEDS.

State of Utah
Department of Commerce
Division of Corporations and Commercial Code

I Hereby certify that the taregoing type been fled and approved on this 12 day of 120 CO In the office of this Division and hereby issue

this Certificate thereof.

IG DIRECTOR

DEC 12 2000

Link Bir. Of Cosp. & Comm. Code

Edward J. Freel, Secretary of State AUTHENTICATION: 0837738

DATE: 12-07-00

0064324 8100M

001609453

CERTIFICATE OF OWNERSHIP AND MERGER

OF

RIVER GAS CORPORATION

(an Alabama corporation)

into

Phillips Petroleum Company

(a Delaware corporation)

It is hereby certified that:

- 1. Phillips Petroleum Company [hereinafter sometimes referred to as the "Corporation"] is a business corporation of the State of Delaware.
- 2. The Corporation is the owner of all of the outstanding shares of each class of stock of River Gas Corporation, which is a business corporation of the State of Alabama.
- 3. The laws of the jurisdiction of organization of River Gas Corporation permit the merger of a business corporation of that jurisdiction with a business corporation of another jurisdiction.
- 4. The Corporation hereby merges River Gas Corporation into the Corporation.
- 5. The following is a copy of the resolutions adopted on November 21, 2000 by the Board of Directors of the Corporation to merge the said River Gas Corporation into the Corporation:
 - "1. Phillips Petroleum Company, which is a business corporation of the State of Delaware and is the owner of all of the outstanding shares of River Gas Corporation, which is a business corporation of the State of Alabama, hereby merges River Gas Corporation into Phillips Petroleum Company pursuant to the provisions of the Alabama Business Corporation Act and pursuant to the

provisions of Section 253 of the General Corporation Law of Delaware.

- "2. The separate existence of River Gas Corporation shall cease at the effective time and date of the merger pursuant to the provisions of the Alabama Business Corporation Act; and Phillips Petroleum Company shall continue its existence as the surviving corporation pursuant to the provisions of Section 253 of the General Corporation Law of Delaware.
- "3. The Articles of Incorporation of Phillips Petroleum Company are not amended in any respect by this Plan of Merger.
- "4. The issued shares of River Gas Corporation shall not be converted or exchanged in any manner, but each said share which is issued immediately prior to the effective time and date of the merger shall be surrendered and extinguished.
- "5. Each share of Phillips Petroleum Company outstanding immediately prior to the effective time and date of the merger is to be an identical outstanding share of Phillips Petroleum Company at the effective time and date of the merger.
- "6. No shares of Phillips Petroleum Company and no shares, securities, or obligations convertible into such shares are to be issued or delivered under this Plan of Merger.
- "7. The Board of Directors and the proper officers of Phillips Petroleum Company are hereby authorized, empowered, and directed to do any and all acts and things, and to make, execute, deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of this Plan of Merger or of the merger herein provided for."
- "This Company approves that the effective time and date of the merger herein provided for in the State of Alabama shall be 11:59 p.m. on December 31, 2000."
- "Any Vice President, the Treasurer, any Assistant Treasurer, the Secretary, any Assistant Secretary, and each of them severally, be and hereby is authorized to make, execute,

DECTUBERRIES NO. 1

deliver, file, and/or record any and all instruments, papers, and documents which shall be or become necessary, proper, or convenient to carry out or put into effect any of the provisions of these resolutions and to do or cause to be done all such acts as are necessary to give effect to the purpose and intent of the approval herein set forth."

6. This Certificate of Ownership and Merger shall be effective at 11:59 p.m. on December 31, 2000.

Executed on November 27, 2000

Phillips Petroleum Company

N A Loffis Assistant Secretary

POI	TAVI 3	5 E OF UTAH						
	DIVISION OF OIL, GAS AND MINING				5 Lease Designation and Serial Number:			
	SUNDRY NO	TICES AND REPORTS OF	1 WE	LLS	6 If Indian, Allottee or	Tribe Name:		
		drill new wells, deepen existing wells, or to reenter pl FOR PERMIT TO DRILL OR DEEPEN form for such			7 Unit Agreement Nam	e:		
Тур	pe of Well: OIL □ GAS 🖾 C	OTHER:	_		8 Well Name and Nur	nber:		
Na	me of Operator: River (Gas Corporation			9 API Well Number:			
	ddress and shone Number: 6825 S. 5300 W.	. P.O. Box 851 Price, Utah 84501	(435) (513-9777	10 Field or Pool, or Wi	ldcat:		
Fo	cation of Well potages: Q, Sec , T , R , M : SLB & M				County: Carbor State: Utah	County		
1	CHECK APPROPR	RIATE BOXES TO INDICATE N	ATUR	E OF NOTICE, RE	EPORT, OR O	THER DATA		
		E OF INTENT t in Duplicate)			SUBSEQUENT RE			
	Abandon	□ New Construction		Abandon *		New Construction		
	Repair Casing	□ Pull or Alter Casing		Repair Casing		Pull or Alter Casing		
	Change of Plans	☐ Recomplete		Change of Plans		Reperforate		
	Convert to Injection	□ Reperforate		Convert to Injection		Vent or Flare		
	Fracture Treat or Acidize	□ Vent or Flare		Fracture Treat or Acid	dize 🗆	Water Shut-Off		

12 DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work)

☐ Other

Date of work completion

* Must be accompanied by a cement verification report

Report results of Multiple Completions and Recompletions to different reservoirs on WELL COMPLETION OR RECOMPLETION REPORT AND LOG form

☐ Water Shut-Off

Change of Operator

Please be advised that River Gas Corporation is transferring ownership of the attached list of wells to Phillips Petroleum Company 9780 Mt. Pyramid Court, Englewood, CO 80112.

Please direct all correspondence and reports to: Phillips Petroleum Company P.O. Box 3368, Englewood, CO 80155-3368.

Effective 1/1/01

☐ Multiple Completion

Approximate date work will start

☐ Other

13		
0 1/1-11		, ,
We are the Cal House of State	Davidanment Manager	izlichen
Name & Signature: Ca! Hurtt / ac aout	Title: Development Manager	Date: 12/11/00

(This space for state use only)

Drunkards Wash Total Well Count

(Through 2000 Drilling Season)

Well #	API#	Location	Section	Tship	Range
Utah 25-09-01	4300730130	1683 FSL, 877 FEL	25	14S	09E
Utah 36-01-02	4300730178	600 FNL, 620 FEL	36	14S	09E
Utah 31-03-03	4300730143	740 FNL, 1780 FWL	31	14S	10E
Utah 36-03-04	4300730142	822 FNL, 2176 FWL	36	14S	09E
Utah 36-09-05	4300730144	2050 FSL, 700 FEL	36	148	09E
Utah 25-07-06	4300730156	2599 FNL, 1902 FEL	25	14S	09E
Utah 25-11-07	4300730157	1718 FSL, 2210 FWL	25	14S	· 09E
Utah 26-16-08	4300730181	800 FSL, 750 FEL	26	14S	09E
Utah 35-01-09	4300730180	650 FNL, 850 FEL	35	14S	09E
Utah 31-12-10	4300730183	1995 FSL, 745 FWL	31	14S	10E
Utah 36-11-11	4300730184	1837 FSL, 1903 FWL	36	14S	09E
Utah 19-14-12	4300730182	860 FSL, 1780 FWL	19	14S	10E
Utah 30-05-13	4300730179	1493 FNL, 728 FWL	30	14S	10E
Utah 30-13-14	4300730185	612 FSL, 670 FWL	30	14S	10E
Utah 24-01-15	4300730191	1320 FNL, 1320 FEL	24	14S	09E
Utah 24-03-16	4300730187	1310 FNL, 1525 FWL	24	14S	09E
Utah 24-12-17	4300730208	1320 FSL, 1320 FWL	24	14S	09E
Utah 24-16-18	4300730192	482 FSL, 940 FEL	24	148	09E
Utah 23-02-19	4300730207	963 FNL, 1470 FEL	23	14S	09E
Utah 23-04-20	4300730194	1291 FNL, 1257 FWL	23	14S	09E
Utah 23-14-21	4300730200	739 FSL, 1716 FWL	23	14S	09E
Utah 23-09-22	4300730201	1320 FSL, 1320 FEL	23	14S	09E
Utah 26-01-23	4300730205	1320 FNL, 1320 FEL	26	14S	09E
Utah 26-06-24	4300730202	1480 FNL, 2000 FWL	26	14S	09E
Utah 26-11-25	4300730204	1500 FSL, 1500 FWL	26	14S	09E
Utah 35-03-26	4300730203	1085 FNL, 1805 FWL	35	14S	09E
Utah 35-10-27	4300730197	2567 FSL, 2151 FEL	35	14S	09E
Utah 35-13-28	4300730198	1236 FSL, 1152 FWL	35	14S	09E
Utah 27-08-29	4300730193	2134 FNL, 753 FEL	27	14S	09E
Utah 27-09-30	4300730186	1359 FSL, 707 FEL	27	148	09E
Utah 34-01-31	4300730196	464 FNL, 540 FEL	34	14S	09E
Utah 34-09-32	4300730195	1938 FSL, 435 FEL	34	14S	09E
Utah 25-04-33	4300730206	920 FNL, 780 FWL	25	14S	09E
Prettyman 10-15-34	4300730211	842 FSL, 1419 FEL	10	14S	09E
Utah 10-36	4300730302	1213 FNL, 469 FEL	10	15S	09E
Utah 12-15-37	4300730210	1158 FSL, 1494 FEL	12	15S	09E
Utah 06-38	4300730217	899 FNL, 1730 FEL	6	15S	10E
Utah 06-39	4300730218	934 FNL, 819 FWL	6	15S	10E
Utah 06-40	4300730219	2180 FSL, 1780 FEL	6	15S	10E
Utah 06-41	4300730254	2124 FSL, 1054 FWL	6	15S	10E
Utah 01-42	4300730220	860 FNL, 1780 FEL	1	15S	09E
Utah 01-43	4300730221	808 FNL, 1451 FWL	1	15S	09E
Utah 01-44	4300730222	860 FSL, 1320 FWL	1	158	09E
Utah 01-45	4300730223	1219 FSL, 1318 FEL	1	15S	09E
Utah 02-46	4300730224	860 FNL, 860 FEL	2	15S	09E

Utah 02-47	4300730225	1318 FNL, 1791 FWL	2	15S	09E
Utah 02-48	4300730226	1780 FSL, 860 FEL	2	15S	09E
Utah 02-49	4300730227	1320 FSL, 2080 FWL	2	15S	09E
Utah 11-50	4300730228	860 FNL, 860 FEL	11	15S	09E
Utah 11-51	4300730229	1000 FNL, 1900 FWL	11	15S	09E
Utah 11-52	4300730230	1400 FSL, 1100 FEL	11	15S	09E
Utah 11-53	4300730231	1780 FSL, 1800 FWL	11	15S	09E
Utah 12-54	4300730232	875 FNL, 1015 FWL	12	15S	09E
Utah 12-55	4300730233	1500 FNL, 1320 FEL	12	15S	09E
Utah 12-56	4300730234	1500 FSL, 1320 FWL	12	15S	09E
Utah 07-57	4300730235	1421 FNL, 1003 FWL	7	15\$	10E
Utah 07-58	4300730236	1495 FNL, 2006 FEL	7	15S	10E
Utah 07-59	4300730237	1400 FSL, 2100 FEL	7	15S	10E
Utah 07-60	4300730238	954 FSL, 1256 FWL	7	15S	10E
Utah 14-61	4300730239	1386 FNL, 931 FEL	14	15S	09E
Utah 14-62	4300730240	980 FNL, 1385 FWL	14	15S	09E
Utah 14-63	4300730241	1780 FSL, 1320 FEL	14	15S	09E
Utah 14-64	4300730242	907 FSL, 1392 FWL	14	15S	09E
Utah 13-65	4300730243	1320 FNL, 1200 FEL	13	15S	09E
Utah 13-66	4300730244	1276 FNL, 1301 FWL	13	15S	09E
Utah 13-67	4300730245	1800 FSL, 1500 FEL	13	15S	09E
Utah 13-68	4300730246	1320 FSL, 1320 FWL	13	15S	09E
Utah 18-69	4300730427	1320 FNL, 1320 FWL	18	15S	10E
Utah 18-70	4300730248	1110 FNL, 2127 FEL	18	158	10E
Utah 18-71	4300730249	1764 FSL, 1767 FEL	18	15S	10E
Utah 18-72	4300730250	2100 FSL, 1100 FWL	18	15S	10E
USA 19-73	4300730392	1664 FNL, 1412 FEL	19	15S	10E
Utah 14-74	4300730529	1365 FSL, 1988 FEL	14	148	09E
Utah 14-75	4300730263	1036 FSL, 1622 FWL	14	14S	09E
Utah 22-76	4300730251	1320 FNL, 660 FEL	22	148	09E
Utah 19-77	4300730252	1780 FSL, 660 FWL	19	148	10E
Williams 30-78	4300730279	460 FNL, 660 FEL	30	14S	10E
Utah 31-79	4300730253	1780 FSL, 1780 FEL	31	148	10E
Utah 24-80	4300730255	590 FNL, 1612 FWL	24	15S	09E
Utah 24-81	4300730256	1067 FNL, 1361 FEL	24	15S	09E
Utah 32-82	4300730257	600 FNL, 2028 FEL	32	15S	09E
Utah 21-83	4300730259	1780 FNL, 460 FWL	21	15S	10E
H&A 07-84	4300730258	1780 FSL, 1780 FWL	7	158	09E
Utah 27-85	4300730261	2173 FNL, 676 FWL	27	148	08E
Utah 24-86	4300730267	1788 FSL, 1677 FEL	24	15S	09E
Utah 24-87	4300730375	1780 FSL, 1333 FWL	24	15S	09E
USA 15-88	4300730264	872 FSL, 875 FEL	15	148	09E
Telonis 22-89	4300730266	836 FNL, 1766 FWL	22	148	09E
Telonis 21-90	4300730328	1272 FNL, 1188 FEL	21	148	09E
USA 13-91	4300730568	1443 FSL, 1017 FWL	13	148	09E
Utah 13-92	4300730439	624 FSL, 899 FEL	13	148	09E
Utah 18-93	4300730587	556 FSL, 673 FWL	18	148	10E
Utah 05-95	4300730269	640 FNL, 580 FWL	5	15S	10E
Utah 05-94	4300730270	1520 FSL, 1320 FWL	5	158	10E
	1000.002.0	, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	<u> </u>		

Utah 05-96	4300730271	1780 FSL, 2180 FEL	5	15S	10E
Utah 08-97	4300730272	1495 FNL, 1273 FEL	8	15S	10E
Utah 08-98X	4300730285	1341 FNL, 1319 FWL	8	15S	10E
Utah 08-99	4300730274	1500 FSL, 1120 FWL	8	15S	10E
Utah 08-100	4300730275	1500 FSL, 1400 FEL	8	15S	10E
Utah 17-101	4300730416	460 FNL, 2180 FEL	17	15S	10E
Utah 17-102	4300730277	810 FNL, 910 FWL	17	15S	10E
Utah 17-103	4300730278	1520 FSL, 1120 FWL	17	15S	10E
Powell 19-104	4300730282	1327 FNL, 1458 FWL	19	15S	10E
Powell 19-105	4300730283	1239 FSL, 1325 FWL	19	15S	10E
Utah 23-106	4300730280	150 FNL, 1400 FEL	23	15S	09E
Utah 23-107	4300730281	1252 FNL, 1255 FWL	23	15S	09E
Birkinshaw 19-108	4300730284	1305 FNL, 1192 FEL	19	15S	09E
Utah 36-109	4300730268	1800 FNL, 1800 FWL	36	15S	09E
Utah 16-110	4301530250	860 FSL, 2000 FWL	16	16S	09E
Fausett 09-111	4300730428	2215 FSL, 354 FEL	9	148	09E
Fausett 10-112	4300730415	1590 FSL, 1342 FWL	10	148	09E
Giacoletto 11-113	4300730335	500 FSL, 2070 FWL	11	14S	09E
Prettyman 11-114	4300730340	471 FSL, 1828 FEL	11	148	09E
Giacoletto 13-120	4300730407	1200 FNL, 1219 FWL	13	14S	09E
Giacoletto 14-121	4300730345	1200 FNL, 1060 FEL	14	14S	09E
USA 14-122	4300730404	1500 FNL, 1039 FWL	14	14S	09E
Utah 30-125	4300730262	630 FSL, 1627 FEL	30	14S	10E
Utah 31-126	4300730305	1954 FNL, 1291 FEL	31	148	10E
Robertson 32-127	4300730374	646 FNL, 349 FWL	32	14S	10E
Utah 04-129	4300730309	700 FWL, 1850 FSL	4	15S	10E
Utah 04-130	4300730519	860 FSL, 2150 FEL	4	15S	10E
Sampinos 16-131	4300730610	1201 FNL, 1016 FWL	16	15S	10E
Jensen 16-132	4300730588	1206 FSL, 1240 FWL	16	15S	10E
LDS 17-133	4300730296	1500 FSL, 1700 FEL	17	15S	10E
Utah 25-134	4300730399	745 FNL, 1482 FWL	25	15S	09E
Utah 36-135	4300730341	850 FNL, 850 FEL	36	15S	09E
Utah 36-136	4300730343	465 FSL, 660 FWL	36	15S	09E
Utah 36-137	4300730342	2180 FSL, 1800 FEL	36	15S	09E
Utah 02-138	4301530288	638 FNL, 1865 FEL	2	16S	09E
Utah 02-139	4301530289	1890 FNL, 850 FWL	2	16S	09E
Utah 02-140	4301530290	850 FSL, 1800 FWL	2	16S	09E
Utah 02-141	4301530291	1800 FSL, 1950 FEL	2	16S	09E
Telonis 15-142	4300730319	1320 FSL, 860 FWL	15	148	09E
Fausett 16-143	4300730320	1320 FNL, 1320 FEL	16	148	09E
Fausett 16-144	4300730321	1800 FNL, 860 FWL	16	14S	09E
Telonis 16-145	4300730322	1320 FSL, 1320 FWL	16	148	09E
Paar 16-146	4300730323	843 FSL, 2157 FEL	16	148	09E
Christiansen 17-147	4300730324	860 FSL, 1800 FWL	17	148	09E
Christiansen 17-148	4300730325	1250 FSL, 1100 FEL	17	148	09E
Birkinshaw 18-149	4300730326	500 FSL, 500 FEL	18	14S	09E
Telonis 19-150	4300730300	751 FNL, 1840 FWL	19	148	09E
Telonis 19-151	4300730299	860 FSL, 2000 FWL	19	148	09E
Telonis 20-152	4300730327	1320 FNL, 1900 FEL	20	148	09E

Telonis 21-153	4300730329	860 FNL, 1800 FWL	21	148	09E
Telonis 29-154	4300730330	800 FNL, 1500 FWL	29	148	09E
Telonis 29-155	4300730331	1800 FSL, 1250 FWL	29	14S	09E
Telonis 30-156	4300730301	910 FNL, 868 FEL	30	148	09E
Telonis 30-157	4300730332	1800 FSL, 580 FEL	30	148	09E
Utah 32-158	4300730333	1038 FNL, 1768 FEL	32	148	09E
Utah 32-159	4300730334	2011 FNL, 1426 FWL	32	148	09E
Utah 32-160	4300730398	1500 FSL, 1780 FWL	32	148	09E
Utah 32-161	4300730336	415 FSL, 1408 FEL	32	148	09E
Utah 36-162	4300730315	2053 FNL, 685 FEL	36	148	08E
Utah 36-163	4300730316	860 FNL, 2100 FWL	36	148	08E
Utah 36-164	4300730317	1070 FSL, 2000 FWL	36	148	08E
Utah 36-165	4300730318	1100 FSL, 1500 FEL	36	148	08E
Utah 02-166	4300730337	1219 FNL, 1738 FEL	2	158	08E
Utah 02-167	4300730338	660 FNL, 2075 FWL	2	15S	08E
Utah 02-168	4300730339	1800 FSL, 2100 FWL	2	15S	08E
Utah 02-169	4300730308	754 FSL, 1000 FEL	2	15S	08E
Seamons 32-170	4300730291	700 FNL, 500 FWL	32	138	09E
Pinnacle Peak 19-171	4300730117	1320 FSL, 1320 FEL	19	148	09E
Telonis 20-172	4300730107	1980 FSL, 660 FEL	20	148	09E
Powell 30-173	4300730346	1200 FNL, 1200 FWL	30	158	10E
Stella-Hamaker 10-174	4300730116	852 FNL, 1971 FWL	10	158	08E
Utah 31-175	4301530317	897 FNL, 1731 FWL	31	16S	09E
USA 15-176	4300730450	2588 FNL, 1155 FEL	15	148	09E
USA 09-178	4300730419	428 FSL, 2527 FWL	9	148	09E
USA 17-180A	4300730622	2563 FNL, 1383 FWL	17	148	09E
USA 18-182	4300730417	1068 FSL, 1972 FWL	18	148	09E
USA 24-183	4300730469	828 FNL, 624 FEL	24	148	08E
Utah 27-187	4300730395	1400 FNL, 1400 FWL	27	148	09E
Utah 27-188	4300730292	477 FSL, 518 FWL	27	148	09E
Utah 28-189	4300730396	1707 FNL, 868 FEL	28	148	09E
Utah 28-190	4300730397	1969 FNL, 1324 FWL	28	148	09E
Utah 28-191	4300730293	693 FSL, 1623 FWL	28	148	09E
Utah 28-192	4300730294	1407 FNL, 1940 FWL	28	148	09E
Utah 29-193	4300730405	693 FNL, 1029 FEL	29	148	09E
Utah 29-194	4300730427	951 FSL, 370 FEL	29	148	09E
Utah 30-195	4300730265	1407 FNL, 1940 FWL	30	148	09E
Utah 30-196	4300730344	1056 FSL, 1984 FWL	30	148	09E
Kakatsidas 31-197	4300730420	619 FNL, 1361 FEL	31	148	09E
Utah 31-198	4300730406	1403 FNL, 1540 FWL	31	148	09E
Utah 31-199	4300730480	1125 FSL, 928 FWL	31	148	09E
Utah 31-200	4300730385	2118 FSL, 549 FEL	31	148	09E
Utah 33-201	4300730386	317 FNL, 1815 FEL	33	14S	09E
Utah 33-202	4300730387	1939 FNL, 1593 FWL	33	14S	09E
Utah 33-203	4300730388	1373 FSL, 1140 FWL	33	148	09E
Utah 33-204	4300730389	2024 FSL, 1525 FEL	33	148	09E
Utah 05-205	4300730384	1485 FNL, 760 FEL	5	15S	09E
Utah 05-206	4300730390	1300 FNL, 1352 FWL	5	15S	09E
I	4300730391	825 FNL, 928 FEL	6	15S	08E

ì

Utah 01-208	1000700101				
	4300730464	1246 FNL, 1831 FEL	1	158	09E
Utah 01-209	4300730467	2271 FSL, 1251 FEL	1	15S	09E
Utah 34-211	4300730114	1181 FSL, 1005 FWL	34	14S	09E
Utah 03-212	4300730468	1187 FNL, 1761 FEL	3	15S	09E
Utah 03-213	4300730381	1466 FNL, 2041 FWL	3	15S	09E
Utah 03-214	4300730295	813 FSL, 966 FWL	3	15\$	09E
Utah 03-215	4300730297	988 FSL, 604 FEL	3	15S	09E
Utah 04-216	4300730382	1610 FNL, 810 FEL	4	15S	09E
Utah 04-217	4300730383	1343 FNL, 1119 FWL	4	15S	09E
Utah 04-218	4300730418	1084 FSL, 509 FEL	4	15S	09E
Utah 10-219	4300730298	805 FNL, 756 FWL	10	15S	09E
Utah 10-220	4300730432	474 FSL, 372 FWL	10	15S	09E
Utah 10-221	4300730303	1602 FSL, 2032 FEL	10	15S	09E
USA 19-222	4300730393	1574 FSL, 1647 FEL	19	15S	10E
Utah 06-223	4300730430	1636 FSL, 1085 FEL	6	15S	09E
Utah 05-225	4300730440	421 FSL, 498 FEL	5	15S	09E
Utah 04-226	4300730408	571 FSL, 2331 FWL	4	15S	09E
Utah 09-227	4300730449	652 FNL, 1331 FEL	9	15S	09E
Utah 09-228	4300730413	1444 FNL, 1520 FWL	9	15S	09E
Utah 09-229	4300730414	1595 FSL, 2051 FWL	9	15S	09E
Utah 08-230	4300730410	2003 FNL, 960 FEL	8	15S	09E
Utah 08-231	4300730411	1321 FNL, 1738 FWL	8	15S	09E
H&A 08-232	4300730412	1135 FSL, 1497 FWL	8	15S	09E
Utah 08-233	4300730488	468 FSL, 2030 FEL	8	15S	09E
Utah 07-234	4300730409	1876 FNL, 875 FEL	7	15S	09E
Utah 07-235	4300730421	2098 FSL, 510 FEL	7	15S	09E
H&A 18-236	4300730459	896 FNL, 1511 FEL	18	15S	09E
Utah 18-237	4300730485	1867 FSL, 1920 FEL	18	15S	09E
Utah 17-238	4300730510	677 FNL, 1321 FEL	17	15S	09E
Utah 17-239	4300730511	1383 FNL, 1576 FWL	17	15S	09E
Utah 17-240	4300730512	1977 FSL, 1394 FWL	17	15S	09E
Utah 17-241	4300730513	1668 FSL, 2222 FEL	17	15S	08E
USA 12-242	4300730482	1738 FNL, 1505 FEL	12	15S	08E
USA 12-243	4300730486	950 FNL, 232 FWL	12	15S	08E
USA 11-244	4300730463	1151 FNL, 1690 FEL	11	15S	08E
USA 11-245	4300730462	1234 FNL, 1743 FWL	11	15S	08E
Utah 01-246	4300730566	1619 FNL, 170 FWL	1	15S	09E
Utah 01-247	4300730465	594 FSL, 266 FWL	1	15S	08E
USA 35-248	4300730582	828 FSL, 1245 FEL	35	15S	09E
USA 30-251	4300730403	1169 FSL, 913 FWL	30	15S	10E
Utah 25-252	4300730400	1937 FNL, 1416 FEL	25	15S	09E
Utah 25-253	4300730401	809 FSL, 899 FWL	25	15S	09E
Utah 25-254	4300730402	1787 FSL, 1954 FEL	25	15\$	09E
Utah 26-255	4300730446	1209 FNL, 755 FEL	26	15S	09E
Utah 26-256	4300730445	1274 FSL, 1351 FWL	26	15S	09E
Utah 26-257	4300730444	1263 FSL, 1368 FEL	26	15S	09E
Utah 34-258	4300730552	1198 FNL, 1880 FEL	34	15S	09E
	4300730456	1662 FSL, 2046 FEL	34	15S	09E
Utah 34-259	4300730430	1002102,2010122	1 0.1	100	

Utah 35-261	4300730442	615 FNL, 818 FWL	35	15S	09E
Utah 35-262	4300730443 1657 FSL, 1850 FWL		35	158	09E
Utah 35-263	4300730441	1785 FSL, 946 FEL	35	15S	09E
USA 01-264	4301530336	1055 FNL, 441 FWL	1	16S	09E
USA 01-265	4301530337	1739 FSL, 636 FWL	1	16S	09E
Woolstenhulme 05-266	4300730481	1389 FNL, 2179 FEL	5	15S	10E
Utah 26-267	4300730514	1836 FNL, 2130 FWL	26	15S	09E
Utah 27-268	4300730457	1125 FSL, 1682 FWL	26	15S	09E
Utah 27-269	4300730458	1661 FSL, 795 FEL	27	15S	09E
Utah 34-270	4300730347	774 FNL, 756 FWL	34	15S	09E
Utah 34-271	4300730496	1693 FSL, 965 FWL	34	158	09E
Utah 33-272	4300730502	694 FNL, 2034 FEL	33	15S	09E
Utah 33-273	4300730493	1922 FNL, 328 FWL	33	15S	09E
Utah 33-274	4300730494	1098 FSL, 1673 FWL	33	15S	09E
Utah 33-275	4300730495	1401 FSL, 1029 FEL	33	15S	09E
Utah 32-276	4300730483	738 FL, 1318 FWL	32	15S	09E
Utah 32-277	4300730484	1613 FSL, 1931 FEL	32	15S	09E
Utah 05-278	4301530278	1665 FNL, 1923 FEL	5	15S	09E
Utah 04-279	4301530340	1020 FNL, 1757 FEL	4	16S	09E
Utah 04-280	4301530341	2087 FNL, 1627 FWL	4	16S	09E
Utah 04-281	4301530399	999 FSL, 896 FWL	4	16S	09E
Utah 04-282	4301530342	2188 FSL, 911 FEL	4	16S	09E
Utah 03-283	4301530349	461 FNL, 1772 FEL	3	16S	09E
Utah 03-284	4301530346	1218 FNL, 753 FWL	3	16S	09E
Utah 03-285	4301530345	1917 FSL, 546 FWL	3	16S	09E
Utah 03-286	4301530344	1690 FSL, 1958 FEL	3	16S	09E
USA 20-287	4300730448	1395 FNL, 979 FWL	20	15S	10E
USA 20-288	4300730451	1566 FSL, 1125 FWL	20	15S	10E
USA 30-289	4300730452	1184 FNL, 1353 FEL	30	15S	10E
USA 30-290	4300730453	1080 FSL, 1508 FEL	30	14S	10E
USA 11-291	4300730501	2609 FNL, 1994 FEL	11	14S	09E
USA 11-292	4300730500	2483 FNL, 664 FWL	11	14S	09E
USA 10-293	4300730498	2011 FNL, 847 FEL	10	14S	09E
USA 10-294	4300730497	1750 FNL, 769 FWL	10	148	09E
USA 09-295	4300730499	696 FNL, 1198 FEL	9	14S	09E
Fausett 09-296	4300730455	2072 FNL, 798 FWL	9	145	09E
USA 08-297	4300730491	789 FNL, 958 FEL	8	148	09E
Ritzakis 08-298	4300730475	798 FNL, 2018 FWL	8	148	09E
Ritzakis 08-299	4300730479	2187 FSL, 1885 FWL	8	148	09E
Ritzakis 08-300	4300730476	2485 FSL, 1522 FEL	8	148	09E
USA 04-302	4300730489	1076 FSL, 1860 FWL	4	14S	09E
USA 04-303	4300730499	597 FSL, 984 FEL	4	148	09E
Ritzakis 05-304	4300730490	688 FSL, 1888 FWL	5	148	09E
Ritzakis 05-304	4300730473	1104 FSL, 1196 FEL	5	145	09E
USA 06-306	4300730474	399 FSL, 306 FEL	6	145	09E
Helper 07-307	4300730492	672 FNL, 962 FWL	7	158	09E
USA 31-310	4300730467	624 FNL, 1238 FWL	31	158	10E
USA 31-311	4300730516	1934 FSL, 973 FWL	31	158	10E
	4301530350	1453 FNL, 1881 FEL	1	165	09E
USA 01-312	430 (330300	1400 FNL, 100 FEL		103	I OSE

USA 11-314	4301530353	1262 FNL, 1136 FWL	11	16S	09E
USA 10-317	4301530352	1221 FNL, 1104 FEL	10	168	09E
USA 12-322	4300730576	492 FSL, 495 FWL	10	15S	08E
USA 12-323	4300730577	540 FSL, 784 FEL	12	15S	08E
USA 11-324	4300730575	732 FSL, 1763 FEL	11	15S	08E
USA 14-325	4300730579	890 FNL, 1469 FEL	14	15S	08E
USA 13-326	4300730581	1065 FNL, 1563 FEL	13	15S	08E
USA 13-327	4300730578	1092 FNL, 941 FWL	13	15S	08E
USA 35-328	4300730583	964 FSL, 1999 FWL	35	14S	08E
Utah 09-329	4300730561	884 FSL, 1324 FEL	9	15S	09E
Utah 06-330	4300730562	938 FNL, 1564 FWL	6	15S	09E
Utah 20-333	4300730669	1069 FNL, 1460 FEL	20	15S	09E
Utah 20-334	4300730625	932 FNL, 1655 FWL	20	15S	09E
Utah 20-335	4300730626	2152 FSL, 1716 FWL	20	15S	09E
Utah 19-337	4300730623	926 FNL, 768 FEL	19	15S	09E
Utah 19-338	4300730624	1789 FSL, 1426 FEL	19	15S	09E
Utah 05-343	4301530400	1795 FNL, 1431 FWL	5	16S	09E
Utah 05-344	4301530401	1316 FSL, 1343 FWL	5	16S	09E
Utah 05-345	4301530402	908 FSL, 1449 FEL	5	16S	09E
Utah 08-354	4301530395	1073 FNL, 1914 FEL	8	16S	09E
Utah 08-355	4301530378	1673 FNL, 850 FWL	8	16S	09E
Utah 08-356	4301530379	1701 FSL, 799 FWL	8	16S	09E
Utah 08-357	4301530380	1722 FSL, 1599 FEL	8	16S	09E
Utah 09-358	4301530300	2097 FNL, 1634 FEL	9	16S	09E
Utah 09-359	4301530407	1787 FNL, 871 FWL	9	16S	09E
Utah 09-360	4301530397	1323 FSL, 881 FWL	9	16S	09E
Utah 09-361	4301530408	1564 FSL, 1998 FEL	9	16S	09E
USA 10-362	4301530424	2225 FNL, 494 FWL	10	16S	09E
USA 14-386	4300730634	592 FNL, 2236 FWL	14	15S	08E
USA 24-387	4300730612	1243 FSL, 2306 FWL	10	14S	08E
USA 24-388	4300730613	1177 FSL, 612 FEL	24	14S	08E
Utah 25-389	4300730600	737 FNL, 1976 FEL	25	14S	08E
Utah 25-390	4300730599	1540 FNL, 1354 FWL	25	14S	08E
Utah 25-391A	4300730658	1264 FSL, 1573 FWL	25	14S	08E
Utah 25-392	4300730602	2045 FSL, 1718 FEL	25	14S	09E
USA 26-393	4300730614	1666 FNL, 874 FEL	26	14S	08E
USA 26-394	4300730615	856 FSL, 2377 FWL	26	14S	08E
USA 26-395	4300730616	1927 FSL, 830 FEL	26	14S	08E
USA 35-396	4300730584	616 FNL, 1896 FEL	35	14S	08E
USA 35-397	4300730585	949 FNL, 1264 FWL	35	14S	08E
USA 20-398	4300730590	1374 FNL, 1387 FEL	20	15S	10E
USA 20-399	4300730591	1445 FSL, 1128 FEL	20	15S	10E
Utah 09-412	4300730580	1102 FSL, 1018 FWL	9	15S	10E
Utah 09-413	4300730605	1007 FNL, 1197 FWL	9	15S	10E
Utah 10-415	4301530391	1090 FNL, 557 FEL	10	16S	08E
USA 14-416	4300730646	892 FSL, 1311 FWL	14	15S	08E
USA 14-417	4300730647	1741 FSL, 1054 FEL	14	15S	09E
USA 13-418	4300730645	737 FSL, 793 FEL	13	15S	08E
USA 13-419	4300730631	2617 FSL, 1958 FEL	13	15S	08E
	·				



Unit States Department of the Interior

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

In Reply Refer To: 3106 UTU-47157 et al (UT-932)

JAN 3 0 2001

NOTICE

Phillips Petroleum Company

Oil and Gas

Attn: W. H. Rainbolt, Rocky Mtn. Region-Land Box 1967

Houston, TX 77251-1967

Merger Recognized

Acceptable evidence has been filed in this office concerning the merger of River Gas Corporation into Phillips Petroleum Company with Phillips Petroleum Company being the surviving entity.


The oil and gas lease files and rights-of-way files identified on the enclosed exhibit have been noted as to the merger. The exhibit is the list supplied by the representative of the companies, and verified by our computerized records. We have not adjudicated the case files to determine if the entity affected by the merger holds an interest in the leases identified, nor have we attempted to identify leases where the entity is the operator on the ground, maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable BLM offices of the merger by a copy of this notice. If additional documentation for a change of operator is required by our Field Offices, you will be contacted by them.

By recognition of the merger the obligor is automatically changed by operation of law from River Gas Corporation to Phillips Petroleum Company on Letter of Credit No. P-207337 (BLM Bond No. UT0829). A rider to BLM Bond No. ES0048 assuming any and all liabilities of BLM Bond No. UT0829 must be submitted for approval to the Eastern States Office, Attn: Bill Forbes, 7450 Boston Boulevard, Springfield, VA 22153. After the rider is approved, the Letter of Credit will be returned to the financial institution that issued it.

ROBERT LOPEZ

Robert Lopez Chief, Branch of Minerals Adjudication

Enclosure Exhibit of Leases



cc: Moab Field Office

Vernal Field Office

Price Field Office

MMS-Reference Data Branch, MS 3130, P.O. Box 5860, Denver, CO 80217

State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC, UT 84114

The Chase Manhattan Bank, Attn: Standby Letter of Credit Dept., 4 Chase Metrotech Center, 8th Floor Brooklyn, NY 11245

Teresa Thompson (UT-931)

LaVerne Steah (UT-942)

Pruitt, Gushee & Bachtell, Attn: Frederick M. MacDonald, Suite 1850 Beneficial Life Tower,

Salt Lake City, Utah 84111-1495

BLM, Eastern States Office (Attn: Bill Forbes)

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING	
1 GLH	4-KAS —
2. CDW	5-8101/
3. JLT	6-FILE

Enter date after each listed item is completed

Change of Operator (Well Sold)

Designation of Agent

DRUNKARDS WASH

Operator Name Change (Only)

X Merger

The operator of the well(s) listed below has changed, effective:	12-31-2000
FROM: (Old Operator):	TO: (New Operator):
RIVER GAS CORPORATION	PHILLIPS PETROLEUM COMPANY
Address: 6825 S. 5300 W. P. O. BOX 851	Address: P. O. BOX 3368
PRICE, UT 84501	ENGLEWOOD, CO 80155-3368
Phone: 1-(435)-613-9777	Phone: 1-(720)-344-4984
Account N1605	Account N1475
	Phone: 1-(720)-344-4984

Unit:

CA No.

WELL(S)

WELL(S)	API	ENTITY	SEC. TWN	LEASE	WELL	WELL
NAME	NO.	NO.	RNG	TYPE	TYPE	STATUS
UTAH 6-41	43-007-30254	11256	06-15S-10E	STATE	GW	P
UTAH 7-57	43-007-30235	11256	07-15S-10E	STATE	GW	P
UTAH 7-58	43-007-30236	11256	07-15S-10E	STATE	GW	P
UTAH 7-59	43-007-30237	11256	07-15S-10E	STATE	GW	P
UTAH 7-60	43-007-30238	11256	07-15S-10E	STATE	GW	P
UTAH 8-97	43-007-30272	11256	08-15S-10E	STATE	GW	P
UTAH 8-98X	43-007-30285	11256	08-15S-10E	STATE	GW	P
UTAH 8-99	43-007-30274	11256	08-15S-10E	STATE	GW	P
UTAH 8-100	43-007-30275	11256	08-15S-10E	STATE	GW	P
UTAH 09-412	43-007-30580	11256	09-15S-10E	STATE	GW	P
UTAH 09-413	43-007-30605	11256	09-15S-10E	STATE	GW	P
UTAH 17-101	43-007-30416	11256	17-15S-10E	STATE	GW	P
UTAH 17-102	43-007-30277	11256	17-15S-10E	STATE	GW	P
UTAH 17-103	43-007-30278	11256	17-15S-10E	STATE	GW	P
UTAH 18-69	43-007-30247	11256	18-15S-10E	STATE	GW	P
UTAH 18-70	43-007-30248	11256	18-15S-10E	STATE	GW	P
UTAH 18-71	43-007-30249	11256	18-15S-10E	STATE	GW	P
UTAH 18-72	43-007-30250	11256	18-15S-10E	STATE	GW	P
UTAH 02-138	43-015-30288	11256	02-16S-09E	STATE	GW	P
UTAH 02-139	43-015-30289	11256	02-16S-09E	STATE	GW	P

OPERATOR CHANGES DOCUMENTATION

1. (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 01/29/2001

2. (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 01/29/2001

3. The new company has been checked through the Department of Commerce, Division of Corporations Database on: 02/15/2001

4.	. Is the new operator registered in the State of Utah:	YES	Business Nun	nber:	562960-0143
5.	. If NO , the operator was contacted contacted on:		-		
6.	Federal and Indian Lease Wells: The BLM and or the or operator change for all wells listed on Federal or Indian lease		• •	e (mergei 1/30/2001	r, name change,
7.	. Federal and Indian Units: The BLM or BIA has appro-	oved the s	uccessor of	unit opera	ator
8.			The BLM ог	the BIA	has approved the operator
9.	. Underground Injection Control ("UIC") Pro; The for the enhanced/secondary recovery unit/project for the water of			C Form 5, T	Transfer of Authority to Inject,
$\overline{\mathbf{D}}$	DATA ENTRY:	- ···			
1.		/02/2001			
2.	. Changes have been entered on the Monthly Operator Change	Spread She	eet on: 0	3/02/2001	-
3.	. Bond information entered in RBDMS on:	N/A			
4.	Fee wells attached to bond in RBDMS on:	N/A			
ST	TATE BOND VERIFICATION:	9521	84		
	State well(s) covered by Bond No.:	N/A			
FF	EE WELLS - BOND VERIFICATION/LEASE INT	EREST (OWNER NO	OTIFICA	TION:
	(R649-3-1) The NEW operator of any fee well(s) listed has furn			N/A	•
	The FORMER operator has requested a release of liability from The Division sent response by letter on:	their bond o	on:	N/A	
	(R649-2-10) The FORMER operator of the Fee wells has been c of their responsibility to notify all interest owners of this change		d informed by	a letter from N/A	n the Division
FI 1.	ILMING: All attachments to this form have been MICROFILMED on:	3-16-0	o)		
FI	ILING:				
1.	ORIGINALS/COPIES of all attachments pertaining to each indi	vidual well	have been fille	ed in each w	rell file on:
CC	OMMENTS:	,			

, A

STATE OF UTAH

DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

DIVISION OF OIL, GAS AND MINING						5. LEA	SE DESIGNATION AND SERIAL NUMBER:			
	SUNDRY	N	OTICES AND RE	PORT	s o	N WEL	LS		6. IF II	IDIAN, ALLOTTEE OR TRIBE NAME:
Do	not use this form for proposals to drill n drill horizontal la	new we aterals.	ils, significantly deepen existing w Use APPLICATION FOR PERMI	ells below cui T TO DRILL (rrent be	ottom-hole dept or such proposa	th, reenter pl	lugged wells, or to	7. UNI	F or CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL OTHER All							ı	L NAME and NUMBER: Attached List		
	AME OF OPERATOR:								9. API	NUMBER:
	illips Petroleum Compa	ny_					DUONE N			List
		_y Ba	artlesville state	OK ZIP	740	004	PHONE NU (918) (661-4415	10. FIE	ELD AND POOL, OR WILDCAT:
	OCATION OF WELL	اممد			Jakan.				001111	
FC	DOTAGES AT SURFACE: See A	แลบเ	ieu List						COUNT	Y:
Q	TR/QTR, SECTION, TOWNSHIP, RAN	GE, M	ERIDIAN:						STATE	UTAH
11.	CHECK APP	ROP	RIATE BOXES TO I	NDICAT	EN	IATURE (OF NO	ΓΙCE, REPO	RT, O	R OTHER DATA
•	TYPE OF SUBMISSION					TY	PE OF A	CTION		***
П	NOTICE OF INTENT		ACIDIZE			DEEPEN				REPERFORATE CURRENT FORMATION
_	(Submit in Duplicate)		ALTER CASING			FRACTURE	TREAT			SIDETRACK TO REPAIR WELL
	Approximate date work will start:		CASING REPAIR			NEW CONS	TRUCTION			TEMPORARILY ABANDON
		띧	CHANGE TO PREVIOUS PLAN	S		OPERATOR	CHANGE			TUBING REPAIR
_			CHANGE TUBING			PLUG AND A	ABANDON			VENT OR FLARE
	SUBSEQUENT REPORT (Submit Original Form Only)	띧	CHANGE WELL NAME		Ш	PLUG BACK			ᆜ	WATER DISPOSAL
	Date of work completion:		CHANGE WELL STATUS			PRODUCTIO	N (START/F	RESUME)		WATER SHUT-OFF
		띧	COMMINGLE PRODUCING FO	RMATIONS	Ц	RECLAMATI	ON OF WEL	L SITE	Ш	OTHER:
		Ш	CONVERT WELL TYPE	_	<u> </u>	RECOMPLE	TE - DIFFER	RENT FORMATION		
12.	DESCRIBE PROPOSED OR CO	MPL	ETED OPERATIONS. Clearl	y show all p	ertine	ent details inc	luding date	es, depths, volume	es, etc.	
wit	noco Inc. was merged i h this merger and effec mpany". We are reque	tive	on the same date, th	e name	of th	he survivi	ng corp	oration was	chang	
	ease send production re rtlesville, OK 74004. He						hillips C	Company, 31	5 S. Je	ohnstone, 980 Plaza Office,
Cu	rrent Operator				Niz	ew Opera	tor			
	illips Petroleum Compa	ny			Co	onocoPhil	llips Co	mpany .		RECEIVED
	A/ NM	•			_	71.0.				NECEIVED
(THE COM				4	yoran	da	Teres		JAN 0 8 2003
Ste	ve de Albuquerque				4	, olanda Pe	erez	Ü		0 0 0 2000
Totalida Felez								DIV. OF OIL, GAS & MINING		
	·									•
NAME	(PLEASE PRINT) Yolanda P	erez	· · · · · · · · · · · · · · · · · · ·			TITLE	Sr. F	Regulatory Ar	nalyst	
	711/2 /		Pener				12/3	0/2002		
SIGN	ATURE WORKINGA	_	wes -			DATE				

(This space for State use only)



Re:

Notice of Address Change, Merger and Name Change

Address Change effective December 2, 2002

Merger and Name Change effective December 31, 2002

\$789 DE Pyramin Ct., S.A. 200 Bridsewood, C. Divisions of Oil, Gas, and Mining

Attn: Mr. John Baza

1594 West North Temple.

Suite 1210, P. O. Box 145801 Salt Lake City, UT 84114-5801

Gentlemen:

- 1. Effective December 2, 2002, Phillips Petroleum Company will close its Englewood, Colorado Rocky Mountain Region office. After that time, all correspondence, notices and invoice for Land related matters should be directed to the address(es) noted below. Note that until December 31, 2002, all properties in which Phillips held an interest will continue to be operated by Phillips Petroleum Company, a wholly-owned subsidiary of ConocoPhillips.
- On December 31, 2002, Phillips Petroleum Company and Conoco Inc. will merge, and the surviving corporation will be renamed "ConocoPhillips Company".

In accordance with the notice provisions of the Operating Agreements and other agreements, if any, between our companies, please adjust your company/organization records, effective for address purposes as of December 2, 2002, and for company name purposes, as of January 1, 2003, to reflect the following information for addressing and delivery of notices, invoicing and payment, and communications with ConocoPhillips Company. This will also apply to Lease Sale notices and other lease-related correspondence and notifications.

U.S. Mail Address:

ConocoPhillips Company P.O. Box 2197 Houston, Texas 77252 Attn: Chief Landman. San Juan/Rockies

Physical Address & Overnight Delivery:

ConocoPhillips Company 550 Westlake Park Blvd. Three Westlake Park 3WL, Room WL 9000 Houston, Texas 77079 Attn: Chief Landman. San Juan/Rockies

All ballots and official notices/responses sent by facsimile transmission should be sent to the following contact:

Attn: Chief Landman. San Juan/Rockies

Fax No.: 832-486-2688 or 832-486-2687

Please contact the undersigned immediately if you have any questions. This notice does not apply to royalty inquiries, joint interest billings, or revenue remittances. Please continue to use the same addresses you are currently using for these matters Wellian Painbai

Sincerely,

RECEIVED

DEC 0 2 2002

DIVISION OF OIL, GAS AND MINING



SECRETARY'S CERTIFICATE

I, the undersigned, Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company. formerly Phillips Petroleum Company, organized and existing under and by virtue of the laws of the State of Delaware (the "Corporation"), hereby certify that:

- As Assistant Secretary I am authorized to execute this certificate 1. on behalf of the Corporation.
- 2. The attached photocopy of the Certificate of Amendment to the Restated Certificate of Incorporation of Phillips Petroleum Company (to be renamed ConocoPhillips Company) is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of January 1, 2003 and such Certificate of Amendment has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof
- 3. The attached photocopy of the Certificate of Merger of Conoco Inc. with and into ConocoPhillips Company is a true and correct copy as filed in the office of the Secretary of State of Delaware on the 12th day of December 2002, with an effective date of December 31, 2002 and such Certificate of Merger has not been modified, amended, rescinded or revoked and is in full force and effect as of the date hereof.

IN WITNESS WHEREOF, I have hereunto set my hand as Assistant Secretary and affixed the corporate seal of the Corporation this 7th day of January 2003.

ocoPhillips Company

STATE OF TEXAS

COUNTY OF HARRIS

This instrument was acknowledged before me on January 7, 2003, by Jennifer M. Garcia, Assistant Secretary of ConocoPhillips Company, a Delaware corporation, on behalf of said

RECEIVED

JAN 0 8 2003

DIV. OF OIL, GAS & MINING



PAGE 1

The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF AMENDMENT OF "PHILLIPS PETROLEUM COMPANY", CHANGING ITS NAME FROM "PHILLIPS PETROLEUM COMPANY" TO "CONOCOPHILLIPS COMPANY", FILED IN THIS OFFICE ON THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:41 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF AMENDMENT IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11 O'CLOCK P.M.

JAN 0 8 2003

DIV. OF OIL, GAS & MINING



Darriet Smith Windson Sacrana of Screen

•

AUTHENTICATION: 2183360

DATE: 01-02-03

0064324 8100

030002793

STATE OF DELAWARE (THU) | 2. | 2 | 02 | 3:32/ST. | 3:34/ART ART OF CORPORATIONS FILED 01:41 PM 12/12/2002 020763238 - 0064324

CERTIFICATE OF AMENDMENT

to the

RESTATED CERTIFICATE OF INCORPORATION

of

PHILLIPS PETROLEUM COMPANY (to be renamed ConocoPhillips Company)

Phillips Petroleum Company ("Phillips"), a corporation organized and existing under the General Corporation Law of the State of Delaware (the "DGCL"), hereby certifies that:

- 1. The amendments to Phillips' Restated Certificate of Incorporation set forth below were duly adopted in accordance with the provisions of Section 242 of the DGCL and have been consented to in writing by the sole stockholder of Phillips in accordance with Section 228 of the DGCL.
- 2. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Article I thereof and replacing in lieu thereof a new Article I reading in its entirety as follows:

"The name of the corporation (which is hereinafter referred to as the "Corporation") is ConocoPhillips Company."

- 3. Phillips' Restated Certificate of Incorporation is hereby amended by deleting Section 1 of Article IV thereof and replacing in lieu thereof a new Section 1 reading in its entirety as follows:
 - "Section 1. The Corporation shall be authorized to issue 2,100 shares of capital stock, of which 2,100 shares shall be shares of Common Stock, \$.01 par value ("Common Stock")."
- 4. Pursuant to Section 103(d) of the DGCL, this amendment will become effective at 11:00 p.m., Eastern time, on December 31, 2002.

HOU03:884504.1

RECEIVED
JAN 0 8 2003

IN WITNESS WHEREOF, Phillips has caused this certificate to be executed this 12th day of December, 2002.

PHILLIPS PETROLEUM COMPANY

Rick A. Harrington Name:

Senior Vice President, Legal, and General Counsel Title:

RECEIVED JAN 0 8 2003

HQU03:884504.1

DIV. OF OIL, GAS & MINING



The First State

I, HARRIET SMITH WINDSOR, SECRETARY OF STATE OF THE STATE OF DELAWARE, DO HEREBY CERTIFY THE ATTACHED IS A TRUE AND CORRECT COPY OF THE CERTIFICATE OF MERGER, WHICH MERGES:

"CONOCO INC.", A DELAWARE CORPORATION,

WITH AND INTO "CONOCOPHILLIPS COMPANY" UNDER THE NAME OF "CONOCOPHILIPS COMPANY", A CORPORATION ORGANIZED AND EXISTING UNDER THE LAWS OF THE STATE OF DELAWARE, AS RECEIVED AND FILED IN THIS OFFICE THE TWELFTH DAY OF DECEMBER, A.D. 2002, AT 1:44 O'CLOCK P.M.

AND I DO HEREBY FURTHER CERTIFY THAT THE EFFECTIVE DATE OF THE AFORESAID CERTIFICATE OF MERGER IS THE THIRTY-FIRST DAY OF DECEMBER, A.D. 2002, AT 11:59 O'CLOCK P.M.

> RECEIVED JAN n 8 2003

DIV. OF OIL, GAS & MINING



Warriet Smith Hindson

AUTHENTICATION: 2183370

DATE: 01-02-03

0064324 8100M

030002793

(THU) | 2. | 2 | 02 | 13:35/ST. | 13:540 FEATH OF DELAWARE | 16 DIVISION OF CORPORATIONS FILED 01:44 PM 12/12/2002 020763253 - 0064324

CERTIFICATE OF MERGER

۸f

Conoco Inc.
(a Delaware corporation)

with and into

ConocoPhillips Company (a Delaware corporation)

Phillips Petroleum Company, a Delaware corporation to be renamed ConocoPhillips Company prior to the effective time of this certificate of merger (the "Surviving Corporation"), in compliance with the requirements of the General Corporation Law of the State of Delaware (the "DGCL") and desiring to effect a merger of Conoco Inc., a Delaware corporation formerly incorporated under the name Du Pont Holdings, Inc. (the "Merging Corporation," and together with the Surviving Corporation, the "Constituent Corporations"), with and into the Surviving Corporation, and acting by its duly authorized officer, DOES HEREBY CERTIFY that:

First: As of the date hereof, the name and state of incorporation of each of the Constituent Corporations of the merger are as follows:

NAME

STATE OF INCORPORATION

PHILLIPS PETROLEUM COMPANY

Delaware

CONOCO INC.

Delaware

Second: An agreement and plan of merger has been approved, adopted, certified, executed and acknowledged by each of the Constituent Corporations in accordance with the requirements of Section 251 of the DGCL;

Third: The name of the Surviving Corporation will be ConocoPhillips Company;

Fourth: The Certificate of Incorporation of ConocoPhillips Company immediately prior to the merger shall be the Certificate of Incorporation of the Surviving Corporation until such time as it may be amended in accordance with applicable law and the provisions thereof;

Fifth: The executed agreement and plan of merger is on file at an office of the Surviving Corporation, the address of which is 600 North Dairy Ashford, Houston, Texas 77079;

RECEIVED

JAN 0 8 2003

Sixth: A copy of the agreement and plan of merger will be furnished by the Surviving Corporation, on request and without cost, to any stockholder of any Constituent Corporation; and

Seventh: Pursuant to Section 103(d) of the DGCL, this certificate of merger will become effective at 11:59 p.m., Eastern time, on December 31, 2002.

Dated: December 12, 2002

PHILLIPS PETROLEUM COMPANY

(a Delaware corporation)

)

Name: Rick A. Harrington

Title: Senior Vice President, Legal, and General Counsel

RECEIVED
JAN 0 8 2003



CONOCOPHILLIPS COMPANY

Corporation - Foreign - Profit 562960-0143

REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

EFFECTIVE 06/14/1946

EXPIRATION *RENEWAL

UNITED STATES CORP CO
CONOCOPHILLIPS COMPANY
GATEWAY TOWER EAST STE 900
10 EAST SOUTH TEMPLE
SLC UT 84133

RECEIVED
JAN 0 8 2003

SOCIOSOCIONES SOCIONIS SOCIENIS SOCIONIS DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF COMMERCE DIVISION OF CORPORATIONS & COMMERCIAL CODE

REGISTRATION

EFFECTIVE DATE:

06/14/1946

EXPIRATION DATE:

*RENEWAL

ISSUED TO:

CONOCOPHILLIPS COMPANY



REFERENCE NUMBER(S), CLASSIFICATION(S) & DETAIL(S)

562960-0143

Corporation - Foreign - Profit

*RENEWAL

You will need to renew your registration each anniversary date of the effective date.

Exceptions: DBAs and Business Trusts renew every three (3) years from the effective date.



ADI Wall Namehon	Maril Alexan	34/-11	Tuma	Well Status	Coo	Turan	Trees	Down	Dogga
API Well Number	Well Name	_			32	1 wpn		Kngn 10	
43-007-30887-00-00		Gas		APD				1.	
43-007-30865-00-00		Gas		APD	29	14 13		10	E
43-007-30837-00-00		Gas		APD	32	10		17	
43-047-34551-00-00		Gas		APD	24 17	10		18	
43-047-33982-00-00		Gas		APD					
	FEDERAL 12-29-7 1	Gas		APD	29		S	19 19	<u> </u>
	FEDERAL 31-31-6 1	Gas \		APD	31	9		19	<u> </u>
	MCKENDRICK 29-548	Gas		APD	29	14		10	
43-015-30512-00-00		Gas		APD_	19	16 16		9	E
43-015-30515-00-00		Gas \		APD	24			8	E E
43-015-30548-00-00		Gas \		APD	30	16		9	<u> </u>
43-007-30888-00-00		Gas \		APD	32	14		10	<u> </u>
43-007-30813-00-00		Gas \		APD	33			9	E
43-007-30766-00-00		Gas \		APD	33	13			E
43-007-30838-00-00		Gas \		APD	32	13			E
43-007-30863-00-00		Gas \		APD	29	14		10	
43-007-30797-00-00		Gas \		APD	15	14			E
43-007-30798-00-00		Gas \		APD	15	14			E
43-007-30799-00-00		Gas \		APD	15	14		8	
43-007-30796-00-00	l	Gas \		APD	22	14		8	느
43-007-30801-00-00		Gas \		APD_	22	14		8	E
43-007-30802-00-00		Gas \		APD	22	14	S	8	
43-007-30711-00-00		Gas \		APD	9	15		8	E
43-015-30351-00-00		Gas \		APD	11	16		9	E
43-015-30398-00-00		Gas \		APD	12	16		9	E E
43-015-30409-00-00	USA 12-426	Gas \		APD	12	16		9	느
43-007-30805-00-00		Gas \		APD	14	14		8	E
		Gas V		APD	14	14		8	E
43-007-30676-00-00		Gas \		APD	15	15		8	E E
43-015-30417-00-00		Gas \		APD	21	16		9	<u> </u>
43-015-30416-00-00		Gas V		APD	21	16			E
43-015-30415-00-00		Gas V		APD	21	16			E
43-007-30515-00-00		Gas V		APD	31	15		10	
43-007-30835-00-00		Gas V		APD	33	13		9	
43-007-30836-00-00		Gas V		APD	33	13	8	9	
43-007-30803-00-00		Gas V		APD	34		S	8	
43-007-30478-00-00		Gas V		APD	5			9	
43-015-30411-00-00		Gas V		APD	16	16			E
43-015-30412-00-00		Gas V		APD	16	16		9	
43-015-30413-00-00		Gas V		APD	16	16		9	
43-015-30299-00-00		Gas V		APD	18	16		9	
43-015-30420-00-00	· · · · · · · · · · · · · · · · · · ·	Gas V		APD	19	16		9	
43-015-30492-00-00	·	Gas V		APD	19	16		9	
43-007-30891-00-00		Gas V		APD	19	14		10	
43-015-30414-00-00		Gas V		APD	20	16		9	
43-015-30421-00-00	·	Gas V		APD	20	16		9	
43-015-30518-00-00		Gas V		APD	25	16		8	<u> </u>
43-015-30539-00-00		Gas V		APD	25	16		8 8	<u> </u>
43-015-30540-00-00	· · · · · · · · · · · · · · · · · · ·	Gas V		APD	25	16		8	E
43-007-30817-00-00		Gas V		APD	25	13		9	
43-015-30543-00-00		Gas V		APD	26	16		8	
43-015-30547-00-00		Gas V		APD	29	16		9	
43-007-30889-00-00		Gas V	Vell	APD	32	14		10	
43-007-30814-00-00	UTAH 35-506	Gas V	Vell	APD	35	13	S	9	<u>E</u>



API Well Number	Well Name	Well Type	Well Status	Sec	Twnn	Twnd	Rnan	Rnad
	<u></u>	Gas Well	P .	29		S	19	
	GAROFOLA 26-482	Gas Well	P	26	15			E
	GIACOLETTO 11-113	Gas Well	P	11	14			Ē
	GIACOLETTO 13-120	Gas Well	P	13	14	1	9	Ē
	GIACOLETTO 14-121	Gas Well	P	14	14	1	9	F
	HELPER & ASSOC 07-307	Gas Well	P	7	15	1	9	E E
	HELPER & ASSOC 18-236	Gas Well	P	18	15		9	F
	HELPER & ASSOC 18-308	Gas Well	P	18	15		9	F
	HELPER & ASSOC 8-232	Gas Well	Р	8	15		9	E E
	HELPER & ASSOCIATES 7-84	Gas Well	P	7	15		9	E
43-007-30588-00-00		Gas Well	P	16	15		10	
	KAKATSIDES 31-197	Gas Well	P	31	14	1		E
43-007-30296-00-00		Gas Well	P	17	15			E
43-007-30323-00-00		Gas Well	Р	16	14			E
L	PETES WASH 23-12 #1	Gas Well	Р	12	10			E
43-007-30748-00-00		Gas Well	P	25	15		8	
43-007-30749-00-00	l	Gas Well	P	25	15		8	
43-007-30754-00-00		Gas Well	P	26	15		8	Ē
43-007-30755-00-00			Р	26	15		8	E
43-007-30745-00-00			P	26	15			 E
	PINNACLE PEAK 19-171	Gas Well	P	19	14			<u>=</u>
43-007-30845-00-00		Gas Well	Р	10	15			E
43-007-30282-00-00		Gas Well	P	19	15		10	
43-007-30283-00-00	<u></u>	Gas Well	Р	19	15		10	
43-007-30346-00-00		Gas Well	Р	30	15		10	
43-015-30279-00-00			Р	10	16			E
43-015-30494-00-00			P	15	16			E,
	PRETTYMAN 10-15-34		P	10	14			Ē
	PRETTYMAN 11-114		P	11	14			E
43-007-30653-00-00			P	21	15			E
43-007-30743-00-00			P	21	15		9	
43-007-30747-00-00		ļ	P	25	15		8	
43-007-30559-00-00			P	28	15		9	
43-007-30518-00-00			P	28	15		9	
43-007-30509-00-00			P	3	14		9	
43-007-30473-00-00			Р	5	14		9	
43-007-30474-00-00			P	5	14		9	
43-007-30475-00-00			P		14		9	
43-007-30479-00-00		L	P	8 8	14		9	
43-007-30476-00-00			P	8	14		9	
	ROBERTSON 32-127		P	32	14		10	
43-007-30610-00-00	F. Carrier Co. Carrier Co.		P	16	15		10	
43-007-30723-00-00			P	16	15		10	
43-007-30765-00-00			P	16	15		10	
43-007-30800-00-00			P	22	14		8	
43-007-30130-00-00			Р	25	14		9	
43-007-30142-00-00			P	36	14		9	
	STELLA-HAMAKER 10-174		<u>'</u> P	10	15		8	
43-007-30746-00-00	·-·		<u>'</u> P	23	15		8	
43-007-30740-00-00			P	15	14		9	
43-007-30319-00-00			P	16	14		9	
43-007-30322-00-00			P	19	14		9	
43-007-30299-00-00			P	19	14		9	
43-007-30299-00-00			P	20	14		9	
43-007-30327-00-00	I ELUNIO 20-102	Gas Well	Г	20	14	ა	9	드



	- Otan Well Li					_		
API Well Number	Well Name		Well Status				Rngn	Rngd
43-007-30631-00-00		Gas Well	Р	13		S	8	E
43-007-30707-00-00		Gas Well	Р	13			8	E
43-007-30706-00-00		Gas Well	Р	13		S		Ε
43-007-30789-00-00		Gas Well	Ρ .	13	14	S		Ε
43-007-30790-00-00		Gas Well	Р	13	14	S	8	E
43-007-30568-00-00		Gas Well	Р	13	14	S	9	E
43-007-30404-00-00		Gas Well	Р	14	14	S		E
43-015-30418-00-00		Gas Well	Р	1	16	S	9	Ε
43-007-30579-00-00	· · · · · · · · · · · · · · · · · · ·	Gas Well	Р	14	15	S	8	E
43-007-30634-00-00	USA 14-386	Gas Well	P	14	15	S	8	
43-007-30646-00-00	USA 14-416	Gas Well	Р	14	15	S	8	Е
43-007-30647-00-00	USA 14-417	Gas Well	Р	14	15	S	8	Е
43-007-30791-00-00	USA 14-476	Gas Well	Р	14	14	S		E
43-007-30792-00-00	USA 14-477	Gas Well	Р	14	14	s		E
43-007-30529-00-00	USA 14-74	Gas Well	Р	14	14	S	9	E
43-007-30263-00-00	USA 14-75	Gas Well	Р	14	14	S	9	E
43-007-30450-00-00	USA 15-176	Gas Well	Р	15	14			Ε
43-007-30423-00-00	USA 15-177	Gas Well	Р	15	14			E
43-007-30690-00-00	USA 15-420	Gas Well	Р	15	15		8	
43-007-30691-00-00	USA 15-422	Gas Well	Р	15	15		8	
43-007-30264-00-00	USA 15-88	Gas Well	Р	15	14		9	
43-007-30422-00-00	USA 17-179	Gas Well	Р	17	14			E
43-007-30622-00-00	USA 17-180A	Gas Well	Р	17	14			E
43-007-30618-00-00	USA 18-181	Gas Well	Р	18	14		9	
43-007-30417-00-00	USA 18-182		Р	18	14		9	
43-007-30619-00-00	USA 18-435	Gas Well	Р	18	14		9	
43-007-30393-00-00	USA 19-222	Gas Well	P	19	15		10	
43-007-30392-00-00	USA 19-73	Gas Well	Р	19	15		10	
43-007-30448-00-00	USA 20-287	Gas Well	Р	20	15		10	
43-007-30451-00-00	USA 20-288	Gas Well	Р	20	15		10	
43-007-30590-00-00	USA 20-398	Gas Well	Р	20	15	s	10	
43-007-30591-00-00	USA 20-399	Gas Well	Р	20	15		10	Ē
43-007-30424-00-00	USA 21-184	Gas Well	Р	21	14	s	9	
43-007-30425-00-00		Gas Well	Р	21	14		9	
43-007-30426-00-00	USA 22-185	Gas Well	Р	22	14	S	9	
43-007-30477-00-00			Р	22	14		9	E
43-007-30700-00-00	USA 22-466		Р	22	15		8 1	
43-007-30611-00-00	USA 23-423		P	23	14		8 1	
43-007-30650-00-00	USA 23-445		Р	23	15		8	
43-007-30704-00-00	USA 23-451		Р	23	15		8 1	
43-007-30503-00-00	USA 23-467		P	23	15		8 1	
43-007-30793-00-00	USA 23-478		P	23	14		8	
43-007-30794-00-00			P	23	14		8 1	
43-007-30795-00-00			P	23	14		8	
43-007-30469-00-00	USA 24-183		P	24	14		8	
43-007-30612-00-00			P	24	14		8	
43-007-30613-00-00			P	24	14		8	
43-007-30651-00-00			P	24	15		8 6	
43-007-30648-00-00			<u>'</u> P	24	15		8 8	
43-007-30708-00-00			<u>'</u>	24	14		8 8	
43-007-30652-00-00			P	24	15		8 8	
43-007-30705-00-00			P	24	15		8 8	
43-007-30505-00-00			P	25	15		8 8	
43-007-30614-00-00			P	26	14		8 6	
10 007 00014-00-00	JUI 1 20-000	Jas Well	Г	20	14	<u> </u>	O	_



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rnan	Rnad
43-007-30430-00-00		Gas Well	Р	6	15			E
43-007-30562-00-00		Gas Well	P	6	15			E
43-007-30716-00-00		Gas Well	P	6	15			Ē
43-007-30409-00-00		Gas Well	P	7	15			E
43-007-30421-00-00		Gas Well	Р	7	15			E
43-007-30421-00-00		Gas Well	P	8	15			E
43-007-30411-00-00		Gas Well	P	8	15		9	
43-015-30464-00-00		Gas Well	P	8	16		9	
43-015-30378-00-00		Gas Well	P	8	16		9	
43-015-30379-00-00		Gas Well	P	8	16		9	
43-015-30380-00-00		Gas Well	P	8	16		9	
43-007-30449-00-00		Gas Well	P	9	15		9	
			P	9	15		9	
43-007-30561-00-00		Gas Well		9	16	0		
43-015-30300-00-00		Gas Well	Р					E
43-015-30407-00-00	2000	Gas Well	Р	9	16			E
43-015-30397-00-00		Gas Well	Р	9	16			E
43-015-30408-00-00		Gas Well	Р	9	16		. 9	
43-007-30580-00-00		Gas Well	Р	9	15		10	
43-007-30605-00-00		Gas Well	Р	9	15		10	
43-007-30657-00-00		Gas Well	Р	9	15		10	
43-007-30722-00-00			Р	9	15		10	
43-007-30302-00-00			Р	10	15		9	
43-007-30298-00-00		Gas Well	Р	10	15		9	
43-007-30432-00-00		Gas Well	P	10	15		9	
43-007-30303-00-00			Р	10	15		9	
43-007-30228-00-00		Gas Well	Р	11	15		9	
43-007-30229-00-00		Gas Well	Р	11	15		9	
43-007-30230-00-00			Р	11	15		9	
43-007-30231-00-00		Gas Well	Р	11	15		9	
43-007-30467-00-00		Gas Well	Р	1	15		8	E
43-007-30210-00-00	· · · · · · · · · · · · · · · · · · ·	Gas Well	Р	12	15		9	
43-007-30232-00-00		Gas Well	Р	12	15		9	E
43-007-30233-00-00			P	12	15			E
43-007-30234-00-00			Р	12	15		9	
43-015-30493-00-00			Р	13	16		8	
43-015-30301-00-00			Р	13	16		8	
43-007-30243-00-00			Р	13	15		9	
43-007-30244-00-00			Р	13	15		9	
43-007-30245-00-00			Р	13	15		9	
43-007-30246-00-00			Р	13	15		9	
43-007-30439-00-00			Р	13	14		9	
43-007-30220-00-00			Р	1	15		9	
43-007-30221-00-00			Р	1	15		9	
43-007-30222-00-00		Gas Well	P	1	15		9	
43-007-30223-00-00	UTAH 1-45	Gas Well	P	1	15		9	
43-015-30330-00-00	UTAH 14-551	Gas Well	Ρ	14	16		8	
43-015-30331-00-00	UTAH 14-552		Р	14	16		8	
43-007-30239-00-00			P	14	15		9	
43-007-30240-00-00	UTAH 14-62		P	14	15		9	
43-007-30241-00-00	UTAH 14-63	Gas Well	Р	14	15		9	E
43-007-30242-00-00	UTAH 14-64	Gas Well	Р	14	15	s	9	
43-015-30334-00-00	UTAH 15-553	Gas Well	Р	15	16	s	8	
43-007-30416-00-00	UTAH 17-101	Gas Well	Р	17	15	S	10	E
43-007-30277-00-00	UTAH 17-102	Gas Well	Р	17	15	S	10	E



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30255-00-00	UTAH 24-80	Gas Well	Р	24			9	
43-007-30256-00-00	UTAH 24-81	Gas Well	Р	24	15	S	9	E
43-007-30267-00-00	UTAH 24-86	Gas Well	Р	24	15		9	E
43-007-30375-00-00	UTAH 24-87	Gas Well	Р	24	15	S	9	Е
43-007-30227-00-00	UTAH 2-49	Gas Well	Р	2	15	s	9	E
43-007-30157-00-00	UTAH 25-11-7	Gas Well	Р	25	14			E
43-007-30399-00-00	UTAH 25-134	Gas Well	Р	25	15		9	
43-007-30400-00-00	UTAH 25-252	Gas Well	Р	25	15	S	9	
43-007-30401-00-00	UTAH 25-253	Gas Well	Р	25	15		9	
43-007-30402-00-00	UTAH 25-254	Gas Well	Р	25	15		9	
43-007-30600-00-00	UTAH 25-389	Gas Well	Р	25	14	s	8	E
43-007-30599-00-00	UTAH 25-390	Gas Well	Р	25	14	S	8	E
43-007-30658-00-00	UTAH 25-391	Gas Well	Р	25	14	S	8	E
43-007-30602-00-00	UTAH 25-392	Gas Well	Р	25	14	S	8	E
43-007-30206-00-00	UTAH 25-4-33	Gas Well	Р	25	14	S	9	
43-015-30519-00-00	UTAH 25-577	Gas Well	Р	25	16	S	8	E
43-007-30156-00-00	UTAH 25-7-6	Gas Well	Р	25	14	S		Е
43-007-30204-00-00	UTAH 26-11-25	Gas Well	Р	26	14	S	9	E
43-007-30205-00-00	UTAH 26-1-23	Gas Well	Р	26	14	S	9	E
43-007-30181-00-00	UTAH 26-16-8	Gas Well	Р	26	14	S	9	E
43-007-30446-00-00	UTAH 26-255	Gas Well	Р	26	15	S	9	E
43-007-30445-00-00	UTAH 26-256	Gas Well	Р	26	15	S	9	
43-007-30444-00-00	UTAH 26-257	Gas Well	Р	26	15	S	9	E
43-007-30514-00-00	UTAH 26-267	Gas Well	P	26	15	S	9	E
43-015-30541-00-00	UTAH 26-580	Gas Well	Р	26	16	S	8	E
43-015-30542-00-00	UTAH 26-581	Gas Well	Р	26	16	S	8	
43-015-30544-00-00	UTAH 26-583	Gas Well	Р	26	16	S	8	E
43-007-30202-00-00	UTAH 26-6-24	Gas Well	Р	26	14		9	E
43-007-30395-00-00	UTAH 27-187	Gas Well	Р	27	14	S	9	E
43-007-30292-00-00	UTAH 27-188	Gas Well	Р	27	14		9	Ε
43-007-30457-00-00		Gas Well	Ρ	27	15		9	
43-007-30458-00-00	UTAH 27-269	Gas Well	P	27	15		9	
43-007-30712-00-00		Gas Well	Р	27	14		8	
43-007-30714-00-00	UTAH 27-458	Gas Well	P	27	14		8	
43-007-30777-00-00		Gas Well	Р	27	14		8	
43-015-30545-00-00	UTAH 27-584		Ρ	27	16		8	
43-007-30193-00-00	UTAH 27-8-29		Р	27	14		9	
43-007-30186-00-00	UTAH 27-9-30		Р	27	14		9	
43-007-30396-00-00			Р	28	14		9	
43-007-30397-00-00			Р	28	14		9	
43-007-30293-00-00			Ρ	28	14		9	
43-007-30294-00-00			P	28	14		9	
43-007-30551-00-00			Р	28	15		9	
43-007-30560-00-00			Р	28	15		9	
43-007-30405-00-00			P	29	14		9	
43-007-30427-00-00			P	29	14		9	
43-007-30739-00-00			P	29	15		9	
43-007-30740-00-00			Р	29	15		9	
43-007-30741-00-00			P	29	15		9	
43-007-30742-00-00			Р	29	15		9	
43-007-30262-00-00			Р	30	14		10	
43-007-30185-00-00		Gas Well	P	30	14		10	
43-007-30265-00-00		Gas Well	Р	30	14		9	
43-007-30344-00-00	UTAH 30-196	Gas Well	P	30	14	s	9	<u> </u>



API Well Number	Well Name	Well Type	Well Status	Sec	Twpn	Twpd	Rngn	Rngd
43-007-30178-00-00	UTAH 36-1-2	Gas Well	Р	36	14	·S	9	E
43-007-30341-00-00	UTAH 36-135	Gas Well	Р	36	15	S	9	Е
43-007-30343-00-00	UTAH 36-136	Gas Well	Р	36	15	S	9	Ε
43-007-30342-00-00	UTAH 36-137	Gas Well	Р	36	15	S	. 9	Е
43-007-30315-00-00	UTAH 36-162	Gas Well	Р	36	14	S	8	
43-007-30316-00-00	UTAH 36-163	Gas Well	Р	36	14	S		Е
43-007-30317-00-00	UTAH 36-164	Gas Well	Р	36	14	S	8	Е
43-007-30318-00-00	UTAH 36-165	Gas Well	Р	36	14	S	8	E
43-007-30144-00-00	UTAH 36-9-5	Gas Well	Р	36	14	S	9	E
43-015-30341-00-00	UTAH 4-280	Gas Well	Р	4	16	S		E
43-015-30342-00-00	UTAH 4-282	Gas Well	Р	4	16		9	Е
43-007-30384-00-00	UTAH 5-205	Gas Well	Р	5	15	S	9	E
43-007-30269-00-00	UTAH 5-94	Gas Well	Р	5	15	S	10	E
43-007-30270-00-00	UTAH 5-95	Gas Well	Р	5	15	S	10	E
43-007-30271-00-00	UTAH 5-96	Gas Well	Р	5	15	S	10	E
43-007-30217-00-00		Gas Well	Р	6	15		10	E
43-007-30218-00-00	1	Gas Well	P	6	15		10	E
43-007-30219-00-00		Gas Well	Р	6	15		10	
43-007-30254-00-00		Gas Well	Р	6	15		10	E
43-007-30235-00-00		Gas Well	Р	7	15		10	E
43-007-30236-00-00		Gas Well	Р	7	15	S	10	E
43-007-30237-00-00		Gas Well	Р	7	15	S	10	E
43-007-30238-00-00		Gas Well	Р	7	15		10	
43-007-30275-00-00		Gas Well	P	8	15		10	E
43-007-30410-00-00			Р	8	15		9	
43-007-30272-00-00			Р	8	15		10	
43-007-30285-00-00		Gas Well	Р	8	15		10	
43-007-30274-00-00		Gas Well	P	8	15		10	
43-007-30413-00-00		Gas Well	P	9	15	S	9	E
43-007-30414-00-00			Р	9	15		9	
43-007-30279-00-00			P	30	14		10	
			P	5	15		10	
43-015-30250-00-00	UTAH 16-110	Gas Well	Shut_In	16	16	S	9	E



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Eastern States Office 7450 Boston Boulevard Springfield, Virginia 22153

IN REPLY REFER TO 3106.8(932.34)WF

January 16, 2003

NOTICE

ConocoPhillips Company P.O. Box 7500 Bartlesville, Oklahoma 74005 Oil & Gas Leases

105

Merger/Name Change Recognized

Acceptable evidence was received in this office on January 14, 2003, concerning the change of name of Phillips Petroleum Company to ConocoPhillips Company and the merger of Conoco Incorporated into ConocoPhillips Company on Federal oil and gas leases, with ConocoPhillips Company being the surviving entity.

The Secretary of the State of Delaware certified the effective date of this merger effective December 31, 2002.

The oil and gas lease files identified on the enclosed exhibit have been noted to the merger. The exhibit was compiled from a list of leases obtained from your list of leases. Eastern States has not abstracted the lease files to determine if the entities affected by this merger hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested record title or operating rights interest. We are notifying the Minerals Management Service and all applicable Bureau of Land Management offices of this merger and name change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify other leases in which the merging entity maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

By Operation of law the name of the principal on Nationwide Oil and Gas Bond held by Conoco Incorporated (ES0085) has been changed to ConocoPhillips Company.

If you have any questions, please contact Bill Forbes at 703-440-1536.

Shullet B. Fisher

Wilbert B. Forbes
Land Law Examiner
Branch of Use Authorization
Division of Resources Planning, Use
and Protection

bc: JFO, BLM State Offices, MMS, ES RF, 930 RF, ES-932: Bforbes:wbf:01/16/03:440-1536/ConocoPhillips Co

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH 2. CDW 3. FILE

Change of Operator (Well Sold)

5. If NO, the operator was contacted contacted on:

Designation of Agent/Operator

Operator Name Change

X Merger

The operator of the well(s) listed below has changed,	effective:	12-31-02					
FROM: (Old Operator):		TO: (New O	perator):				
PHILLIPS PETROLEUM COMPANY		CONOCOPHII		IPANY			
Address: 980 PLAZA OFFICE	j	Address: P O B					
	İ						
BARTLESVILLE, OK 74004		HOUSTON, T	X 77252				
Phone: 1-(918)-661-4415		Phone: 1-(832)	-486-2329				
Account No. N1475		Account No.	N2335				
CA No.		Unit:	DRUNKA	RDS WASI	ł		
WELL(S)							
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL	
NAME	RNG		NO	TYPE	TYPE	STATUS	
UTAH 7-60	07-15S-10E	43-007-30238	11256	STATE	GW	P	
UTAH 8-97	08-15S-10E	43-007-30272	11256	STATE	GW	P	
UTAH 8-99	08-15S-10E	43-007-30274	11256	STATE	GW	P	
UTAH 8-100	08-15S-10E	43-007-30275	11256	STATE	GW	P	
UTAH 8-98X	08-15S - 10E	43-007-30285	11256	STATE	GW	P	
UTAH 09-412	09-15S-10E	43-007-30580	11256	STATE	GW	P	
UTAH 09-413	09-15S-10E	43-007-30605	11256	STATE	GW	P	
UTAH 09-450			11256	STATE	GW	P	
UTAH 09-453		43-007-30722		STATE	GW	P	
JENSEN 16-132	16-15S-10E	43-007-30588	11256	FEE	GW	P	
SAMPINOS 16-131	16-15S-10E	43-007-30610	11256	FEE		P	
SAMPINOS 16-454	16-15S-10E	43-007-30723	11256	FEE		P	
	16-15S-10E	43-007-30765	11256	FEE		P	
		43-007-30277		STATE		P	
A MATERIAL PARTIES AND A STATE OF THE STATE		43-007-30278		STATE		P	
		43-007-30296		FEE		P	
		43-007-30416		STATE		P	
		43-007-30247		STATE		P	
		43-007-30248		STATE		P	
UTAH 18-71	18-15S-10E	43-007-30249	11256	STATE	GW	P	
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (P.649, 8, 10) Syndry or legal documentation was received for	Enter date after each listed item is completed						
 (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: 01/08/2003 (R649-8-10) Sundry or legal documentation was received from the NEW operator on: 01/08/2003 							
3. The new company has been checked through the Departme	ent of Commo	erce, Division o	f Corporat	tions Databa	nse on:	02/03/2003	
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	562960-0143	3		

6. (R649-9-2)Waste Management Plan has been received on: <u>IN PLACE</u>
7. Federal and Indian Lease Wells: The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: 01/14/2003
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for wells listed on: 01/14/2003
9. Federal and Indian Communization Agreements ("CA"): The BLM or BIA has approved the operator for all wells listed within a CA on: 01/14/2003
10. Underground Injection Control ("UIC") The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: N/A
DATA ENTRY: 1. Changes entered in the Oil and Gas Database on: 02/11/2003
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 02/11/2003
3. Bond information entered in RBDMS on: N/A
4. Fee wells attached to bond in RBDMS on: N/A
STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number: 8140-60-24
FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number: 8015-16-69
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number: N/A
FEE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number 6196922
2. The FORMER operator has requested a release of liability from their bond on: N/A The Division sent response by letter on: N/A
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: N/A
COMMENTS:

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

ORI	GI	N	A	L

·		5. Lease Designation and Serial Number:		
	ML - 38666			
SUNDRY NOTICES AND REPORTS O	N WELLS	6. If Indian, Allottee or Tribe Name:		
		N/A		
Do not use this form for proposals to drill new wells, deepen existing wells, or to reenter p	lugged and abandoned wells.	7. Unit Agreement Name:		
Use APPLICATION FOR PERMIT TO DRILL OR DEEPEN form for such	h proposals.	UTU67921X Drunkards Wash		
1. Type of Well: OIL 🗆 GAS 🖄 OTHER:	8. Weil Name and Number:			
The state of the s	Utah 17-103			
2. Name of Operator: Phillips Petroleum Company		9. API Well Number;		
		43-007-30278		
3. Address and Telephone Number: 6825 South 5300 West, P.O. Box 851, Price,	TIT 04501 (425) 612 0775	10. Field or Pool, or Wildcat:		
0823 Souil 3300 West, P.O. Box 831, Filee,	01 04301 (433) 013-9111	Drunkards Wash		
4. Location of Well Footages: 1120' FWL, 1520' FSL		County: Carbon County		
· · · · · · · · · · · · · · · · · · ·		State:		
QQ, Sec., T., R., M.: NW/SW, SEC. 17, T15S, R10E, SLB & M		Utah		
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE	OF NOTICE, REPOR	RT, OR OTHER DATA		
NOTICE OF INTENT		SUBSEQUENT REPORT		
(Submit in Duplicate)	1	(Submit Original Form Only)		
☐ Abandon ☐ New Construction	☐ Abandon *	□ New Construction		
☐ Repair Casing ☐ Pull or Alter Csg	☐ Repair Casing	☐ Pull or Alter Csg		
☐ Change of Plans ☐ Recomplete	☐ Change of Plans ☐ Convert to Injection	☐ Reperforate ☐ Vent or Flare		
☐ Convert to Injection ☐ Reperforate ☐ Fracture Treat or Acidize ☐ Vent or Flare	· ·			
	Cl 1/El1-			
☐ Multiple Completion ☐ Water Shut-Off ☐ Other	Date of work completio	<u> </u>		
Approximate date work will start				
	Report results of Multiple Com	pletions and Recompletions to different reservoirs on WELL		
	COMPLETION OR RECOMPL	ETION REPORT AND LOG form.		
	* Must be accompanied by a c	ement verification report.		
Please be advised that the above referenced well was 250 gallons of 7 1/2% HCL on 02/15/01.	s chemically treated with	4,000 gallons of low Ph fluid &		
		RECEIVED		
		FEB 2 8 2001		
		DIVISION OF OIL, GAS AND MINING		
13. Name & Signature: Rochelle Crabtree Porhelle Clabette	Title: Administrat	ive Assistant Date: 02/26/2001		

(This space for state use only)